

Green Building Card Forklaring

Tarketts Green Building Cards er udviklet for hvert product. De samler information om genanvendelighed, VOC og formaldehydudledninger og det samlede CO2-aftryk for størstedelen af vores produkter samt deres potentielle bidrag til at opnå grønne certificeringer af et byggeri.

De viste data er relevante i forhold til følgende mærkninger: DGNB, BREEAM, LEED, WELL m.fl.

Der findes to udgaver, én for kommercielle bygninger og én for boligbyggeri.

Green Building Card

Forside

Dette er et eksempel på et Tarkett Green Building Card til et kommercielt byggeri.

Produktnavn



iQ Granit

SUSTAINABILITY ATTRIBUTES

Circular Economy and Climate Change





Good Materials




Indoor Air Quality




LCA Information above is based on the product's Environmental Product Declaration (EPD).
EPD Number: S-P-01346
EPD comparison should be conducted by experts only.

LIFE CYCLE ASSESSMENT



Phase	CO ₂ eq/m ² (Production)	CO ₂ eq/m ² (Construction Process)	CO ₂ eq/m ² (Use)	CO ₂ eq/m ² (End of Life Recycling)
Production	5.24	-	-	-
Construction Process	-	1.57	-	-
Use	-	-	0.23	-
End of Life Recycling	-	-	-	-3.20
TOTAL CARBON FOOTPRINT	3.83			

Product life span = 30 years

Produktets vigtigste miljø-tributter

Produktets samlede CO₂-aftryk inkl. D genbrugsfasen. Ålt data er baseret på EPD'er vurderet af 3. part.



Green Building Card

Bidrag til grøn certificering af byggeriet

De følgende sider fra et Green Building Card fokuserer på produktets potentielle bidrag til grønne certificeringer af et byggeri. Forklaringskortet viser kun to certificeringer som eksempler, mens de øvrige certificeringstyper er tilgængelige i de Tarketts endelige Green Building Cards.












Version af certificeringen

Certificeringens specifikke kriterier












Hvad gør Tarkett for at leve op til kravene?

CONTRIBUTION TO GREEN BUILDING CERTIFICATIONS

BREEAM®


BREEAM ISSUES	CERTIFICATION REQUIREMENTS	THE TARKETT RESPONSE
MAN 02 - Life Cycle Cost and Service Life Planning	Encourage the use of life cycle costing No specific requirement at product level	
HEA 01 - Visual Comfort	Best practices in daylighting and artificial lighting design No specific requirement at product level	
HEA 02 - Indoor Air Quality	TVOC at 28 days ≤ 1000 µg/m³ Formaldehyde at 28 days ≤ 60 µg/m³	  
MAT 01 - Life Cycle Impacts	EPDs available	
MAT 03 - Responsible Sourcing of Construction Products	ISO 14001 certified	
MAT 06 - Material Efficiency	Ingredients verified by a third party or Product composed of recycled content	 
WST 01 - Waste Management	Avoid sending waste to landfill No specific requirement at product level	 

LEED v4.1 Building Design and Construction

LEED CREDITS	CERTIFICATION REQUIREMENTS	THE TARKETT RESPONSE
MR - Environmental Product Declarations	EPDs available	
MR - Sourcing of Raw Materials	Signatory of the UN Global Compact or Product composed of recycled content or Recyclable at end-of-life or Bio-sourced materials	  
MR - Material Ingredients	Ingredients verified by a third party or Cradle to Cradle® certification at bronze level or higher	
MR - Construction and Demolition Waste Management	Avoid sending waste to landfill No specific requirement at product level	 
EQ - Low-Emitting Materials and Indoor Air Quality Assessment	TVOC at 28 days ≤ 1000 µg/m³ Formaldehyde at 28 days ≤ 10 µg/m³ Decrease the concentration of particles in the air	  
EQ - Interior Lighting and Daylight	Best practices in daylighting and artificial lighting design No specific requirement at product level	

Skema for certificeringens målepunkter

Navn på certificering




Alle Tarketts Green Building Cards er tilgængelige online eller kan tilsendes efter behov. Kontakt venligst din lokale Tarkett salgskonsulent.

Green Building Card

Forside

Dette er et eksempel på Tarketts Green Building Card for boligbyggeri.

Produkt navn



Starfloor Click Solid 55

SUSTAINABILITY ATTRIBUTES

Circular Economy and Climate Change




Good Materials



Indoor Air Quality



LIFE CYCLE ASSESSMENT



LCA information above is based on the product's Environmental Product Declaration (EPD).
EPD Number: EPD 1105230
EPD comparison should be conducted by experts only.



Produktets vigtigste miljø-tributter

Produktets samlede CO₂-aftryk inkl. d genbrugsfasen. Ålt data er baseret på EPD'er vurderet af 3. part.

Dette er et eksempel på Tarketts Green Building Card for boligbyggeri.

Green Building Card

Bidrag til grønne bygningscertificeringer

De følgende sider fra et Green Building Card fokuserer på produktets potentielle bidrag til grønne certificeringer af et byggeri. Forklaringskortet viser kun to certificeringer som eksempler, mens de øvrige mærkninger er tilgængelige i de Tarketts endelige Green Building Cards.

Version af certificeringen

Certificeringens specifikke kriterier

Hvad gør Tarkett for at leve op til kravene?

CONTRIBUTION TO GREEN BUILDING CERTIFICATIONS

NF HABITAT HQE V4.1

EXIGENCES NF HABITAT HQE

METHODE D'EVALUATION

RESPONSE TARKETT

Qualité de l'air intérieur	Etiquetage sanitaire français	
Qualité acoustique	Bonnes pratiques sur l'acoustique au sein d'une pièce et entre pièces <i>No specific requirement at product level</i>	
Confort Visuel	Bonnes pratiques sur l'éclairage naturel et artificiel <i>No specific requirement at product level</i>	
Ressources matières	Contenu recyclé au-delà de 15% et Produit couvert par une FDES	
Déchets	Eviter l'envoi à la décharge <i>No specific requirement at product level</i>	
Déconstruction	Produits pouvant être facilement déposés en fin de vie <i>No specific requirement at product level</i>	

HOME QUALITY MARK

HOME QUALITY MARK ISSUES

CERTIFICATION REQUIREMENTS

THE TARKETT RESPONSE

4.1 Indoor Pollutants	TVOC at 28 days ≤ 1000 µg/m³ and Formaldehyde at 28 days ≤ 60 µg/m³	
4.2 Daylight	Best practices in daylighting and artificial lighting design <i>No specific requirement of product level</i>	
4.4 Sound Isolation	Best practices in impact noise reduction <i>No specific requirement of product level</i>	
6.1 Responsible Sourcing	Ingredients verified by a third party or Product composed of recycled content and ISO 14001 certified	
6.2 Environmental Impact of Materials	EPD available	
10.4 Site Waste Management	Avoid sending waste to landfill <i>No specific requirement of product level</i>	

Skema for certificeringens målepunkter

Certificeringens titel

Alle Tarketts Green Building Cards er tilgængelige online eller kan tilsendes efter behov. Kontakt venligst din lokale Tarkett salgskonsulent.