

Hard Surface / LVT Product Guide

2019

For more than 130 years, Tarkett has been at the foundation of **creating more beautiful spaces**, unlocking the **infinite possibilities** that happen when **we come together**.

We believe in the power of collaboration, going the extra mile and investing in the future. **Please join us.**

Welcome to
Tarkett.




The
power of
collaboration.


CREATING TOGETHER

Tarkett believes deeply in the value of collaboration, in bringing together different voices and ideas to create something worth more than the sum of its parts. Within our walls, we're committed to fostering a diverse work environment that encompasses and nurtures people from all backgrounds, ages, races, ethnic groups, and lifestyles. Outside our walls, we've been co-creating with our customers and prominent designers around the globe to create flooring solutions that inspire. When you or your customers ask if something is possible, Tarkett's response is almost always a resounding Yes. If you can imagine it, we'll work to create it.





Suzanne Tick Design™



Design collaboration

Suzanne Tick is the founder of Suzanne Tick Inc., specializing in materials brand strategy, product design, development, and direction for commercial interiors. Suzanne is currently partnering with Tarkett on Brand Strategy and Product Development, Design Consultant for Tarkett, Creative Director for LUUM, and Design Partner for Skyline Design. She has maintained a distinguished career as a textile designer and studio Principal in New York City. Suzanne has been a Design Consultant at Tarkett since 2005 and her designs, across product platforms, have won numerous design awards and continue to break new ground in the industry. Suzanne is known for her intelligent and enthusiastic approach to design in evolving markets, along with conviction to provide innovative solutions. In addition to her work in commercial Interiors, Suzanne maintains a hand weaving practice and creates woven sculptures from repurposed materials. Her work is exhibited worldwide, including MoMA and Art Basel, as well as collected by private and corporate clients. Her recent awards include a 2016 NeoCon Best of Year Gold Award and Interior Design's Hip Award for Tarkett's Collections Infinities.



JHANE BARNES

Design collaboration

Designer Jhane Barnes uses a unique blend of science and art, incorporating fractals and algorithms into many of the products she designs. She began working with Tarkett more than 20 years ago and developed the first modular products designed for random installation. Much of her career has been built on pushing boundaries, whether in her men's fashion collections, textiles, furniture, or carpet. Jhane loves learning about the machines that produce her products in order to get the most out of them. Her latest creations, "Illusion LVT" and "Flight and Airspace," are all about the integration of neutral grounds with clear saturated colors. Each design uses a special space dye yarn that interacts with all the colorways. Fusing select yarns in unexpected ways, her latest two flooring products encompass the core of her design esthetic.

With the Tarkett Solution SPECTrum, we help create happier, healthier, more productive environments that allow people to learn, work, play and heal. When we design people-friendly spaces that actually enhance human performance, we contribute to their earning potential and maximize return on investment.

Solutions
at work.



RETAIL



WORKPLACE



HIGHER EDUCATION




RETAIL

K-12 EDUCATION



008 WORKPLACE



MERCHANDISING PALETTE

Investing in
the future.
Doing Good—
Together.




At Tarkett, we believe that together, we can make a positive impact on people and the planet. That's why we're Doing Good—Together, connecting our sustainability efforts with what our customers value and our world needs. It's an active, living commitment to create a future where people and the planet prosper in balance.

Doing Good—Together means Designing for Life. A life where we respect natural resources and good materials contribute to people-friendly spaces. It means Closing the Loop, building a circular economy in which resources are responsibly stewarded, recycled and continually re-used. And Doing Good—Together means Driving Collaboration, an open invitation to our customers, our partners, and our industry to join us in creating a healthy, beautiful and sustainable world.



DESIGNING FOR LIFE

Developing products based on Cradle to Cradle® principles that contribute to people-friendly spaces and respect the planet's natural capital.



CLOSING THE LOOP

Building a circular economy inclusive of programs and business models that encourage take back, reuse, recycling and elimination of waste.



DRIVING COLLABORATION

Inviting others to join us in Doing Good through education, collaboration, transparency and communication.



A global impact.

Doing Good—Together is inspired by the world’s most ambitious sustainability goals and organizations. From our membership in the World Economic Forum to our participation in the UN Global Compact and our alignment with the UN Sustainable Development Goals, we’re committed to big ideals and positive action, working for the health of our products, our world, and a good future for all.



Thank you for helping us make real progress on a global scale.

We were the first North American flooring manufacturer to offer both commercial and residential products that are certified asthma and allergy friendly® by the Asthma & Allergy Foundation of America.

We have the industry’s most ambitious inventory of Cradle to Cradle certified products covering multiple product categories, from resilient to soft surface, and from products to adhesives to maintenance. By 2020, 100% of Tarkett’s raw materials will be third-party assessed for health and planet impacts.

Our third-party verified Material Health Statements provide a true assessment of

product ingredients and their long-term effects on people and the environment—versus the simple ingredient lists provided by other manufacturers.

By 2020, 75% of our raw materials will be recycled, rapidly renewable, or abundantly available in nature.

We’ve designed products to perform better in the long term with simple wet or dry buffing and neutral cleaning products—which means TVOC emissions are among the lowest in the flooring industry and 10 to 100 times below the world’s strictest standard.

Our ReStart® reclamation program is the oldest in the industry, building on a legacy of more than six decades of recycling.

We are collaborating with other stakeholders to mobilize the industry, so that together, we can improve the impact of our products on people and our planet.

Together, we’re making an impact.

Welcome, to
the world of
Tarkett Design,
Innovation and
Co-Creation.



What constitutes the work presented in this product guide is an extraordinary collaboration and consensus of ideas, methods and materials.

Holistically interconnected, the products within speak to the commitment and purpose to innovate and manufacture floorcoverings that immediately communicate better, simpler, clearer form and function.

From the technical expertise, strength and recycled/recyclable core of our backing systems, to the beautifully engineered construction of our face fibers and design layers, all of our product platforms—Powerbond®, Modular, Broadloom, Woven, LVT and Area Rugs—are developed to align toward today’s fluid, ever changing market segment reality. In this new era, products need to work with one another aesthetically, and in terms of intent, and how they must function in workplace, education, senior living, hospitality and healing environments.

This is what drives us. Our extremely dedicated staff of designers, engineers, research technicians, manufacturers and world-renowned textile consultants succeed when customers desire our floorcoverings, as much for their beauty, as for their ability to add meaning and longevity to the interior spaces they so skillfully design.

With pride and gratitude..

Terry Mowers
*Vice President Commercial Design
North America Commercial Products
Tarkett*

TABLE OF CONTENTS

017
Capabilities

105
Event®

165
Resolve

029
Victory®

135
Venue®

177
Collections Infinies™

039
Contour®

151
Adaptt

197
Resources

The Tarkett Product Guide is our annual showcase piece for as many products as possible at the time of distribution.

We are constantly updating our styles throughout the year, so please make sure you log onto tarkettna.com for the most up-to-date products.

Photos may not accurately depict color. Please order samples for exact product color.

CAPABILITIES




With its state-of-the-art digital printing technology, Tarkett is able to recreate the look of everything from natural wood grains and stone effects to your favorite upholstery. Send us your concepts to inspire a fully customized LVT flooring that's uniquely your own.

Digital printing.

LVT







Add signature images to your flooring design, such as company logos, school mascots, government seals and more. These customized emblems let you use every plane of the interior space to create a unique experience and communicate a client's valuable brand message.

Imaginations custom floor design.



IMAGINATIONS™ CUSTOM FLOOR DESIGN

TECHNOLOGY

Tarkett's focus on design sets us apart. You can choose from our vast array of standard patterns or work with our in-house cutting department to create custom designed flooring solutions. Tarkett's unique ultrasonic cutting system — currently the most advanced in the world — is paired with state-of-the-art CAD technology which assures clean, precise cuts for even the most intricate designs with no entry or end points.

State of the art technology.

PROCESS

Our knowledgeable staff will guide you from the early stages of the project through completion.

- Start with a standard design or send us your concept in a digital format.
- Tarkett's design team will help determine appropriate sizes, colors, textures and edge treatments for your project.
- After the quote and layout are approved, the order can be placed for final design, costing and production.
- The design is cut using an ultrasonic cutting system paired with CAD technology.
- Each design is shipped in sections to allow for trouble free installation.


Step by Step.




BORDERS

Accent a space using one of our standard borders. These designs are available in 4" and 6" widths. Any of our Victory®, Contour® or Event® Series products can be used in these standard border designs, making exciting floors easy.


Beyond Borders.




DIAMOND 1 BD-03




CN-03




AVENUE BD-04




CN-04




STUDIO BD-05




CN-05




DIAMOND 2 BD-06




CN-06




DIAMOND 3 BD-07




CN-07




GEOMETRIC BD-08




CN-08




ROPE BD-10




CN-10




GREEK KEY BD-13




CN-13




RIBBON BD-16




CN-16




GARLAND BD-17



CN-17



GOTHIC BD-18




CN-18


MEDALLIONS

Our medallions add emphasis to any entrance, hallway or highlighted area. These standard designs are easily customized to your specifications, allowing you to create floors as unique as the environments surrounding them. The standard size for circular medallions is 48" in diameter. Square modules are available in 18" and 36" sizes. Any of our Victory®, Contour® or Event® Series products can be used in these standard designs.


Highlight your space.




WINDMILL MD-02




ROSETTE MD-06




DISCOVERY MD-08



COMPASS MD-10




FIDDLEHEAD MD-14




SYMMETRY MD-16




ENTWINED MD-17




BAROQUE MD-18




SWIRL MD-20




BLOOM MD-21




DREAM MD-22




MONARCH MD-23



FEATHER MD-31



PALM MD-32



INTERLOCKED SQUARES MD-35

FLOOR PATTERNS

Great flooring takes on added dimension and special interest when used in patterns. Make an artistic statement, enhance a space or build on other decor selections. Using floor patterns can be simple and the design payoff is substantial. Choose from a number of ideas presented here or design your own.


Pick a pattern.



1 CORNER 80-33



2 CORNER 80-36




4 CORNER 80-30




CHEVRON 80-52



HERRINGBONE 80-05



OCTAGONAL 115




TIK TAK 80-46



CONNECTION 120



LANTERN 121



PIXEL 122



HIVE 123



ILLUSION 124

DESIGN ACCENTS


Create a noteworthy floor by incorporating one or more design accents. Any of our Victory®, Contour® or Event® Series products can be supplied as feature strips, offering a unique grout appearance.

Accents for
any space.

FEATURE STRIPS

Any Victory®, Contour® or Event® Series product can be supplied as feature strips. Feature strips are available in 1/8", 1/4", 1/2", 3/4", 1" and 2" in 36" lengths.

Feature strip options are illustrated below.

 .120" for Square Edge Product



KEYSTONES

Keystones can be cut from any Victory®, Contour® or Event® Series product.



VICTORY® SERIES

- Brites
- Chroma
- Coral Reef
- Magics
- Mineral Chip

Packaging information and specifications can be found in the Resources Section in the back of the catalog.

VICTORY® SERIES

BRITES

Material: Homogeneous vinyl tile
Total thickness: Solid vinyl tile 0.120" (3.0mm)
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 12"x 12", 12"x 18", 18"x 18", 6"x 36", 9"x 36", 12"x 36", 18"x 36", 36"x 36"
Standard Emboss: Slate (SS)



VBR 2002

SHOCK ME PINK

VBR 2004

CITREUSE

VBR 2006

ABLAZE

VBR 3001

ENVY

VBR 3003

PLUMTASTIC

VBR 3005

FANTANGO

VBR 3007

DAZZLBERRY



VICTORY® SERIES

CHROMA

Material: Homogeneous vinyl tile
Total thickness: Solid vinyl tile 0.120" (3.0mm)
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 12"x 12", 12"x 18", 18"x 18", 6"x 36", 9"x 36", 12"x 36"
Standard Emboss: Slate (SS)



















<div>VCM 0100</div> <div>PERSIMMON</div>	<div>VCM 0102</div> <div>CRANBERRY</div>	<div>VCM 0104</div> <div>VAZE</div>	<div>VCM 0106</div> <div>SHAMROCK</div>	<div>VCM 0108</div> <div>ORCHID</div>	<div>VCM 0110</div> <div>CATALINA</div>	<div>VCM 0112</div> <div>CACTUS</div>
<div>VCM 0114</div> <div>CHARLOCK</div>	<div>VCM 0116</div> <div>PEPPERCORN</div>	<div>VCM 0118</div> <div>JAVA</div>	<div>VCM 0120</div> <div>EBONY</div>	<div>VCM 0201</div> <div>VALENTINE</div>	<div>VCM 0203</div> <div>TANGELO</div>	<div>VCM 0205</div> <div>MARIGOLD</div>
<div>VCM 0207</div> <div>LEPRECHAUN</div>	<div>VCM 0209</div> <div>EVERGREEN</div>	<div>VCM 0211</div> <div>CYAN</div>	<div>VCM 0213</div> <div>PERIWINKLE</div>	<div>VCM 0215</div> <div>LAPIS</div>	<div>VCM 0217</div> <div>MIDNIGHT</div>	<div>VCM 0219</div> <div>EGGPLANT</div>
<div>VCM 0221</div> <div>STARDUST</div>	<div>VCM 0223</div> <div>METROPOLIS</div>	<div>VCM 0225</div> <div>WILD OATS</div>	<div>VCM 0227</div> <div>FROTH</div>	<div>VCM 0229</div> <div>CLOVE</div>	<div>VCM 0231</div> <div>GLACIER</div>	<div>VCM 0233</div> <div>OUTER SPACE</div>

VICTORY® SERIES

CORAL REEF

Material: Homogeneous vinyl tile
Total thickness: Solid vinyl tile 0.120" (3.0mm)
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 12"x 12", 12"x 18", 18"x 18", 6"x 36", 9"x 36", 12"x 36", 18"x 36", 36"x 36"
Standard Emboss: Slate (SS)



 VCR 0001 ARCTIC	 VCR 0003 PEARL	 VCR 0015 BEACH MOSS	 VCR 0019 TROPICANA	 VCR 0029 VIOLET RAIN	 VCR 0035 WINDRIFT	 VCR 0039 BAY GRAPE
 VCR 0051 MOONDANCE	 VCR 0053 SANDCASTLE	 VCR 0055 MARS RED	 VCR 0060 KIWI	 VCR 0061 SEASPRAY	 VCR 0063 OCEAN BLUE	 VCR 0064 MYSTIC SEA
 VCR 0065 BLACK PEARL	 VCR 0066 CHAMPAGNE	 VCR 0068 MIST	 VCR 0070 GOLD DUST	 VCR 0071 PURPLE HAZE	 VCR 0081 CERISE	 VCR 0083 ARUBA
 VCR 0085 AQUARIUS						

VICTORY® SERIES

MAGICS

Material: Homogeneous vinyl tile
Total thickness: Solid vinyl tile 0.120" (3.0mm)
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 12"x 12", 12"x 18", 18"x 18", 6"x 36", 9"x 36", 12"x 36", 18"x 36", 36"x 36"
Standard Emboss: Slate (SS)



 VMG 8010 FLORENTINE BRASS	 VMG 8011 CABERNET	 VMG 8012 AUBERGINE
 VMG 8013 METALLIC BLUE	 VMG 8014 BALTIC	 VMG 8015 EMERALD
 VMG 8016 FOOL'S GOLD	 VMG 8017 COPPER	 VMG 8018 SILVER
 VMG 8020 LEAD	 VMG 8025 VERMEIL	 VMG 8027 CHARCOAL
 VMG 8028 SMOKEY QUARTZ	 VMG 8029 CITRINE	 VMG 8030 MALACHITE
 VMG 8031 SAPPHIRE	 VMG 8032 JADE	 VMG 8034 TOPAZ
 VMG 8036 OLIVINE	 VMG 8042 JASPER	 VMG 8044 SUNSTONE

VICTORY® SERIES

MINERAL CHIP

Material: Homogeneous vinyl tile
Total thickness: Solid vinyl tile 0.120" (3.0mm)
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 12"x 12", 12"x 18", 18"x 18", 6"x 36", 9"x 36", 12"x 36"
Standard Emboss: Granite (JS)



 VMN 3114 EMPIRE	 VMN 3116 OBSIDIAN	 VMN 3120 STARRY
 VMN 3122 SUNDANCE	 VMN 3124 BRONZITE	 VMN 3126 DEMURE

Each tile in this handcrafted style is unique and may vary in shade due to the use of metallic pigment and variance in chip concentration.

CONTOUR® SERIES

CONTOUR ABSTRACTS

- Asphalt
- Broadcloth
- C-Stamped
- Chenille
- Color Beam
- Color Pop
- Color Weave
- Faux Bois
- Filament
- Geogrid
- Illusion
- NuGrain
- Outliners
- Rays
- Substrate
- Woven Reed

CONTOUR WOOD

- Amalgamate
- Antique Wood
- Circa
- Exotic Wood
- Grand Ash
- Heartwood
- Modern Wood
- NuGrain
- Public House
- Sinker Cypress
- Spalted
- Townhall
- Wildwood
- Yakisugi

CONTOUR STONE

- Concrete
- Fossil Stone
- Legacy Stone
- Modern Stone
- Passageway
- Rust Rings
- Solstice
- Vestige

Packaging information and specifications can be found in the Resources Section in the back of the catalog.



Massive technology shift.

Contour combines a 32 mil wear layer with our new state-of-the-art Techtonic protection to deliver unmatched durability in high-traffic areas. Tarkett's Techtonic is a massive shift forward in performance for hard surface floors. Its advanced new polyurethane technology is super tough, resisting scratching, abrasions, scuffing and staining—ensuring that your floors look nicer, longer. And Techtonic's matte finish adds beauty, depth, and dimension, for safe and beautiful floors that stand up to the worst of wear.



CONTOUR® SERIES

ASPHALT

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 18"x 18"
Standard Emboss: Pathway (PH)



TILE+PLANK



QUARTER TURN



ASPHALT PCAS 0721


CONTOUR® SERIES

BROADCLOTH

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 18"x 18"
Standard Emboss: Quarry (QU)




TILE+PLANK



UNIDIRECTIONAL



QUARTER TURN



VERTICAL ASHLAR



PCBC 0990 BLEACHFIELD



PCBC 0991 ALUM




PCBC 0992 CUTCH

CONTOUR® SERIES

C-STAMPED




Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 18"x 18", 12"x 36"
Standard Emboss: Passage (PS)



CONTOUR® SERIES

CHENILLE

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 18"x18", 6"x36"
Standard Emboss: Quarry (QU)




CONTOUR® SERIES

COLOR BEAM

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x36", 9"x36", 18"x18"
Standard Emboss: Quarry (QU)



 PCBE C100 URCHIN	 PCBE C101 JUNIPER	 PCBE C102 JEWEL
 PCBE C103 CERULEAN	 PCBE C104 VIRIDIAN	 PCBE C105 VERDE
 PCBE C106 STRAW	 PCBE C107 GOLDENROD	 PCBE C108 TABBY
 PCBE C109 PUMPKIN	 PCBE C110 RUBY	 PCBE C111 SCARLET
 PCBE C112 ALABASTER	 PCBE C113 MOONLIGHT	 PCBE C114 MANTA GREY
 PCBE C115 POWDER GREY	 PCBE C116 LACE	 PCBE C117 CARAMEL
 PCBE C118 TUMBLEWEED	 PCBE C119 DUKE	 PCBE C120 ECLIPSE
 PCBE C121 FLANNEL	 PCBE C122 CORDOROY	 PCBE C123 SOBA




CONTOUR® SERIES

COLOR POP

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x36", 9"x36", 18"x 18"
Standard Emboss: Quarry (QU)




 PCOP C124 PLUM	 PCOP C125 SATURN SKY	 PCOP C126 BABE
 PCOP C127 BERMUDA	 PCOP C128 MALLARD	 PCOP C129 CLOVER
 PCOP C130 FLAN	 PCOP C131 DANDELION	 PCOP C132 PAPRIKA
 PCOP C133 ORIOLE	 PCOP C134 CARDINAL	 PCOP C135 MERLOT
 PCOP C136 BLANCA	 PCOP C137 BOMBAY BEACH	 PCOP C138 SALTON SEA
 PCOP C139 PLUTO	 PCOP C140 MACAROON	 PCOP C141 APRICOT
 PCOP C142 CHESTNUT	 PCOP C143 NAVAL	 PCOP C144 COAL
 PCOP C145 SEA SALT	 PCOP C146 MALT	 PCOP C147 SAND DOLLAR




CONTOUR® SERIES

COLOR WEAVE

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x36", 9"x36", 18"x18"
Standard Emboss: Quarry (QU)




 PCWE C148 VIOLETTA	 PCWE C149 CORNFLOWER	 PCWE C150 AZUL
 PCWE C151 TEAL	 PCWE C152 HERBAL	 PCWE C153 LEPRECHAUN
 PCWE C154 HONEY	 PCWE C155 MUSTARD SEED	 PCWE C156 PERU
 PCWE C157 MONARCH	 PCWE C158 POPPY	 PCWE C159 CRIMSON
 PCWE C160 IVORY	 PCWE C161 KOALA	 PCWE C162 THUNDER
 PCWE C163 PEWTER	 PCWE C164 BLUSH	 PCWE C165 CORN SILK
 PCWE C166 FARROW	 PCWE C167 NIGHT BRIGHT	 PCWE C168 ASHBURN
 PCWE C169 ANGORA	 PCWE C170 HAZELNUT	 PCWE C171 OAT



CONTOUR® SERIES

FAUX BOIS by MANUEL NAVARRO

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x36", 9"x36"
Standard Emboss: Tick (TK)



 PCFB 0970 AMARILLO	 PCFB 0971 NARANJA	 PCFB 0972 CELESTE
--	---	---

CONTOUR® SERIES

FILAMENT

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 9"x36", 18"x 18", 12"x36"
Standard Emboss: Tick (TK)




SUZANNE
TICK



LVT

TILE+PLANK



INDIGENOUS EARTH COLLECTION


GEOGRID

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x 36", 12"x36", 18"x36", 18"x18", 36"x 36"
Standard Emboss: Pathway (PH)



LVT

TILE+PLANK





CONTOUR® SERIES

ILLUSION

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 9"x36", 12"x36", 18"x 18"
Standard Emboss: Quarry (QU)




JHANE BARNES




COMET DUST



LIGHT YEAR



INTERSTELLAR



CONTOUR® SERIES

NUGRAIN

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4'x 36", 6'x 36", 6'x 48"
Standard Emboss: Tick (TK)



GUNMETAL




STERLING



STEEL




PRIMA



CONTOUR® SERIES

OUTLINERS by JANE HALLINAN


Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x36", 9"x36", 18"x 18"
Standard Emboss: Quarry (QU)



CONTOUR® SERIES

RAYS

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 18"x 18", 6"x 36", 12"x 36"
Standard Emboss: Frost (FR)



CONTOUR® SERIES

SUBSTRATE

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 18"x 18", 9"x 36", 12"x 36"
Standard Emboss: Quarry (QU)



SUZANNE
TICK



LVT

TILE+PLANK



QUARTER TURN



VERTICAL
ASHLAR



ECHO



CALCITE



ZINC

CONTOUR® SERIES

WOVEN REED

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x 36", 18"x 18"
Standard Emboss: Quarry (QU)



LVT

TILE+PLANK



UNIDIRECTIONAL



QUARTER TURN



VERTICAL
ASHLAR



SILKSTRAW



ARROWROOT




SISAL SEA



MORE THAN WOOD

AMALGAMATE


Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x 36", 6"x 48", 7.2"x 48"
Standard Emboss: Sawn (SW)



CONTOUR® SERIES

ANTIQUE WOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Standard Emboss: Sawn (SW)



CONTOUR® SERIES

ANTIQUE WOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Standard Emboss: Quarry (QU)



TILE+PLANK



HERRINGBONE



UNIDIRECTIONAL



PCAN 3815
SANDLEWOOD



PCAN 3816
HEMLOCK



CONTOUR® SERIES

ANTIQUE WOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Standard Emboss: Sawn (SW)



TILE+PLANK



HERRINGBONE



UNIDIRECTIONAL



PCAN 0301
VINTAGE LODGE



PCAN 0302
VINTAGE CABIN



PCAN 0305
VINTAGE TOWER




PCAN 0306
VINTAGE INN



CONTOUR® SERIES

ANTIQUE WOOD


Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Standard Emboss: Rough (RG)



CONTOUR® SERIES

ANTIQUE WOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Standard Emboss: Natural Grain (NG)




WILD BOHEMIAN PCAN 0383

CONTOUR® SERIES

ANTIQUE WOOD


Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Standard Emboss: Sawn (SW)



MORE THAN WOOD

CIRCA


Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x 36", 9"x 36", 6"x 48", 7.2"x 48", 18"x 18"
Standard Emboss: Quarry (QU)



CONTOUR® SERIES

EXOTIC WOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Standard Emboss: Rough (RG)




BROWN STRATA PCEX 3314

CONTOUR® SERIES

EXOTIC WOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Standard Emboss: Natural Grain (NG)



KINGWOOD PCEX 3205

CONTOUR® SERIES

EXOTIC WOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Standard Emboss: Tick (TK)



TILE+PLANK



HERRINGBONE



UNIDIRECTIONAL



TRIO WALNUT PCEX 3213

CONTOUR® SERIES

EXOTIC WOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Standard Emboss: Tick (TK)



TILE+PLANK



HERRINGBONE



UNIDIRECTIONAL



PCEX 3210
BRAZILIAN CHERRY



PCEX 3214
CAMPHOR WOOD



CONTOUR® SERIES

EXOTIC WOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Standard Emboss: Tick (TK)



TILE+PLANK



HERRINGBONE



UNIDIRECTIONAL



ZEBRANO PCEX 3301

CONTOUR® SERIES

EXOTIC WOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Standard Emboss: Tick (TK)



TILE+PLANK



HERRINGBONE



UNIDIRECTIONAL



FRUITWOOD PCEX 3302

CONTOUR® SERIES

EXOTIC WOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Standard Emboss: Tick (TK)

LVT

TILE+PLANK



HERRINGBONE



UNIDIRECTIONAL



QUEENSLAND WALNUT PCEX 3310

CONTOUR® SERIES

EXOTIC WOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48", custom size shown
Standard Emboss: Tick (TK)

LVT

TILE+PLANK



HERRINGBONE



UNIDIRECTIONAL



PCEX 3311

HAWAIIAN TEAK

PCEX 3312

GOLDEN TEAK

PCEX 3324

WASHED TEAK



CONTOUR® SERIES

EXOTIC WOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Standard Emboss: Tick (TK)



TILE+PLANK



HERRINGBONE



UNIDIRECTIONAL



CRESTWOOD PCEX 3625

CONTOUR® SERIES

EXOTIC WOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Standard Emboss: Tick (TK)



TILE+PLANK



HERRINGBONE



UNIDIRECTIONAL




KOA PCEX 3901

CONTOUR® SERIES

GRAND ASH


Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Standard Emboss: Rough (RG)



MORE THAN WOOD

HEARTWOOD


Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x 36", 6"x 48", 7.2"x 48", 18"x 18"
Standard Emboss: Quarry (QU)



CONTOUR® SERIES

MODERN WOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Standard Emboss: Natural Grain (NG)





CANADIAN MAPLE PCMD 3306

CONTOUR® SERIES

MODERN WOOD


Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Standard Emboss: Tick (TK)



CONTOUR® SERIES

MODERN WOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Standard Emboss: Natural Grain (NG)




NEWBORN PCMD 0361

CONTOUR® SERIES

MODERN WOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Standard Emboss: Tick (TK)




ATLANTIC CHERRY PCMD 3104

CONTOUR® SERIES

MODERN WOOD


Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Standard Emboss: Tick (TK)



CONTOUR® SERIES

MODERN WOOD


Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Standard Emboss: Rough (RG)



CONTOUR® SERIES

MODERN WOOD


Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Standard Emboss: Rough (RG)



CONTOUR® SERIES

NUGRAIN

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Standard Emboss: Tick (TK)



MORE THAN WOOD


PUBLIC HOUSE

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48", 7.2"x 48"
Standard Emboss: Rough Grain (RG)



LVT

TILE+PLANK



UNIDIRECTIONAL



HERRINGBONE

MORE THAN WOOD


SINKER CYPRESS

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x 36", 6"x 48", 7.2"x 48"
Standard Emboss: Rough Grain (RG)



LVT

TILE+PLANK



UNIDIRECTIONAL



HERRINGBONE



PCSC 4503
SUBMERGED



PCSC 4504
AQUEOUS

MORE THAN WOOD


SPALTED

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x 36", 9"x 36", 6"x 48", 7.2"x 48"
Standard Emboss: Natural Grain (NG)



LVT

TILE+PLANK



UNIDIRECTIONAL



HERRINGBONE

MORE THAN WOOD


TOWNHALL

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48", 7.2"x 48"
Standard Emboss: Rough Grain (RG)



LVT

TILE+PLANK



UNIDIRECTIONAL



HERRINGBONE



PCTH 4505
HAMPTON HALL



PCTH 4506
BRITON HALL



PCTH 4507
LISBON HALL



PCTH 4508
WREN HALL

INDIGENOUS EARTH COLLECTION


WILDWOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x 36", 7.2"x 48", 12"x 36"
Standard Emboss: Rough Grain (RG)



LVT

TILE+PLANK



UNIDIRECTIONAL



HERRINGBONE



VERTICAL
ASHLAR

MORE THAN WOOD

YAKISUGI

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x 36", 6"x 48", 7.2"x 48"
Standard Emboss: Tick (TK)



Kanji PCYK 4502

LVT

TILE+PLANK



UNIDIRECTIONAL




HERRINGBONE

MORE THAN WOOD

YAKISUGI

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x 36", 6"x 48", 7.2"x 48"
Standard Emboss: Tick (TK)




SHINKA PCYK 4501

MORE THAN WOOD

YAKISUGI

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x 36", 6"x 48", 7.2"x 48"
Standard Emboss: Tick (TK)




SURU PCYK 4500

CONTOUR® SERIES

CONCRETE


Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 12"x 24", 18"x 18", 36"x 36"
Standard Emboss: Quarry (QU)



CONTOUR® SERIES

CONCRETE


Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 12"x 24", 18"x 18", 36"x 36"
Standard Emboss: Pathway (PH)



CONTOUR® SERIES

FOSSIL STONE


Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 12"x 24", 18"x 18"
Standard Emboss: Quarry (QU)



CONTOUR® SERIES

LEGACY STONE


Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 12"x 24", 18"x 18"
Standard Emboss: Quarry (QU)



CONTOUR® SERIES

LEGACY STONE




Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 12"x 24", 18"x 18"
Standard Emboss: Pathway (PH)



CONTOUR® SERIES

MODERN STONE


Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 12"x 24", 18"x 18"
Standard Emboss: Quarry (QU)



CONTOUR® SERIES

MODERN STONE

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 12"x 24", 18"x 18"
Standard Emboss: Quarry (QU)



PCMS 0604

PORTO

PCMS 0606

MOCHA

PCMS 0610

VALLETA

PCMS 0612

CAMINO

PCMS 0614

CALYPSO

PCMS 0616

COSTA

PCMS 0620

NIKO

PCMS 0624


PORTLAND



CONTOUR® SERIES

PASSAGEWAY

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 12"x 24", 18"x 18"
Standard Emboss: Quarry (QU)



PCPA 0840

SEASIDE

PCPA 0841


RIVERSIDE

PCPA 0842

CREEKSIDE

RUST RINGS

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x 36", 12"x 36", 18"x 36", 18"x 18", 36"x 36"
Standard Emboss: Pathway (PH)



PCRR 4321

TRACE

PCRR 4323

DAYBREAK

PCRR 4325

CHROMIUM

PCRR 4327

SEDIMENT

PCRR 4329

AXIS

PCRR 4331

LANDSLIDE

PCRR 4333


BRIMSTONE

PCRR 4335

OXIDIZED

SOLSTICE

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil
Wear warranty: 20 year
Edge treatment: Square Edge (SE) or Slight Bevel (SB)
Sizes: 6"x 36", 12"x 36", 18"x 36", 18"x 18", 36"x 36"
Emboss: Pathway (PH)



CSO 4420

JUNO

CSO 4422

TRITON

CSO 4424

TEPHRA

CSO 4426

COMET

CSO 4428

IGNEOUS

CSO 4430

ARIES

CSO 4432

VENUS


CSO 4434

TROPIC

CONTOUR® SERIES

VESTIGE

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 18"x 18", 24"x 24"
Standard Emboss: Quarry (QU)



EVENT® SERIES

EVENT
WOOD

Classic Plank
Crafted Plank
Heritage Plank


EVENT
STONE

Classic Stone
Quartzite
Slate
Striate
Travertine
Urban Stone

EVENT® SERIES

CLASSIC PLANK


Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36"
Standard Emboss: Natural Grain (NG)



EVENT® SERIES

CLASSIC PLANK


Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", custom size shown
Standard Emboss: Third Grain (TG)



EVENT® SERIES

CLASSIC PLANK


Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36"
Standard Emboss: Natural Grain (NG)



EVENT® SERIES

CLASSIC PLANK


Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36"
Standard Emboss: Natural Grain (NG)



EVENT® SERIES

CLASSIC PLANK

Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36"
Standard Emboss: Natural Grain (NG)




EUROPEAN CHERRY ECK 3307

EVENT® SERIES

CLASSIC PLANK

Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36"
Standard Emboss: Natural Grain (NG)





ASH ECK 3308

EVENT® SERIES

CLASSIC PLANK


Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36"
Standard Emboss: Third Grain (TG)



EVENT® SERIES

CRAFTED PLANK


Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x 48", 7.2"x 48"
Standard Emboss: Natural Grain (NG)



EVENT® SERIES

CRAFTED PLANK


Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x 48", 7.2"x 48"
Standard Emboss: Natural Grain (NG)



EVENT® SERIES

CRAFTED PLANK


Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x 48", 7.2"x 48"
Standard Emboss: Third Grain (TG)



EVENT® SERIES

CRAFTED PLANK


Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x 48", 7.2"x 48"
Standard Emboss: Natural Grain (NG)



EVENT® SERIES

CRAFTED PLANK


Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x 48", 7.2"x 48"
Standard Emboss: Worn Grain (WN)



EVENT® SERIES

CRAFTED PLANK


Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x 48", 7.2"x 48"
Standard Emboss: Third Grain (TG)



EVENT® SERIES

CRAFTED PLANK


Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x 48", 7.2"x 48"
Standard Emboss: Weathered Grain (WE)



EVENT® SERIES

CRAFTED PLANK

Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x 48", 7.2"x 48"
Standard Emboss: Natural Grain (NG)




HIROKI OAK ECF 2129

EVENT® SERIES

HERITAGE PLANK

Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36"
Standard Emboss: Weathered Grain (WE)



EHP 3208
WHEAT ASH




EHP 3209
BURNT ASH



EVENT® SERIES

HERITAGE PLANK


Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36"
Standard Emboss: Rustic (RU)



EVENT® SERIES

HERITAGE PLANK


Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36"
Standard Emboss: Third Grain (TG)



EVENT® SERIES

HERITAGE PLANK

Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36"
Standard Emboss: Natural Grain (NG)




ANTIQUE WALNUT EHP GW38

EVENT® SERIES

CLASSIC STONE

Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 12"x 18", 18"x 18"
Standard Emboss: Quarry (QU)




ASH LIMESTONE ECL 7107

EVENT® SERIES

CLASSIC STONE

Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 12"x 18", 18"x 18"
Standard Emboss: Frost (FR)




CORDOVAN SANDSTONE ECL 7112

EVENT® SERIES

CLASSIC STONE


Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 12"x 18", 18"x 18"
Standard Emboss: Frost (FR)



EVENT® SERIES

QUARTZITE

Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 12"x 18", 18"x 18"
Standard Emboss: Quarry (QU)



EQZ 7230

SWISS QUARTZITE

EQZ 7231

MEDITERRANEAN QUARTZITE

EQZ 7232

MOROCCAN QUARTZITE

EQZ 7233


ROSA QUARTZITE



EVENT® SERIES

SLATE

Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 12"x 18", 18"x 18"
Standard Emboss: Rock (RK)



ESL RR61

CORTEZ GOLD

ESL RR64

SACRED ROCK

ESL RR65

TUCSON GRAY

ESL RR72



CANYON GRAY



EVENT® SERIES

STRIATE


Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 18"x 18", 12"x 36", 18"x 36"
Standard Emboss: Rock (RK)



EVENT® SERIES

TRAVERTINE


Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 12"x 18", 18"x 18"
Standard Emboss: Quarry (QU)



EVENT® SERIES

URBAN STONE


Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 18"x 18", 12"x 36", 18"x 36", 36"x 36"
Standard Emboss: Rock (RK)



EVENT® SERIES

URBAN STONE

Material: Heterogeneous vinyl tile
Wear layer thickness: 30 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 18"x 18", 12"x 36", 18"x 36", 36"x 36"
Standard Emboss: Rock (RK)



VENUE® SERIES

Venue Wood

Venue Stone


Venue Abstract

Packaging information and specifications can be found in the Resources Section in the back of the catalog.

VENUE® SERIES

VENUE WOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil (0.50 mm), 0.120" (3 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Emboss: Weathered Grain (WG)




VINTAGE OAK UVP 3530

VENUE® SERIES

VENUE WOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil (0.50 mm), 0.120" (3 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Emboss: Linear Wood (LW)



UVP 3605
TAOS




UVP 3606
CHAMOIS



VENUE® SERIES

VENUE WOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil (0.50 mm), 0.120" (3 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Emboss: Weathered Grain (WG)




URBAN OAK UVP 3603

VENUE® SERIES

VENUE WOOD


Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil (0.50 mm), 0.120" (3 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Emboss: Weathered Grain (WG)



VENUE® SERIES

VENUE WOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil (0.50 mm), 0.120" (3 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Emboss: Weathered Grain (WG)




EUROPEAN CHERRY UVP 3307

VENUE® SERIES

VENUE WOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil (0.50 mm), 0.120" (3 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Emboss: Weathered Grain (WG)




HICKORY UVP 3405

VENUE® SERIES

VENUE WOOD


Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil (0.50 mm), 0.120" (3 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Emboss: Weathered Grain (WG)



VENUE® SERIES

VENUE WOOD


Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil (0.50 mm), 0.120" (3 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Emboss: Weathered Grain (WG)



VENUE® SERIES

VENUE WOOD


Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil (0.50 mm), 0.120" (3 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Emboss: Linear Wood (LW)



VENUE® SERIES

VENUE WOOD


Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil (0.50 mm), 0.120" (3 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Square Edge (SE)
Sizes: 4"x 36", 6"x 36", 6"x 48"
Emboss: Weathered Grain (WG)



VENUE® SERIES

VENUE STONE


Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil (0.50 mm), 0.120" (3 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Square Edge (SE)
Sizes: 12"x 24", 18"x 18"
Emboss: Quarry (QU)



VENUE® SERIES

VENUE STONE


Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil (0.50 mm), 0.120" (3 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Square Edge (SE)
Sizes: 12"x 24", 18"x 18"
Emboss: Quarry (QU)



VENUE® SERIES

VENUE STONE

Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil (0.50 mm), 0.120" (3 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Square Edge (SE)
Sizes: 12"x 24", 18"x 18"
Emboss: Quarry (QU)




LUNA UVS 7214

VENUE® SERIES

VENUE STONE

Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil (0.50 mm), 0.120" (3 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Square Edge (SE)
Sizes: 12"x 24", 18"x 18"
Emboss: Quarry (QU)




CRISTALLO UVS 7235

VENUE® SERIES

VENUE ABSTRACT—FINE LINES

Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil (0.50 mm), 0.120" (3 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Square Edge (SE)
Sizes: 18"x 18", 6"x 36"
Emboss: Linear Wood (LW)




ADAPTT SERIES

Woodlot
Stonewalk

Packaging information and specifications can be found in the Resources Section in the back of the catalog.

Adaptt by Tarkett
Luxury Vinyl Flooring backed by SureSet™ Technology

Tarkett's Adaptt with SureSet Technology is backed with a unique sculpted wave backing system that has adhesive on the raised wave, leaving the channels open and free of adhesive so that the floor can absorb sound and breathe — resisting moisture and providing a better acoustical experience underfoot. With a pre-applied adhesive that's easily repositioned, this dimensionally stable solution forgives mishaps at every stage of the project, so it can keep looking beautiful for years to come.



ADAPTT
WOODLOT


Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil wear layer, 0.177" (4.5 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Microbeveled
Sizes: 6"x 36"
Emboss: Standard



CHERRYWOOD SSP 2314

ADAPTT
WOODLOT


Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil wear layer, 0.177" (4.5 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Microbeveled
Sizes: 7.25"x 48"
Emboss: Standard



COVENTRY SSP 2315

ADAPTT
WOODLOT


Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil wear layer, 0.177" (4.5 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Microbeveled
Sizes: 6"x 36"
Emboss: Standard



VALLEY OAK SSP 2316


ADAPTT
WOODLOT

Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil wear layer, 0.177" (4.5 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Microbeveled
Sizes: 7.25"x 48"
Emboss: Standard




ADAPTT
WOODLOT

Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil wear layer, 0.177" (4.5 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Microbeveled
Sizes: 7.25"x 48"
Emboss: Standard




ADAPTT
WOODLOT

Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil wear layer, 0.177" (4.5 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Microbeveled
Sizes: 7.25"x 48"
Emboss: Standard




ADAPTT
WOODLOT

Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil wear layer, 0.177" (4.5 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Microbeveled
Sizes: 7.25"x 48"
Emboss: Standard




ADAPTT
WOODLOT

Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil wear layer, 0.177" (4.5 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Microbeveled
Sizes: 7.25"x 48"
Emboss: Standard




ADAPTT
WOODLOT

Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil wear layer, 0.177" (4.5 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Microbeveled
Sizes: 7.25"x 48"
Emboss: Standard



ADAPTT
WOODLOT


Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil wear layer, 0.177" (4.5 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Microbeveled
Sizes: 7.25"x 48"
Emboss: Standard



WOODLAND SSP 2328

ADAPTT
WOODLOT

Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil wear layer, 0.177" (4.5 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Microbeveled
Sizes: 7.25"x 48"
Emboss: Standard





HIROKI OAK SSP 2329

ADAPTT

STONEWALK

Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil wear layer, 0.177" (4.5 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Microbeveled
Sizes: 36"x 36"
Emboss: Standard



RESOLVE SERIES


Resolve Wood
Resolve Stone

Packaging information and specifications can be found in the Resources Section in the back of the catalog.

RESOLVE SERIES

RESOLVE WOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil wear layer, 0.098" (2.5 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Square Edge (SE)
Sizes: 7.56"x 48.43"
Emboss: Standard




ARTISAN OAK RRW 2503

RESOLVE SERIES

RESOLVE WOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil wear layer, 0.098" (2.5 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Square Edge (SE)
Sizes: 7.56"x 48.43"
Emboss: Standard




HERITAGE CHERRY RRW 2500

RESOLVE SERIES

RESOLVE WOOD


Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil wear layer, 0.098" (2.5 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Square Edge (SE)
Sizes: 7.56"x 48.43"
Emboss: Standard



RESOLVE SERIES

RESOLVE WOOD


Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil wear layer, 0.098" (2.5 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Square Edge (SE)
Sizes: 7.56"x 48.43"
Emboss: Standard



RESOLVE SERIES

RESOLVE WOOD


Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil wear layer, 0.098" (2.5 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Square Edge (SE)
Sizes: 7.56"x 48.43"
Emboss: Standard



RESOLVE SERIES

RESOLVE WOOD


Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil wear layer, 0.098" (2.5 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Square Edge (SE)
Sizes: 7.56"x 48.43"
Emboss: Standard



RESOLVE SERIES

RESOLVE WOOD


Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil wear layer, 0.098" (2.5 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Square Edge (SE)
Sizes: 7.56"x 48.43"
Emboss: Standard



RESOLVE SERIES

RESOLVE WOOD


Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil wear layer, 0.098" (2.5 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Square Edge (SE)
Sizes: 7.56"x 48.43"
Emboss: Standard



RESOLVE SERIES

RESOLVE STONE

Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil wear layer, 0.098" (2.5 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Square Edge (SE)
Sizes: 18.9"x 18.9"
Emboss: Standard




TUSCAN IVORY RRS 2509

RESOLVE SERIES

RESOLVE STONE

Material: Heterogeneous vinyl tile
Wear layer thickness: 20 mil wear layer, 0.098" (2.5 mm) overall thickness
Wear warranty: 10 year
Edge treatment: Square Edge (SE)
Sizes: 18.9"x 18.9"
Emboss: Standard



RIVERSIDE RRS 2508

COLLECTIONS INFINIES™

- Crystal
- Faux Bois
- Glow
- Outliners
- Trans Materia
- Flora
- Static

Packaging information and specifications can be found in the Resources Section in the back of the catalog.



This is Collections Infinies™: the ultimate disruptive design experience. It's a unique breakthrough in LVT that uses the power of Co-Creation to breathe life into the design process. Here, you'll experience the inspiration of some of the most influential design minds of our time and meld it with your own creative process. Featuring state-of-the-art digital print technology, the possibilities for customization are as expansive as your imagination. And the results are nothing short of breathtaking.

Co-create.
Make it
your own.

DIGITAL PRINT LVT

COLLECTIONS
INFINIES™

Digital Printing allows the ability to be agile and switch between designs and color variations very quickly, opening up a new world of flexibility including the ability to co-create with our customers like never before... Longer Pattern Repeats – Digital Printing pattern repeats are only limited by the digital design itself and not simply the circumference of traditional cylinder printing.



Collections Infinies doesn't just give you options. It opens the door of Co-Creation and allows you to elevate your designs with our renowned designers. Experience collaboration with some of the most amazing talents in the design world while simultaneously feeling the exhilaration of creating something unique to your vision. Explore. Discover. And co-create with all that is... Collections Infinies.

Work with
the best.

DESIGNER COLLABORATION



Suzanne Tick

Principal, Suzanne Tick Inc.

A well-known trailblazer, noted for her passionate approach to design within evolving markets.



Krista Ninivaggi

Founder, K&Co

A cutting-edge designer, she's translated her love for NYC's vibrant nightlife into her calling, hospitality design.



D.B. Kim

Designer

A conceptual and constructive practitioner, a commentator on creativity, a sophisticated traveler and citizen of the world.



Georgie Stout

Founding Partner, 2X4

A brand strategist for cultural and commercial clients who value the power of design.



Jane Hallinan

Designer, Perkins Eastman


She aims to elevate the position of women, encourage diversity, and advocate for legal recognition with the interior design profession..



Manuel Navarro

Design Director, IA Interior Architects

Creates visionary design solutions; inspired by travel, art, and architecture.



Co-create alongside our six designers. Our visualizer tool allows you to immerse yourself in the rich world of Tarkett's Collections Infinies. Experience the vision and inspiration of our designers firsthand and begin to see all of the Co-Creation possibilities brought to you through the remarkable nature of the exclusive collection. With our online visualizer tool, you are able to co-create with a designer.

Where
co-creation
is realized.

COLLECTIONS INFINIES™
CRYSTAL by D.B. KIM

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil
Wear warranty: 20 year
Edge treatment: Square (SE)
Sizes: 6"x 36", 18"x 36"
Emboss: Pathway (PH)

LVT

TILE+PLANK



UNIDIRECTIONAL



VERTICAL
ASHLAR



CLEAR



IRON



ABALONE



CLEAR - COBALT



IRON - COBALT




ABALONE - COBALT



CLEAR - BASALT



IRON - BASALT




ABALONE - BASALT



CLEAR - AQUAMARINE



IRON - AQUAMARINE



ABALONE - AQUAMARINE



CLEAR - JADE



IRON - JADE




ABALONE - JADE

CONTOUR® SERIES

FAUX BOIS by MANUEL NAVARRO

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x36", 9"x36"
Standard Emboss: Tick (TK)



<div>PCFB 1904</div> <div>ALBO</div>	<div>PCFB 0970</div> <div>AMARILLO</div>	<div>PCFB 1901</div> <div>ZAPOTE</div>	<div>PCFB 1902</div> <div>ROSITA</div>	<div>PCFB 1903</div> <div>REGIO</div>	<div>PCFB 1900</div> <div>CHICLE</div>
<div>PCFB 1914</div> <div>NEVADO</div>	<div>PCFB 1910</div> <div>ORO</div>	<div>PCFB 0971</div> <div>NARANJA</div>	<div>PCFB 1912</div> <div>MALVA</div>	<div>PCFB 1913</div> <div>GARZO</div>	<div>PCFB 1911</div> <div>ZARCO</div>
<div>PCFB 1905</div> <div>CANA</div>	<div>PCFB 1909</div> <div>BAYO</div>	<div>PCFB 1908</div> <div>ALAZAN</div>	<div>PCFB 1907</div> <div>MORA</div>	<div>PCFB 1906</div> <div>ASTRAL</div>	<div>PCFB 0972</div> <div>CELESTE</div>

GLOW by K&CO

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil
Wear warranty: 20 year
Edge treatment: Square (SE) or Slight Bevel (SB)
Sizes: 6"x 36"
Emboss: Rough (RG)

LVT

TILE+PLANK
































UNIDIRECTIONAL



HERRINGBONE




 PIGL 200G Ballet - Flamingo	 PIGL 203G Ballet - Lightest Warm Grey	 PIGL 204G Ballet - Off White	 PIGL 205G Ballet - Pale Sky	 PIGL 207G Bright Grey - Flamingo	 PIGL 210G Bright Grey - Pale Sky	 PIGL 219G Frozen Lemonade - Flamingo
 PIGL 222G Frozen Limonade - Lightest Warm Grey	 PIGL 223G Frozen Lemonade - Off White	 PIGL 224G Frozen Lemonade - Pale Sky	 PIGL 233G Pale Mint - Flamingo	 PIGL 236G Pale Mint - Lightest Warm Grey	 PIGL 237G Pale Mint - Off White	 PIGL 238G Pale Mint - Pale Sky
 PIGL 240G Sherbet - Flamingo	 PIGL 243G Sherbet - Lightest Warm Grey	 PIGL 244G Sherbet - Off White	 PIGL 245G Sherbet - Pale Sky	 PIGL 247G Bright Grey - Lightest Warm Grey	 PIGL 248G Bright Grey - Off White	
 PIGL 249G Lightest Warm Grey - Flamingo	 PIGL 253G Lightest Warm Grey - Pale Sky	 PIGL 254G Lightest Warm Grey - Off White	 PIGL 255G Milk - Sugar Cookie	 PIGL 256G Milk - White Ice		
 PIGL 257G Milk - Shy Eggplant	 PIGL 258G Pewter Portrait - Sugar Cookie	 PIGL 259G Pewter Portrait - White Ice	 PIGL 260G Pewter Portrait - Shy Eggplant			

CONTOUR® SERIES

OUTLINERS by JANE HALLINAN

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil wear layer, 0.120" (3mm) overall thickness
Wear warranty: 20 year
Edge treatment: Square Edge (SE)
Sizes: 6"x36", 9"x36", 18"x 18"
Standard Emboss: Quarry (QU)




 PCOU 0988 CAERULEA	 PCOU 0942 ALTUM	 PCOU 0930 NIMBUS	 PCOU 0931 VENTUS
 PCOU 0946 FOLIA	 PCOU 0947 ARBOR	 PCOU 0986 MONS	 PCOU 0941 RASA
 PCOU 0943 CASIA	 PCOU 0945 FLOS	 PCOU 0987 TELLUS	 PCOU 0940 COTRICE
 PCOU 0936 RUBI	 PCOU 0937 PLUMA	 PCOU 0948 NOX	 PCOU 0949 CALIGO

COLLECTIONS INFINIES™

TRANS MATERIA by SUZANNE TICK

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil
Wear warranty: 20 year
Edge treatment: Square (SE)
Sizes: Solids: 6"x 36", 18"x 18", 18"x 36" - Transitions: 18"x 18", 18"x 36"
Emboss: Quarry (QU)



SOLIDS

PIMA 400MA

MARBLE

PIFO 421FO

FOIL

PIFE 431FE

FELT

PIRI 434RI

RIBWEAVE

TRANSITIONS

PIRE 566RE

RIBWEAVE - FELT

PIRFL 575RF

RIBWEAVE - FOIL

PIRM 584RM

RIBWEAVE - MARBLE

PIFFO 503FF

FELT - FOIL

PIFM 512FM

FELT - MARBLE


PIFOM 533FM

FOIL - MARBLE

COLLECTIONS INFINIES™

FLORA by 2x4



Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil
Wear warranty: 20 year
Edge treatment: Square (SE)
Sizes: 18"x 18", 18"x 36", 36"x 36"
Emboss: Quarry (QU)



COLLECTIONS INFINIES™

STATIC by 2x4

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil
Wear warranty: 20 year
Edge treatment: Square (SE)
Sizes: 18"x 18", 18"x 36", 36"x 36"
Emboss: Quarry (QU)



RESOURCES

STANDARD PACKAGING AND SIZING

Sizes are style specific. Refer to individual style pages for specific size availability. For additional size options, contact your Tarkett account executive.

TILES

Sizes:	12"x 12"	12"x 18"	12"x 24"	12"x 36"	18"x 18"
Quantity:	45 tiles per ctn	30 tiles per ctn	18 tiles per ctn	15 tiles per ctn	20 tiles per ctn
	45 sq. ft. per ctn	45 sq. ft. per ctn	36 sq. ft. per ctn	45 sq. ft. per ctn	45 sq. ft. per ctn
Weight:	45 lbs. per ctn	45 lbs. per ctn	36 lbs. per ctn	45 lbs. per ctn	45 lbs. per ctn

Sizes:	18"x 36"	9"x 36"	36"x 36"	
Quantity:	10 tiles per ctn	20 tiles per ctn	10 tiles per ctn	
	45 sq. ft. per ctn	45 sq. ft. per ctn	90 sq. ft. per ctn	
Weight:	45 sq. ft. per ctn	45 lbs. per ctn	90 lbs. per ctn	

PLANKS

Sizes:	4"x 36"	6"x 36"	6"x 48"	7.2"x 48"
Quantity:	45 planks per ctn	24 planks per ctn	18 planks per ctn	15 planks per ctn
	45 sq. ft. per ctn	36 sq. ft. per ctn	36 sq. ft. per ctn	36 sq. ft. per ctn
Weight:	45 lbs. per ctn	36 lbs. per ctn	36 sq. ft. per ctn	36 sq. ft. per ctn

ADAPTT AND RESOLVE PACKAGING AND SIZING

ADAPTT

Stonewalk	Sizes:	36"x 36"	
	Quantity:	4 tiles per ctn	
	Weight:	36 sq. ft. per ctn	
		61 lbs. per ctn	

Woodlot	Sizes:	6" x 36"	7.25 x 48"
	Quantity:	16 tiles per ctn	10 tiles per ctn
		24 sq. ft. per ctn	24.2 sq. ft. per ctn
Weight:		41 lbs. per ctn	41 lbs. per ctn

RESOLVE

Stonewalk	Sizes:	7.56"x 48.43"	18.9" x 18.9"
	Quantity:	16 planks per ctn	16 tiles per ctn
		40.67 sq. ft. per ctn	39.68 sq. ft. per ctn
Weight:		40.20 lbs. per ctn	39.68 lbs. per ctn



TILE + PLANK

VICTORY® SERIES

SPECIFICATIONS

Classification:	ASTM F1700 Class I Type B
Total Thickness:	0.120" (3.0 mm)
Wear Layer Thickness:	Homogeneous Solid Vinyl Tile
Edge Treatment:	Square (SE)
Emboss:	Standard
Warranty:	20-Year Limited Commercial Wear Warranty
Colors:	84
Installation:	Glue Down

TESTING

Flexibility:	ASTM F137	Passes
Dimensional Stability:	ASTM F2199	Passes
Static Load:	ASTM F970	Passes
Residual Indentation:	ASTM F1914	Excellent
Flammability:	ASTM E648	CRF≥0.45 watts/cm² NFPA Class 1
Slip Resistance:	ASTM D2047	Passes >0.5 ADA Compliant
Smoke Density:	ASTM E662	Passes <450 D ^{MC}
Resistance to Light:	ASTM F1515	Excellent
Chemical Resistance:	ASTM F925	Excellent
Resistance to Heat:	ASTM F1514	Excellent

ENVIRONMENTAL DATA

Materials:	No Heavy Metals; Phthalate-free
Indoor Air Quality:	Meets CDPH Standard Method v1.1-2010; FloorScore® Certification
Recyclability:	100% Recyclable through our ReStart® Program
LEED Scoreboard:	LEED 2009 MRc2 Construction Waste Management MRc5 Regional Materials IEQ 4.1 Low-Emitting Adhesives IEQ 4.3 Low-Emitting Materials Flooring
Third-party Certification:	NSF/ANSI-332 Gold
Manufacturing:	Made in the USA ISO 9001 Quality Management System ISO 14001 Environmental Management System OHSAS 18001 Occupational Health and Safety Management System
Packaged In:	Recycled, corrugated cardboard



PRODUCT CERTIFIED FOR REDUCED ENVIRONMENTAL IMPACT. VIEW SPECIFIC ATTRIBUTES EVALUATED: UL.COM/EL NSF 332

LVT

TILE + PLANK

CONTOUR® SERIES

SPECIFICATIONS

Classification:

ASTM F1700 Class III Type B

Total Thickness:

0.120" (3.0 mm)

Wear Layer Thickness:

32 mil (0.8 mm)

Edge Treatment:

Square (SE)

Emboss:

Optional

Warranty:

20-Year Limited Commercial Wear Warranty

Colors:

312

Installation:

Glue Down

TESTING

Flexibility:

ASTM F137

Passes

Dimensional Stability:

ASTM F2199

Passes

Static Load:

ASTM F970

Passes

Residual Indentation:

ASTM F1914

Excellent

Flammability:

ASTM E648

CRF≥0.45 watts/cm² NFPA Class 1

Slip Resistance:

ASTM D2047

Passes >0.5 ADA Compliant

Smoke Density:

ASTM E662

Passes <450 D^{MC}

Resistance to Light:

ASTM F1515

Excellent

Chemical Resistance:

ASTM F925

Excellent

Resistance to Heat:

ASTM F1514

Excellent

ENVIRONMENTAL DATA

Recycled Content:

13.8%-27.5% Preconsumer

Materials:

No Heavy Metals; Non-Toulene Ink System

Indoor Air Quality:

Meets CDPH Standard Method v1.1-2010;
FloorScore® Certification

Recyclability:

100% Recyclable through our ReStart® Program

LEED Scoreboard:

LEED 2009
MRc2 Construction Waste Management
MRc4 Recycled Content
MRc5 Regional Materials
IEQ 4.1 Low-Emitting Adhesives
IEQ 4.3 Low-Emitting Materials Flooring

Third-party Certification:

NSF/ANSI-332 Gold

Manufacturing:

Made in the USA
ISO 9001 Quality Management System
ISO 14001 Environmental Management System
OHSAS 18001 Occupational Health and
Safety Management System

Packaged In:

Recycled, corrugated cardboard

LEED v4
MRc2 Building Product Disclosure and Optimization–
Environmental Product Declarations
MRc3 Building Product Disclosure and Optimization–
Sourcing of Raw Materials
MRc5 Construction and Demolition Waste Management
IEQc2 Low-Emitting Materials

Multiple Emboss options are available for many of the products in the Contour Series.

Appropriate surface texture, pattern, and color play a significant role in LVT performance, wear and maintenance requirements. Please consult your account executive to determine appropriate surface texture that will best fit the design and performance goals for your project.



PRODUCT CERTIFIED FOR REDUCED ENVIRONMENTAL IMPACT. VIEW SPECIFIC ATTRIBUTES EVALUATED: UL.COM/EL NSF 332

LVT

TILE + PLANK

EVENT® SERIES

SPECIFICATIONS

Classification:

ASTM F1700 Class III Type B

Total Thickness:

0.120" (3.0 mm)

Wear Layer Thickness:

30 mil (0.76 mm)

Edge Treatment:

Square (SE)

Emboss:

Standard

Warranty:

20-Year Limited Commercial Wear Warranty

Colors:

39

Installation:

Glue Down

TESTING

Flexibility:

ASTM F137

Passes

Dimensional Stability:

ASTM F2199

Passes

Static Load:

ASTM F970

Passes

Residual Indentation:

ASTM F1914

Excellent

Flammability:

ASTM E648

CRF≥0.45 watts/cm² NFPA Class 1

Slip Resistance:

ASTM D2047

Passes >0.5 ADA Compliant

Smoke Density:

ASTM E662

Passes <450 D^{MC}

Resistance to Light:

ASTM F1515

Excellent

Chemical Resistance:

ASTM F925

Excellent

Resistance to Heat:

ASTM F1514

Excellent

ENVIRONMENTAL DATA

Recycled Content:

7.25% Preconsumer

Materials:

No Heavy Metals; Non-Toulene Ink System

Indoor Air Quality:

Meets CDPH Standard Method v1.1-2010;
FloorScore® Certification

Recyclability:

100% Recyclable through our ReStart® Program

LEED Scoreboard:

LEED 2009

MRc2 Construction Waste Management

MRc4 Recycled Content

MRc5 Regional Materials

IEQ 4.1 Low-Emitting Adhesives

IEQ 4.3 Low-Emitting Materials Flooring

LEED v4

MRc2 Building Product Disclosure and Optimization–
Environmental Product Declarations

MRc3 Building Product Disclosure and Optimization–
Sourcing of Raw Materials

MRc5 Construction and Demolition Waste Management

IEQc2 Low-Emitting Materials

Manufacturing:

ISO 9001 Quality Management System

ISO 14001 Environmental Management System

OHSAS 18001 Occupational Health and
Safety Management System

Packaged In:

Recycled, corrugated cardboard



LVT

TILE + PLANK

VENUE® SERIES

SPECIFICATIONS

Classification:

ASTM F1700 Class III Type B

Total Thickness:

0.120" (3.0 mm)

Wear Layer Thickness:

20 mil (0.5 mm)

Finish:

Polyurethane reinforced

Edge Treatment:

Square (SE)

Emboss:

Standard

Warranty:

10-Year Limited Commercial Wear Warranty

Colors:

19

Installation:

Glue Down

TESTING

Flexibility:

ASTM F137

Passes

Dimensional Stability:

ASTM F2199

Passes

Static Load:

ASTM F970

Passes

Residual Indentation:

ASTM F1914

Excellent

Flammability:

ASTM E648

CRF≥0.45 watts/cm² NFPA Class 1

Slip Resistance:

ASTM D2047

Passes >0.5 ADA Compliant

Smoke Density:

ASTM E662

Passes <450 D^{MC}

Resistance to Light:

ASTM F1515

Excellent

Chemical Resistance:

ASTM F925

Excellent

Resistance to Heat:

ASTM F1514

Excellent

ENVIRONMENTAL DATA

Recycled Content:	30% Preconsumer	
Materials:	Phthalate free except post-consumer recycled content No Heavy Metals; Non-Toulene Ink System Meets CDPH Standard Method v1.1-2010; FloorScore® Certification	
Indoor Air Quality:		
Recyclability:	100% Recyclable through our ReStart® Program	LEED v4
LEED Scoreboard:	LEED 2009 MRc2 Construction Waste Management MRc4 Recycled Content MRc5 Regional Materials IEQ 4.1 Low-Emitting Adhesives IEQ 4.3 Low-Emitting Materials Flooring	MRc2 Building Product Disclosure and Optimization– Environmental Product Declarations MRc3 Building Product Disclosure and Optimization– Sourcing of Raw Materials MRc5 Construction and Demolition Waste Management IEQc2 Low-Emitting Materials
Manufacturing:	Made in the USA ISO 9001 Quality Management System ISO 14001 Environmental Management System OHSAS 18001 Occupational Health and Safety Management System	
Packaged In:	Recycled, corrugated cardboard	



PRODUCT CERTIFIED FOR
REDUCED ENVIRONMENTAL
IMPACT. VIEW SPECIFIC
ATTRIBUTES EVALUATED:
UL.COM/EL
NSF 332

LVT

TILE + PLANK

ADAPTT

SPECIFICATIONS

Classification:

ASTM F1700 Class I Type B

Total Thickness:

0.177" (4.5 mm)

Wear Layer Thickness:

20 mil (0.55 mm)

Edge Treatment:

Microbeveled

Emboss:

Standard

Warranty:

10-Year Limited Commercial Wear Warranty

Colors:

20

Installation:

Self Adhesive

TESTING

Slip Resistance:

ASTM D2047

SCOF ≥0.6

Flammability:

ASTM E648

>.45 w/cm²

Smoke Density:

ASTM F970

<450

Staining:

ASTM F1914

Good

Static Load:

ASTM E648

Passes

Dimensional Stability:

ASTM D2047

Passes

Resistance to Heat:

ASTM E662

E<8

Resistance to Light:

ASTM F1515

E<8

Impact Sound Reductions:

ASTM F925

IIC 12

FloorScore® Certification

Phthalate-free

ENVIRONMENTAL DATA

Materials:	No Heavy Metals; Phthalate-free
Indoor Air Quality:	FloorScore® Certification
Recyclability:	100% Recyclable through our ReStart® Program



LVT

TILE + PLANK

RESOLVE

SPECIFICATIONS

Classification:

ASTM F1700 Class III Type B

Total Thickness:

0.098" (2.5 mm)

Wear Layer Thickness:

0.020" (0.5 mm)

Edge Treatment:

Square (SE)

Emboss:

Optional

Warranty:

10-Year Limited Commercial Wear Warranty

Colors:

10

Installation:

Glue Down

TESTING

Flexibility:

ASTM F137

Passes

Dimensional Stability:

ASTM F2199

Passes

Static Load:

ASTM F970

Passes

Residual Indentation:

ASTM F1914

Passes

Flammability:

ASTM E648

CRF≥0.45 watts/cm² 1

Slip Resistance:

ASTM D2047

Passes ≥ 0.5 SCOF

Smoke Density:

ASTM E662

Passes <450

Resistance to Light:

ASTM F1515

ΔE ≤ 8

Chemical Resistance:

ASTM F925

Excellent

Resistance to Heat:

ASTM F1514

ΔE ≤ 8

ENVIRONMENTAL DATA

Recycled Content:

13.8%-27.5% Preconsumer

Materials:

No Heavy Metals; Non-Toulene Ink System

Indoor Air Quality:

Meets CDPH Standard Method v1.1-2010;
FloorScore® Certification

Recyclability:

100% Recyclable through our ReStart® Program

LEED Scoreboard:

LEED 2009
MRc2 Construction Waste Management
MRc4 Recycled Content
MRc5 Regional Materials
IEQ 4.1 Low-Emitting Adhesives
IEQ 4.3 Low-Emitting Materials Flooring

LEED v4
MRc2 Building Product Disclosure and Optimization–
Environmental Product Declarations
MRc3 Building Product Disclosure and Optimization–
Sourcing of Raw Materials
MRc5 Construction and Demolition Waste Management
IEQc2 Low-Emitting Materials

Third-party Certification:

NSF/ANSI-332 Gold

Manufacturing:

Made in the USA
ISO 9001 Quality Management System
ISO 14001 Environmental Management System
OHSAS 18001 Occupational Health and
Safety Management System

Packaged In:

Recycled, corrugated cardboard

Multiple Emboss options are available for many of the products in the Contour Series.

Appropriate surface texture, pattern, and color play a significant role in LVT performance, wear and maintenance requirements. Please consult your account executive to determine appropriate surface texture that will best fit the design and performance goals for your project.



PRODUCT CERTIFIED FOR
REDUCED ENVIRONMENTAL
IMPACT. VIEW SPECIFIC
ATTRIBUTES EVALUATED:
UL.COM/EL
NSF 332

Tarkett North America

30000 Aurora Road
Solon, Ohio 44139
800.248.2878

tarkettna.com

©2019 Tarkett USA Inc.

03/2019