

CARTOGRAPHY 04843 Powerbond Installation





CARTOGRAPHY 04843 24" X 24" Vertical Ashlar Installation





CARTOGRAPHY 04843 24" x 24" Vertical Ashlar Installation







CARTOGRAPHY

Rooted in ancient map-making techniques with structured amorphous patterning, Cartography imparts a classic timelessness. Designed to personalize the workplace with bright accents, it provides a workable concept for floor plane mapping and multiple use spaces. Providing a new, fresh take on organics for interiors with a textural surface of cut and un-cut pile, matte and lustrous fiber add depth while warm and cool neutrals ground this product.



CARTOGRAPHY INSTALLATION INSPIRATIONS

Modular 24" x 24" Vertical Ashlar









Eastern Sky 15606



Edge Shadow 15613

24" x 24" Vertical Ashlar





Tanned Taupe 15608



Guidelines 15602



Stone Lithograph 15612

Powerbond





Eastern Sky 15606

End-seam pattern match required No side-seam pattern match required

PRODUCT COORDINATES – SOFT SURFACE





ANGULATE




MODULAR OWERBOND




VENUE ABSTRACT, CRISS CROSS DOVER


UVA 5120



SUBSTRATE, LAGUNA

CSU 0956





CPN 0934

NUGRAIN, STEEL

THE ULTIMATE FLOORING EXPERIENCE

Tandus Centiva, a Tarkett company, creates innovative floorcovering solutions through our unique line of Powerbond[®], Freeform[®], Modular, Broadloom, Woven, LVT and MetalEdge transition products. Each of our product platforms offer coordinated styles, extensive color ranges and a variety of patterns and textures that enhance the appearance of any commercial environment. Tandus Centiva products are also designed to coordinate with a variety of Johnsonite wall base and finishing accessories, providing the Ultimate Flooring Experience across the Tarkett family of brands.





PRODUCT COORDINATES – TRANSITION: METALEDGE COLLECTION

MetalEdge provides a transition solution and finish detail for any commercial space. It is offered in three aesthetically pleasing and tastefully refined systems, each engineered and colored to work with a vast array of Tandus Centiva soft and hard surface product platforms. Please contact your Tandus Centiva account executive for details.



STEEL 00179*



IRONSTONE 00178*



BLACK PEARL 00082*



BRASS 00176*

CONSTRUCTION OPTIONS

All Tandus Centiva Powerbond[®] and Modular options are 100% closed-loop recyclable through our ReStart[®] program and do not contain pesticides (antimicrobials) as part of our reduce chemical initiatives. We ensure 100% of the flooring samples returned are recycled or reused, guaranteed.

	Backing Systems	Warranty	Rollability	100% Closed-loop Recyclable	Seams	Moisture Management	Installation	Recycled Content
Powerbond	Powerbond [®] Cushion	lifetime	GOOD	RECYCLABLE		IMPACT 0 @ 10,000	PEEL & STICK DIRECT GLUE	RECYCLED
	Powerbond [®] Medfloor [®]	lifetime	EXCELLENT	RECYCLABLE		IMPACT 0 @ 10,000	PEEL & STICK DIRECT GLUE	RECYCLED
	Powerbond [®] ethos [®] Cushion	lifetime	EXCELLENT	RECYCLABLE		IMPACT 0 @ 10,000	PEEL & STICK DIRECT GLUE	RECYCLED
Modular	Conserv®	lifetime	EXCELLENT	RECYCLABLE			DIRECT GLUE	
	ER3®	lifetime	EXCELLENT	RECYCLABLE			PEEL & STICK DIRECT GLUE	RECYCLED
	ethos®	lifetime	EXCELLENT	RECYCLABLE			TANDUS TAPE DIRECT GLUE	RECYCLED
	Flex-Aire®	lifetime	GOOD	RECYCLABLE			TANDUS TAPE PEEL & STICK DIRECT GLUE	RECYCLED



Rollability is the ability to move (or roll) pieces of furniture such as chairs or beds on flooring



Moisture penetration by impact at seams @10psi: No penetration after 10,000 impacts



Impermeable seams



ReStart[®] includes Tandus Centiva's third-party certified reclamation and recycling program that reclaims and recycles post consumer flooring, installation waste, samples and portfolios. To initiate ReStart, contact customer service at 800-248-2878. ReStart is available for all Tarkett products and may be initiated by contacting your Tarkett representative.

SCSglobal

	Product	Recycled Content	Min. Post-Consumer Recycled Content	NSF 140 Rating
CERTIFIED	ER3® Modular	45-67%	20%	Platinum
CERTIFIED	Powerbond [®] ethos [®] Cushion	37-62%	37%	Platinum
CERTIFIED	ethos® Modular	26-51%	26%	Platinum
CERTIFIED	Powerbond [®] Cushion	7-32%	7%	Gold
CERTIFIED	Powerbond [®] Medfloor [®]	7-31%	7%	
CERTIFIED	Flex-Aire [®] Cushion Modular	21-40%	4%	Gold

Recycled content varies by product style and has been certified by Scientific Certification Systems (SCS) Global Services. For a detailed analysis of how Tandus Centiva products perform in environmental rating systems such as LEED, please visit our ecoScorecard at tandus-centiva.ourgreenproducts.com.

All vinyl products, when recovered, are 100% recyclable in Tandus Centiva's closed-loop recycling process.



Tandus Centiva offers Environmental Product Declarations (EPD) for the following: ethos Modular, ER3 Modular, Flex-Aire Cushion Modular, Powerbond ethos Cushion, Powerbond Cushion and Powerbond Medfloor.

CARTOGRAPHY 04843



Coordinate Group:	12		
Size:	Powerbond: 6 feet (1.8 m) Modular: 24″ x 24″ (60.9 cm x 60.9 cm)		
Surface Texture:	Stratatec [®] Patterned Symtex [®]		
Yarn Content:	Dynex SD [®] Nylon		
Dye Method:	100% Solution Dyed		
Pile Height Average:	0.187" (4.7 mm)		
Pattern Match:	6' W x 105.15" L End Seam Only		
Powerbond			
Construction Options:	Powerbond® Cushion, Powerbond® Medfloor®, Powerbond® ethos® Cushion		
Modular			
Construction Options:	ER3® Modular, Flex-Aire® Cushion Modular, Conserv® Modular, ethos® Modular		
Installation Options:	24″ X 24″:		



VERTICAL ASHLAR

