



FOLKLORE COLLECTION

ALHAMBRA 40043/FLORENTINE 40045  
PIAZZA 40044  
Broadloom Installation



Tandus Centiva  
A Tarkett Company





FOLKLORE COLLECTION

TOULON 40046  
Broadloom Installation





Tandus Centiva





FOLKLORE COLLECTION

PIAZZA 40044  
Broadloom Installation





Tandus Centiva





FOLKLORE COLLECTION

ALHAMBRA 40043  
Broadloom Installation





Tandus Centiva





FOLKLORE COLLECTION

FLORENTINE 40045  
Broadloom Installation

Tandus Centiva





FOLKLORE COLLECTION

ATTUNE II 48003  
Broadloom Installation

Tandus Centiva




PRODUCT COORDINATES – SOFT SURFACE



BROADLOOM

GRASSCLOTH COLLECTION



BROADLOOM

TAPIS COLLECTION



BROADLOOM

NOVO COLLECTION



BROADLOOM

COLOUR COLLECTION



PRODUCT COORDINATES – LVT



CLASSIC PLANK, ASH

ECK 3308



CROSSWEAVE, ECRU

CCW 7531



CLASSIC STONE, OKARA TAN

ECL 7127



MAGICS, VERMEIL

VMG 8025



## PRODUCT COORDINATES


Gone is the wait for a well-engineered, beautifully-designed and unobtrusive solution for floorcovering transitions. Tandus Centive now offers an innovative, right-priced answer to this long-standing problem. MetalEdge is offered in three aesthetically pleasing and tastefully refined systems, each engineered to work specifically with the vast array of Tandus Centiva soft and hard surface product platforms. The coordination of soft and hard surface products, MetalEdge transition, and wall base accessories from Johnsonite, a Tarkett company, allows for design flexibility and a range of offerings that enables customers to choose exactly the product they need - moving beyond a product choice to a design solution.





## PRODUCT COORDINATES – TRANSITION: METALEDGE COLLECTION


MetalEdge provides a transition solution and finish detail for any commercial space. It is offered in three aesthetically pleasing and tastefully refined systems, each engineered and colored to work with a vast array of Tandus Centiva soft and hard surface product platforms. Please contact your Tandus Centiva account executive for details.



STEEL 00179\*



IRONSTONE 00178\*



BLACK PEARL 00082\*



BRASS 00176\*

*\*These colors are metallic and may not be accurately represented. Please contact your Tandus Centiva account executive to order samples, 800.248.2878.*



PRODUCT COORDINATES – JOHNSONITE

The following colors have been selected from the Johnsonite palette as complements to Tandus Centiva products. Available in a broad offering of wall base and finishing accessories, each can provide the necessary finishing touches to any commercial space. Please contact your Johnsonite representative for details, 800.899.8916.



69 STERLING SILVER\*



38 PEWTER



179 STEEL\*



20 CHARCOAL



82 BLACK PEARL\*



63 BURNT UMBER



44 DARK BROWN



40 BLACK



27 MIST



194 ANTIQUE WHITE



34 ALMOND



09 CLAY




49 BEIGE



280 SHORELINE



281 GRIZZLY



29 MOON ROCK



150 WETLANDS



283 TOAST



101 SEAWEED



47 BROWN



41 SEA BREEZE



71 STORM CLOUD



92 BLUE LAGOON



168 THUNDER



190 GREEGE



73 PALM LEAF



264 GROUNDED



66 EITHER ORE\*



45 SANDALWOOD



261 AUTUMN



76 CINNAMON



284 GANACHE




132 ESPRESSO



113 CHESTNUTTY



85 BURGUNDY














167 FUDGE

\*These colors are metallic and may not be accurately represented. Please contact your Johnsonite customer service representative to order samples.




CONSTRUCTION OPTIONS

Broadloom	Backing Systems	Warranty	Rollability	100% Closed-loop Recyclable	Moisture Management	Installation	Recycled Content
	Super-Lok®	10 YEAR				DIRECT GLUE	
	LifeLong®	20 YEAR				DIRECT GLUE	
	ErgoStep®	10 YEAR				DIRECT GLUE	

  = Rollability is the ability to move (or roll) pieces of furniture such as chairs or beds on flooring

GOOD EXCELLENT

 = 100 ml of dye is applied to the center of a carpet sample and left for 24 hours to confirm resistance to moisture transmission through the secondary backing.

MODIFIED BRIT. SPILL TEST



ReStart® includes Tandus Centiva’s third-party certified reclamation and recycling program that reclaims and recycles post consumer flooring, installation waste, samples and portfolios. To initiate ReStart, contact customer service at 800-248-2878. ReStart is available for all Tarkett products and may be initiated by contacting your Tarkett representative.

Product	Recycled Content	Bio-based Content*
LifeLong®	28-40%	
Ergostep®	8-10%	2-3%

\*Bio-based content available upon request - minimum yardage requirements apply.

For a detailed analysis of how Tandus Centiva products perform in environmental rating systems such as LEED, please visit our ecoScorecard at [tandus-centiva.ourgreenproducts.com](https://tandus-centiva.ourgreenproducts.com).



**TOULON  
40046**



BROADLOOM

**PIAZZA  
40044**



BROADLOOM

**ALHAMBRA  
40043**



BROADLOOM

<b>Coordinate Group</b>	4	4	4
<b>Size:</b>	12'6" (381 cm)	12' 6" (381 cm)	12'6" (381 cm)
<b>Surface Texture:</b>	Tufted Patterned Tipshear	Tufted Patterned Tipshear	Tufted Patterned Tipshear
<b>Yarn Content:</b>	Dynex SD® Nylon	Dynex SD® Nylon	Dynex SD® Nylon
<b>Dye Method:</b>	Solution Dyed	Solution Dyed	Solution Dyed
<b>Pile Height Average:</b>	High: 0.197" (5.0 mm) Low: 0.079" (2.0 mm)	High: 0.197" (5.0 mm) Low: 0.079" (2.0 mm)	High: 0.197" (5.0 mm) Low: 0.079" (2.0 mm)
<b>Pattern Match:</b>	18.75" W x 20" L (476 mm W x 508 mm L)	18.75" W x 17.65" L (476 mm W x 448 mm L)	18.75" W x 8.62" L (476 mm W x 218 mm L)
<b>Broadloom</b>			
<b>Construction Options:</b>	SuperLok®, LifeLong®, ErgoStep®	SuperLok®, LifeLong®, ErgoStep®	SuperLok®, LifeLong®, ErgoStep®

**FLORENTINE  
40045**



BROADLOOM

**ATTUNE II  
48003**



BROADLOOM

<b>Coordinate Group</b>	4	Textures
<b>Size:</b>	12' 6" (381 cm)	12' (366 cm)
<b>Surface Texture:</b>	Tufted Patterned Tipshear	Tufted Textured Tipshear
<b>Yarn Content:</b>	Dynex SD® Nylon	Dynex SD® Nylon
<b>Dye Method:</b>	Solution Dyed	Solution Dyed
<b>Pile Height Average:</b>	High: 0.197" (5.0 mm) Low: 0.079" (2.0 mm)	High: 0.197" (5.0 mm) Low: 0.177" (4.5 mm)
<b>Pattern Match:</b>	18.75" W x 22.43" L (476 mm W x 569 mm L)	.31" W x N/A L (7.9 mm W x N/A mm L)
<b>Broadloom</b>		
<b>Construction Options:</b>	SuperLok®, LifeLong®, ErgoStep®	SuperLok®, LifeLong®, ErgoStep®