



Suzanne Tick Design™

FULL VOLUME III 60102
Woven Installation

Tandus | Centiva
A Tarkett Company



Suzanne Tick Design™

FULL VOLUME III 60102
Woven Installation

Tandus | Centiva

PRODUCT COORDINATES – SOFT SURFACE



BROADLOOM

ALPACA II



MODULAR


POWERBOND

GRID OVERLAY II



MODULAR

CODE/CODE TRANSITION



BROADLOOM

GRAMA II



MODULAR

POWERBOND

HALFTONE II




MODULAR

HALFTONE TRANSITION


PRODUCT COORDINATES - LVT

Tandus Centiva Soft Surface products coordinate with a variety of our LVT products.



CONTOUR SERIES, GRAPHITE

FE 0793-C



CONTOUR SERIES, PURE

FE 0745-C



CONTOUR SERIES, SILT

FE 0950-C



CONTOUR SERIES, STERLING

CP 3712-C

PRODUCT COORDINATES – JOHNSONITE

The following colors have been selected from the Johnsonite palette as complements to Tandus Centiva products. Available in a broad offering of wall base and finishing accessories, each can provide the necessary finishing touches to any commercial space. Please contact your Johnsonite representative for details, 800.899.8916.



69 STERLING SILVER*



38 PEWTER



179 STEEL*



20 CHARCOAL



82 BLACK PEARL*



63 BURNT UMBER



44 DARK BROWN



40 BLACK



27 MIST



194 ANTIQUE WHITE



34 ALMOND



09 CLAY



49 BEIGE



280 SHORELINE



281 GRIZZLY



29 MOON ROCK



150 WETLANDS



283 TOAST



101 SEAWEED



47 BROWN



41 SEA BREEZE



71 STORM CLOUD



92 BLUE LAGOON



168 THUNDER



190 GREEGE



73 PALM LEAF



264 GROUNDED



66 EITHER ORE*



45 SANDALWOOD



261 AUTUMN



76 CINNAMON



284 GANACHE



132 ESPRESSO



113 CHESTNUTTY



85 BURGUNDY




167 FUDGE

*These colors are metallic and may not be accurately represented. Please contact your Johnsonite customer service representative to order samples.

THE ULTIMATE FLOORING EXPERIENCE

Tandus Centiva, a Tarkett company, creates innovative floorcovering solutions through our unique line of Powerbond®, Freeform®, Modular, Broadloom, Woven and LVT products. Each of our product platforms offer coordinated styles, extensive color ranges and a variety of patterns and textures that enhance the appearance of any commercial environment. Tandus Centiva products are also designed to coordinate with a variety of Johnsonite wall base and finishing accessories, providing the Ultimate Flooring Experience under the Tarkett family of brands.



MODULAR



LVT






TILE + PLANK



THE ULTIMATE
FLOORING EXPERIENCE

CONSTRUCTION OPTIONS

Through our ReStart® program, we ensure 100% of the flooring and samples returned are recycled or reused, guaranteed.

	Backing Systems	Warranty	Rollability	Recyclable	Moisture Management	Installation	Recycled Content
Woven	Crossweave®	lifetime LIMITED				DIRECT GLUE	
	CrossCushion®	10 YEAR				DIRECT GLUE	



= Rollability is the ability to move (or roll) pieces of furniture such as chairs or beds on flooring



= 100 ml of dye is applied to the center of a carpet sample and left for 24 hours to confirm resistance to moisture transmission through the secondary backing.



ReStart® includes Tandus Centiva's third-party certified reclamation and recycling program that reclaims and recycles post consumer flooring, installation waste, samples and portfolios. To initiate ReStart, contact customer service at 800-248-2878. ReStart is available for all Tarkett products and may be initiated by contacting your Tarkett representative.

Product	Recycled Content	Bio-based Content*
CrossCushion®	8-10%	2-3%

*Bio-based content available upon request - minimum yardage requirements apply.

For a detailed analysis of how Tandus Centiva products perform in environmental rating systems such as LEED, please visit our ecoScorecard at tandus-centiva.ourgreenproducts.com.

For samples, warranties and additional information, visit tandus-centiva.com or call 800.248.2878.

FULL VOLUME III 60102



Coordinate Group:	Textures
Size:	12 feet (366 cm)
Surface Texture:	Woven Textured Loop
Yarn Content:	Dynex SD® Nylon
Dye Method:	100% Solution Dyed
Pile Height Average:	High: 0.237" (6.0 mm) Low: 0.079" (2.0 mm)
Pitch:	135/5.0 inch (19.7 rows/10cm)
Row Per Inch:	8.6 (33.9 pu/10cm)
Pattern Match:	0.40"W x 0.45"L (10.16 mm W x 11.43 mm L)
Woven Construction Options:	Crossweave®, CrossCushion®