



Tandus | Centiva

## **PRODUCT COORDINATES - SOFT SURFACE**







NONCONFORM II



DV8






INTERCONNECTED



**CODE/CODE TRANSITION** 









EVANESCE/ASCEND

MACROBLOCK

## PRODUCT COORDINATES - LVT

 ${\it Tandus\ Centiva\ Soft\ Surface\ products\ coordinate\ with\ a\ variety\ of\ our\ LVT\ products.}$ 







ANTIQUE WOOD, PACIFIC BOATHOUSE

**CAN 0351** 

CORAL REEF, BEACH MOSS

VCR 0015





## PRODUCT COORDINATES - TRANSITION: METALEDGE COLLECTION

MetalEdge transition provides a transition solution and finish detail for any commercial space. The following colors have been selected to coordinate with a variety of Tandus Centiva LVT and soft surface products. Please contact your Tandus Centiva account executive for details.





BRASS 00176\*

### THE ULTIMATE FLOORING EXPERIENCE

Tandus Centiva, a Tarkett company, creates innovative floorcovering solutions through our unique line of Powerbond®, Freeform®, Modular, Broadloom, Woven and LVT products. Each of our product platforms offer coordinated styles, extensive color ranges and a variety of patterns and textures that enhance the appearance of any commercial environment. Tandus Centiva products are also designed to coordinate with our MetalEdge Collection transition, providing the Ultimate Flooring Experience.






### **CONSTRUCTION OPTIONS**

All Tandus Centiva Powerbond® and Modular options are 100% closed-loop recyclable through our ReStart® program and do not contain pesticides (antimicrobials) as part of our reduce chemical initiatives.

	Backing Systems	Warranty	Rollability	100% Closed-loop Recyclable	Seams	Moisture Management	Installation	Recycled Content
Powerbond	Powerbond® Cushion	lifetime LIMITED	GOOD	RECYCLABLE	IMPERMEABLE	IMPACT 0 @ 10,000	PEEL & STICK DIRECT GLUE	RECYCLED CONTENT
	Powerbond® Medfloor®	lifetime LIMITED	EXCELLENT	RECYCLABLE	IMPERMEABLE	IMPACT 0 @ 10,000	PEEL & STICK DIRECT GLUE	RECYCLED CONTENT
	Powerbond® ethos® Cushion	lifetime LIMITED	EXCELLENT	RECYCLABLE	IMPERMEABLE	IMPACT 0 @ 10,000	PEEL & STICK DIRECT GLUE	RECYCLED CONTENT
Modular	Conserv®	lifetime LIMITED	EXCELLENT	RECYCLABLE			DIRECT GLUE	
	ER3®	lifetime LIMITED	EXCELLENT	RECYCLABLE			PEEL & STICK DIRECT GLUE	RECYCLED CONTENT
	ethos®	lifetime LIMITED	EXCELLENT	RECYCLABLE			TANDUS TAPE DIRECT GLUE	RECYCLED CONTENT
	Flex-Aire®	lifetime LIMITED	GOOD	RECYCLABLE			PEEL & STICK DIRECT GLUE	RECYCLED CONTENT





ReStart® includes Tandus Centiva's third-party certified reclamation and recycling program that reclaims and recycles post consumer flooring, installation waste, samples and portfolios. To initiate ReStart, contact customer service at 800-248-2878. ReStart is available for all Tarkett products and may be initiated by contacting your Tarkett representative.

# **SCS**global

	Product	Recycled Content	Min. Post-Consumer Recycled Content	NSF 140 Rating
CERTIFIED	ER3® Modular	45-67%	20%	Platinum
CERTIFIED	Powerbond® ethos® Cushion	37-62%	37%	Platinum
CERTIFIED	ethos® Modular	26-51%	26%	Platinum
CERTIFIED	Powerbond® Cushion	7-32%	7%	Gold
CERTIFIED	Powerbond® Medfloor®	7-31%	7%	
CERTIFIED	Flex-Aire® Cushion Modular	21-40%	4%	Gold

Recycled content varies by product style and has been certified by Scientific Certification Systems (SCS) Global Services.

For a detailed analysis of how Tandus Centiva products perform in environmental rating systems such as LEED, please visit our ecoScorecard at tandus-centiva.ourgreenproducts.com.

All vinyl products, when recovered, are 100% recyclable in Tandus Centiva's closed-loop recycling process.



Tandus Centiva offers Environmental Product Declarations (EPD) for the following: ethos Modular, ER3 Modular, Flex-Aire Cushion Modular, Powerbond ethos Cushion, Powerbond Cushion and Powerbond Medfloor.

#### **PLEXUS COLOUR IV 02875**





Coordinate Group: Solids

Size: Modular: 24" x 24"

(60.9 cm x 60.9 cm) Powerbond: 6 feet (1.8 m)

Surface Texture: Symtex®

Yarn Content: Dynex® Nylon

**Dye Method:** 50% Solution Dyed / 50% Yarn Dyed

Pile Height Average: 0.135" (3.4 mm)

Pattern Match: N/A

Modular

Construction Options: ER3® Modular, Flex-Aire® Cushion

Modular, Conserv® Modular,

ethos® Modular

Installation Options: 24" X 24":

 ↑
 ↑
 ↑

 ↑
 ↑
 ↑

 ↑
 ↑
 ↑

MONOLITHIC

Powerbond

Construction Options: Powerbond® Cushion, Powerbond®

Medfloor®, Powerbond® ethos® Cushion