















SIDEWALK ART 04294 Powerbond Installation

Tandus Centiva

## PRODUCT COORDINATES - SOFT SURFACE





ABRASIVE ACTION II


### PRODUCT COORDINATES - LVT








ECL 7112



CROSSWEAVE, ECRU



ANTIQUE WOOD, VINTAGE CABIN


**CAN 0302** 

VICTORY MAGICS, SUNSTONE

CCW 7531

### THE ULTIMATE FLOORING EXPERIENCE


Tandus Centiva, a Tarkett company, creates innovative floorcovering solutions through our unique line of Powerbond®, Modular, Broadloom, Woven, LVT and MetalEdge transition products. Each of our product platforms offer coordinated styles, extensive color ranges and a variety of patterns and textures that enhance the appearance of any commercial environment. Tandus Centiva products are also designed to coordinate with a variety of Johnsonite wall base and finishing accessories, providing the Ultimate Flooring Experience across the Tarkett family of brands.





### PRODUCT COORDINATES - TRANSITION: METALEDGE COLLECTION

MetalEdge provides a transition solution and finish detail for any commercial space. It is offered in three aesthetically pleasing and tastefully refined systems, each engineered and colored to work with a vast array of Tandus Centiva soft and hard surface product platforms. Please contact your Tandus Centiva account executive for details.



BRASS 00176\*

<sup>\*</sup>These colors are metallic and may not be accurately represented. Please contact your Tandus Centiva account executive to order samples, 800.248.2878.

### **PRODUCT COORDINATES - JOHNSONITE**

The coordination of soft and hard surface and wall base accessories from Johnsonite, a Tarkett Company, allows for design flexibility and a range of offerings that enables customers to choose exactly the product they need. The following colors have been selected from the Johnsonite palette as complements to Tandus Centiva products. Available in a broad offering of wall base and finishing accessories, each can provide the necessary finishing touches to any commercial space. Please contact your Johnsonite representative for details, 800.899.8916.


representative for details, 800.899.8916.			
AO CIEDUNG CHAIDA	20 DEWIED	170 CTFF1+	20 CHARCOAL
69 STERLING SILVER*	38 PEWTER	179 STEEL*	20 CHARCOAL
82 BLACK PEARL*	63 BURNT UMBER	44 DARK BROWN	40 BLACK
27 MIST	194 ANTIQUE WHITE	34 ALMOND	09 CLAY
49 BEIGE	280 SHORELINE	281 GRIZZLY	29 MOON ROCK
150 WETLANDS	283 TOAST	101 SEAWEED	47 BROWN
41 SEA BREEZE	71 STORM CLOUD	92 BLUE LAGOON	168 THUNDER
190 GREEGE	73 PALM LEAF	264 GROUNDED	66 EITHER ORE*
45 SANDALWOOD	261 AUTUMN	76 CINNAMON	284 GANACHE
132 ESPRESSO	113 CHESTNUTTY	85 BURGUNDY	167 FUDGE

<sup>\*</sup>These colors are metallic and may not be accurately represented. Please contact your Johnsonite customer service representative to order samples.

### **CONSTRUCTION OPTIONS**

All Tandus Centiva Powerbond® and Modular options are 100% closed-loop recyclable through our ReStart® program and do not contain pesticides (antimicrobials) as part of our reduce chemical initiatives. We ensure 100% of the flooring samples returned are recycled or reused, guaranteed.

	Backing Systems	Warranty	Rollability	100% Closed-loop Recyclable	Seams	Moisture Management	Installation	Recycled Content
puoq.	Powerbond® Medfloor®	lifetime LIMITED	EXCELLENT	RECYCLABLE	IMPERMEABLE	IMPACT 0 @ 10,000	PEEL & STICK DIRECT GLUE	RECYCLED CONTENT
Power	Powerbond® ethos® Cushion	lifetime LIMITED	EXCELLENT	RECYCLABLE	IMPERMEABLE	IMPACT 0 @ 10,000	PEEL & STICK DIRECT GLUE	RECYCLED CONTENT
Modular	ethos®	lifetime LIMITED	EXCELLENT	RECYCLABLE			TANDUS TAPE+ DIRECT GLUE	RECYCLED CONTENT





ReStart® includes Tandus Centiva's third-party certified reclamation and recycling program that reclaims and recycles post consumer flooring, installation waste, samples and portfolios. To initiate ReStart, contact customer service at 800-248-2878. ReStart is available for all Tarkett products and may be initiated by contacting your Tarkett representative.

# **SCS**global

CERTIFIED
CERTIFIED

Product	Recycled Content	Min. Post-Consumer Recycled Content	NSF 140 Rating
Powerbond® ethos® Cushion	37-62%	37%	Platinum
ethos® Modular	26-51%	26%	Platinum
Powerbond® Medfloor®	7-31%	7%	

Recycled content varies by product style and has been certified by Scientific Certification Systems (SCS) Global Services.

For a detailed analysis of how Tandus Centiva products perform in environmental rating systems such as LEED, please visit our ecoScorecard at tandus-centiva.ourgreenproducts.com.

All vinyl products, when recovered, are 100% recyclable in Tandus Centiva's closed-loop recycling process.



Tandus Centiva offers Environmental Product Declarations (EPD) for the following: ethos Modular, ER3 Modular, Flex-Aire Cushion Modular, Powerbond ethos Cushion, Powerbond Cushion and Powerbond Medfloor.

### **HANDCRAFT** 04291





### **CAMPAIGN** 04287







POWERBOND

**PARADE** 

04289



Size: Powerbond: 6 feet (1.8 m)

> Modular: 24" x 24" (60.9 cm x 60.9 cm)

Powerbond: 6 feet (1.8 m) Modular: 24" x 24"

(60.9 cm x 60.9 cm)

Powerbond: 6 feet (1.8 m) Modular: 24" x 24" (60.9 cm x 60.9 cm)

**Surface Texture:** Stratatec® Patterned Loop

Antron Lumena® Nylon

Stratatec® Patterned Loop

Stratatec® Patterned Loop

Yarn Content:

Antron Lumena® Nylon

Antron Lumena® Nylon

Dye Method: Solution Dyed Solution Dyed

Solution Dyed

Pile Height Average: 0.187" (4.7 mm) 0.187" (4.7 mm)

0.187" (4.7 mm)

6' W x 107.84" L Pattern Match:

6' W x 76.77" L

6' W x 107.6" L

**Powerbond** 

**Construction Options:** 

Powerbond® ethos® Cushion,

(pattern match end seam only)

Powerbond® Medfloor®

Powerbond® ethos® Cushion, Powerbond® Medfloor®

Powerbond® ethos® Cushion,

Powerbond® Medfloor®

Modular

**Construction Options:** 

ethos® Modular

ethos® Modular

ethos® Modular

Modular

Installation Options:

24" X 24":

$\Lambda$			
-	$\Lambda$	11	
$ \uparrow\rangle$	_	1	
_	1	-	
个	_	17	
	个	_	

VERTICAL ASHLAR

 $\uparrow$ 

24" X 24":



24" X 24":



HORIZONTAL ASHLAR

 $\rightarrow | \uparrow$  $\downarrow \mid \uparrow$ 

RANDOM

VERTICAL ASHLAR

 $\uparrow$   $\uparrow$   $\uparrow$  $|\uparrow |\uparrow |\uparrow$  $\uparrow \uparrow \uparrow \uparrow$ HORIZONTAL ASHLAR

 $\uparrow$  $\uparrow$  $\leftarrow$  $\downarrow$ RANDOM

VERTICAL ASHLAR  $\uparrow$   $\uparrow$   $\uparrow$  $\uparrow \uparrow \uparrow \uparrow$  $\uparrow \mid \uparrow \mid \uparrow$ 

HORIZONTAL ASHLAR RANDOM

# Tandus Centiva

### **MERCHANT** 04293











Powerbond: 6 feet (1.8 m) Modular: 24" x 24"

(60.9 cm x 60.9 cm)

Modular: 24" x 24"

(60.9 cm x 60.9 cm)

Powerbond: 6 feet (1.8 m)

Stratatec® Patterned Loop

**Surface Texture:** Stratatec® Patterned Loop

Yarn Content: Antron Lumena® Nylon Antron Lumena® Nylon

Solution Dyed Dye Method: Solution Dyed

Pile Height Average: 0.187" (4.7 mm) 0.187" (4.7 mm)

Pattern Match: Not Required Not Required

Powerbond

Size:

**Construction Options:** Powerbond® ethos® Cushion, Powerbond® ethos® Cushion,

Powerbond® Medfloor® Powerbond® Medfloor®

Modular


**Construction Options:** ethos® Modular ethos® Modular

Modular

Installation Options: 24" X 24": 24" X 24":

$\wedge$		$\wedge$	
_	$ \uparrow\rangle$	<u>.</u>	
71	$\wedge$	个	
$\uparrow$	_	1	
	1		





VERTICAL ASHLAR

$\uparrow$	$\rightarrow$	1	
$\rightarrow$	<b></b>	$\rightarrow$	
$\uparrow$	$\rightarrow$	$\uparrow$	
QUAF	RTER	TURN	