

LUXURY  
VINYL  
TILES

# iD ESSENTIAL CLICK

FLOOR  
IS THE NEW  
PLAYGROUND



THE ULTIMATE  
FLOORING EXPERIENCE



## iD ESSENTIAL CLICK

Express yourself through flooring design with 8 versatile and amazing colours from the iD Essential Click collection. You can also add a 19 dB impact sound reduction acoustic underlay for more at-home comfort.

Limewashed Oak / Beige  
Delicate Oak / Natural

# iD ESSENTIAL CLICK

iD Essential Click is the ideal solution for new build and renovation in domestic environments. It requires no or little subfloor preparation and can even be installed on some existing flooring. Its click system allows a floating installation, avoiding the use of glue, making the installation 20% quicker than with glue-down products\*.

Future renovations are also easier and cheaper as the product can be removed with no damage to the subfloor. With Tarkomfort Premium underlay, your iD Essential Click flooring will benefit from a 19dB acoustic sound reduction.

## ID ESSENTIAL CLICK FINISHING TOUCH

- Easy and rapid installation is matched by a permanent hold for a long-lasting solution.
- Comes with a complete range of accessories for user safety and efficient installation and project completion.


## GREAT RESISTANCE AND EASY CLEANING

- Hygienic surface treated with the Tarkett unique TopClean XP coating that strengthens it, extends the life-cycle and simplifies cleaning and maintenance.

## A SUSTAINABLE SOLUTION



Total VOC emissions are at least 10 times lower than Europe's strictest standards.



100% recyclable.



Phthalate-free technology based on alternative plasticizers.


\*Estimation - not binding



Limewashed Oak / Beige  
Delicate Oak / Natural

# iD ESSENTIAL CLICK

**Delicate Oak**



24722 002

**Limewashed Oak**



24722 000

24722 001

**Toasted Oak**



24722 003

24722 004

**Rust Metal**



24723 001

24723 002


**Stone**



24723 000

## ACCESSORIES


### SKIRTING



#### PVC DECORATIVE SKIRTING

- Compact skirting with decorative film and PUR surface treatment to perfectly match all designs
- 📦 2.02 lm skirting in packs x 10


### PROFILE



#### BENDABLE PROFILE

Aluminium stop profile, to be screwed


- Silver 1456 011
- Stainless Steel 1456 012
- 📦 10 units of 2.5 lm



#### TRANSITION STRIP

Very high traffic aluminium transition strip, to be screwed

- Silver 1451 011
- Stainless Steel 1451 012
- 📦 10 units of 2.7 lm






#### RAMP PROFILE

Aluminium ramp profile, to be screwed

- Silver 1454 011
- Stainless Steel 1454 012
- 📦 10 units of 2.7 lm

# ACCESSORIES

## ACCESSIBILITY



### WARNING TILE

- Helps recognize a change in level, in accordance with regulatory requirements for disabled access and safety

- Self-adhesive or to be glued to the floorcovering (according to product), Format: 800 x 420 x 7mm

- 📦 1 box of 6 tiles

- White 1431 001

- Black 1431 002

- light Grey 1431 003

- Yellow 1431 006

- Self-adhesive rectangular tiles, Format: 815 x 420 x 8mm

- 📦 1 box of 6 tiles

- Self-adhesive square tiles, Format: 450 x 420 x 8mm

- 📦 1 box of 20 tiles

- White 1440 350 - 1440 450

- Grey 1440 351 - 1440 451

- Black 1440 352 - 1440 452

- Ivory 1440 353 - 1440 453

- Red 1440 354 - 1440 454

- Yellow 1440 355 - 1440 455

### 3D STUD

- Accessibility accessory

- Ready-to-use podotactile studs to be simply fitted on top of the existing floorcovering

- White 1440 050

- Grey 1440 051

- Black 1440 052


- Ivory 1440 053

- Red 1440 054

- Yellow 1440 055

- 📦 5mm x 25mm stud in packs x 200

## UNDERLAY



### TARKOMFORT PRO


#### Acoustic Performance

- Powerful acoustic insulation, reducing both impact sound and in-room noise (13dB)

- Quick and easy to install

- Woven anti-slip surface to grip floor covering

- Brown 2499 2020



### TARKOFLAT LOOSE-LAY

- Ready-to-use solution to reduce slight unevenness by up to 1.5mm depth

- Quick and easy-to-install solution

- Calendered PVC foil, loose-lay (naked)

- Grey 3568 004

\*Tarkett recommend a selection of manufacturer adhesive (list available at: [professionals.tarkett.com/content/list-recommended-adhesives](https://professionals.tarkett.com/content/list-recommended-adhesives)). It is the responsibility of the adhesive manufacturer and flooring contractor to ensure the product being used is appropriate to use and applied in accordance with the manufacturer recommendations.

# TECHNICAL DATA iD ESSENTIAL CLICK

Certification & classification	Standards	iD Essential Click
Type of floor covering	EN ISO 10582	Compact Resilient Floorcovering
CE certification	EN 14041	Yes
Classification	EN ISO 10874 (EN 685)	Residential: 23 Commercial: 31
<b>Technical characteristics</b>		
Total thickness	EN ISO 24346	4,0 mm
Wear layer thickness	EN ISO 24340	0,30 mm
Total weight	EN ISO 23997	7400 g/m <sup>2</sup>
Wear layer binder content	EN ISO 10582	Type I
Dimensions	EN ISO 24342	
	Planks	18.3 x 122 cm 9 planks/box (= 2.009 m <sup>2</sup> )
	Tiles	31 x 60.3 cm 9 tiles/box (= 1.682 m <sup>2</sup> )
Surface treatment (PUR)		Yes - TopClean™
Beveled edges		Yes - micro bevel
<b>Technical performances</b>		
Dimensional stability	EN ISO 23999	≤ 0,10 %
Reaction to fire	EN 13501-1	B <sub>fl</sub> -s1 over concrete and wood substrate
Residual indentation	EN ISO 24343-1	≤ 0,08 mm
Furniture leg	EN 424	No damage
Castor chair	ISO 4918	No damage
Reduction of in room impact noise	NF S31-074	78 dB (Class C - L <sub>n,e,w</sub> < 85 dB)
Impact sound reduction	EN ISO 717-2	ΔL <sub>w</sub> = 5 dB 13 dB with Tarkomfort Pro
Thermal resistance	ISO 10456	0,03 m <sup>2</sup> K/W
Light fastness	EN ISO 105-B02	≥ 6
Slip resistance	EN 13893 DIN 51130	μ ≥ 0.30 DS R9 (tiles) R10 (planks)
Electrical properties	EN 1815 EN 1081	ca. 10 <sup>9</sup> Ω
Resistance to chemicals	EN ISO 26987	High resistance
Underfloor heating		Suitable - max. 27 °C

The above information is subject to modification for the benefit of further improvement. (01/17).


Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions.

CUSTOMS TARIFF : 4820 5000 00

# PRODUCTS & ACCESSORIES DETAILS

DESIGN	COLOUR	18.3 x 122 cm	31 x 60.3 cm	LRV	SKIRTING
Delicate Oak	Natural	24722002		17,3%	26640 715
Limewashed Oak	Beige	24722000		47,5	26640 707
	Brown	24722001		20,7%	26640 708
Rust Metal	Brown		24723001	7,4%	26640 726
	Black		24723002	4,8%	26640 727
Stone	Grey		24723000	27,2%	26640 724
Toasted Oak	Light Grey	24722003		26,7%	26640 710
	Dark Grey	24722004		16,5%	26640 711

iD Essential Click



# FLOOR IS THE NEW PLAYGROUND

[flooristhewnewplayground.tarkett.com](http://flooristhewnewplayground.tarkett.com)

■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien – Tel. +43 1 47 88 062 ■ Belgium: Tarkett France Belux – Tel. +32 16 35 98 80 ■ Denmark: Tarkett A/S – Tel. +45 43 90 60 11 ■ Finland: Tarkett Oy – Tel. +358 9 4257 9000 ■ France: Tarkett SAS – Tel. +33 1 41 20 42 49 ■ Germany: Tarkett Holding GmbH, Bereich Objekt – Tel. +49 62 33 810 ■ Greece: Tarkett Monoprosopi Ltd – Tel. +30 210 6745 340 ■ Italy: Tarkett S.p.A. – Tel. +39 0744 7551 ■ Luxembourg: Tarkett GDL SA – Tel. +352 949 211 8804 ■ Netherlands: Tarkett Holding GmbH, Vestiging Nederland – Tel. +31 416 685 491 ■ Norway: Tarkett AS – Tel. +47 32 20 92 00 ■ Portugal: Tarkett SA – Tel. +351 21 427 64 20 ■ Spain: Tarkett Floors S.L – Tel. +34 91 358 00 35 ■ Sweden: Tarkett Sverige AB – Tel. +46 771 25 19 00 ■ Switzerland: Tarkett Holding GmbH, Bereich Objekt Schweiz – Tel. +41 043 233 79 24 ■ Turkey: Tarkett Aspen – Tel. +90 212 213 65 80 ■ United Kingdom: Tarkett Ltd – Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** Baltic Countries: Tarkett Baltics: Tel. +370 37 262 220 ■ Czech Republic: Tarkett France SAS, org. slozka – Tel. +420-271 001 602 ■ Hungary: Tarkett France SAS – Tel. +36 1 437 8150 ■ Poland: Tarkett Polska Sp. z o.o. – Tel. +48 22 16 09 231 ■ Russian Federation: ZA0 Tarkett RUS – Tel. +7 495 775 3737 ■ Slovakia: Tarkett France SAS, org.zlozka – Tel. +421 248 291 317 ■ South East Europe: Tarkett Trade d.o.o. – Tel. +381 21 7557 649 (44) 569 12 21 ■ Ukraine: Tarkett UA – Tel. +38 (0) 44 569 12 21 ■ **ASIA AND OCEANIA:** Australia: Tarkett Australia Pty Ltd – Tel. +61 2 88 53 12 00 ■ China: Tarkett Floor Covering (Shanghai) Co. Ltd. – Tel. +86 (21) 60 95 68 38 ext 841 ■ North East Asia: Tarkett Hong Kong Limited – Tel. +852 2511 8716 ■ India: Tarkett France (India Branch) – Tel. +91 11 4352 4073 ■ South East Asia: Tarkett Flooring Singapore Pte. Ltd. – Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International: Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East: Tel. +961 1 51 3363/4 ■ Israel: Tarkett International: Tel. +33 1 41 20 41 01 ■ **NORTH AMERICA:** USA: Tarkett Inc. – Tel. +1 713 869 5811 / Johnsonite – Tel. +1 440 543 8916 ■ Canada: Tarkett Inc. – Tel. +1 450 293 173 ■ **LATIN AMERICA:** Brazil: Tarkett – Tel. 55 12 3954 7108 ■ Argentina - Chile - Uruguay: Tarkett Latam Mercosur – Tel. +54 11 47 08 07 72 / +54 9 11 44 46 88 82 ■ Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela: Tarkett – Tel. +55 11 9 8410 9310 / +55 11 95494 0069 ■ Mexico / Central America: Tarkett Latam Mexico – Tel. +55 11 98410 9310



[www.tarkett.com](http://www.tarkett.com)