

iD Inspiration Click High Traffic 70/70^{PLUS}

LUXURY VINYL TILES

Fast installation
flooring
designed for
High traffic
environments


Engineered for demanding environments.

Highly resistant thanks to its patented construction, iD Inspiration Click High Traffic 70/70^{PLUS} is the optimal flooring solution, designed to perform in the most demanding environments while offering fast installation with its fold-down click system. The iD Inspiration Click High Traffic 70/70^{PLUS} range features a refined palette of expressive wood, stone and concrete textures.

CONTEMPORARY OAK GREGE /
BROWN
19,05 x 121,10 cm

Make no
concessions

PRODUCT CONSTRUCTION



① **TopClean XP™ PUR reinforcement** for extreme resistance and easy, low-cost maintenance

② **Surface embossing** for a more natural look

③ **0.70mm pure PVC transparent wear layer** for a hard-wearing, indentation-resistant surface compatible with class 34 (heavy commercial) and 43 (general industrial) use

④ **Design pattern** for 42 design options in high definition printing

⑤ **Core layer with a patented reinforced construction to support high traffic and a double glass-fibre strengthening** for exceptional dimensional stability and superior performance against tears and indentations

⑥ **Stabilising layer** for a curl-free product

⑦ **Fold-down Click System**

THE OPTIMUM SOLUTION FOR HEAVY TRAFFIC AREAS

A CONCENTRATE OF TECHNOLOGY

iD Inspiration Click High Traffic 70/70^{PLUS} has been designed for the most intense traffic areas through various cutting-edge features :

- An exclusive patented reinforced core layer that combines a rigid part, to bear heavy loads and indentation, and a flexible part to withstand mechanical constraints,
- A 0,70mm wear layer for long lasting resistance to traffic,
- A Tarkett TopClean XP™ PUR reinforcement for stain resistance and easy cleaning.

As a result, our new iD Inspiration Click HT 70/70^{PLUS} can bear static and dynamic heavy loads up to 500 kg.

See installation guide: installation is performed directly on a clean subfloor, with no underlay.

FIBER TECH EXCEPTIONAL DIMENSIONAL STABILITY

Our state-of-the-art European patented Fibertech technology is based on two Fiber glass reinforcements for enhanced dimensional stability thus enabling the installation of this flooring in demanding areas:

- Sun exposed areas,
- In-room temperature variations from 10 C° to 40 C°*,
- Possible to install up to 200m² without expansion profiles,
- For waterproofing in bathrooms, silicone finishes can be used up to 12m².

*After installation.

OPTIMISED FOR ACOUSTIC REQUIREMENTS

iD Inspiration Click High Traffic 70/70^{PLUS} complies with EN 425 Castor chair test and residual indentation EN ISO 24343-1 norm (≤0,10 mm indentation).

VERY FAST INSTALLATION

iD Inspiration Click High Traffic 70/70^{PLUS} requires very little subfloor preparation and can be installed over existing flooring thus allowing overnight renovations and majorly reducing downtime and costs. Its unique fold-down click system makes for a swift installation, requiring no glue or drying.

Thanks to its fold-down click system, time saving is estimated to **35%** compared to glue-down products and **15%** compared to traditional angle-to-angle click systems.

42 DESIGNS

- 12 on stock,
- 30 in make to order.


FULLY CUSTOMIZABLE COLLECTION

iD Inspiration Click High Traffic 70/70^{PLUS} offers endless combinations through your choice of format, beveling and colours. Every feature can be customizable with all decors.

Please check with your local sales representative for customization conditions.

BETTER INDOOR AIR QUALITY

Helps improve indoor air quality with VOC emissions below quantifiable levels, under 10µg/m³ after 28 days (100 times lower than Europe' strictest standards).



ELM

THE WOOD COLLECTION



LIGHT GREY
24787113
Skirting: 26640350
24.05 x 149.10 cm
LRV: 45.88%



BEIGE
24787114
Skirting: 26640351
24.05 x 149.10 cm
LRV: 45.40%



NATURAL
24787115
Skirting: 26640352
24.05 x 149.10 cm
LRV: 38.47%

ELM
NATURAL
24787115

 On stock

Designs which are not on stock are available on MTO (make to order). MTO designs require a 600 sqm minimum order quantity.



PATINA ASH

THE WOOD COLLECTION



BROWN
24781107
Skirting: 26640344
19.05 x 121.10 cm
LRV: 29.79%



BEIGE
24781106
Skirting: 26640343
19.05 x 121.10 cm
LRV: 43.21%



GREY
24781108
Skirting: 26640345
19.05 x 121.10 cm
LRV: 31.03%

PATINA ASH
BROWN
24781107

 On stock

Designs which are not on stock are available on MTO (make to order). MTO designs require a 600 sqm minimum order quantity.



RUSTIC OAK

THE WOOD COLLECTION



LIGHT GREY
24781124
Skirting: 26640373

19.05 x 121.10 cm
LRV: 45.58%



MEDIUM GREY
24781123 19.05 x 121.10 cm
Skirting: 26640372 LRV: 21.68%



DARK GREY
24781122 19.05 x 121.10 cm
Skirting: 26640371 LRV: 14.18%



STONE BROWN
24781121 19.05 x 121.10 cm
Skirting: 26640370 LRV: 7.25%

RUSTIC OAK
LIGHT GREY
24781124

MEDIUM GREY
24781123

DARK GREY
24781122

STONE BROWN
24781121

Designs which are not on stock are available on MTO (make to order). MTO designs require a 600 sqm minimum order quantity.



TERRAZZO

THE STONE COLLECTION



GREEN
 24793130 32.38 x 60.10 cm
 Skirting: 26640379 LRV: 24.02%



GREY
 24793129 32.38 x 60.10 cm
 Skirting: 26640378 LRV: 23.18%



ANTHRACITE
 24793131 32.38 x 60.10 cm
 Skirting: 26640380 LRV: 9.42%



OXIDE THE STONE COLLECTION



STEEL
24793119 32.38 x 60.10 cm
Skirting: 26640360 LRV: 18.07%



COPPER
24793118 32.38 x 60.10 cm
Skirting: 26640359 LRV: 10.85%




BLACK STEEL
24793120 32.38 x 60.10 cm
Skirting: 26640361 LRV: 10.67%

The PLUS effect for enhanced realism

To expand the iD Inspiration Click High Traffic 70/70^{PLUS} collection, 4 patterns and 22 different colours have been created with embossing in register. This technique engraves effects onto planks and tiles to reproduce unique flooring that are confusingly similar to real wood or stone. You'll be surprised how the surface structure replicates the original patterns.

LEGACY PINE-BROWN
19,05 x 121,10 cm

Highlight
the texture
with PLUS



LIME OAK THE WOOD COLLECTION



BEIGE
24784050 19.05 x 121.10 cm
Skirting: 26640763 LRV: 42.51%



WHITE
24784048 19.05 x 121.10 cm
Skirting: 26640761 LRV: 50.74%



LIGHT BEIGE
24784049 19.05 x 121.10 cm
Skirting: 26640762 LRV: 48.42%



NATURAL
24784051 19.05 x 121.10 cm
Skirting: 26640764 LRV: 35.85%



GREY
24784052 19.05 x 121.10 cm
Skirting: 26640765 LRV: 31.90%



GREGE
24784053 19.05 x 121.10 cm
Skirting: 26640766 LRV: 27.00%



DARK GREY
24784054 19.05 x 121.10 cm
Skirting: 26640767 LRV: 18.97%



BROWN
24784055 19.05 x 121.10 cm
Skirting: 26640768 LRV: 14.61%



BLACK
24784056 19.05 x 121.10 cm
Skirting: 26640769 LRV: 8.25%

 On stock

Designs which are not on stock are available on MTO (make to order). MTO designs require a 600 sqm minimum order quantity.

ALPINE OAK THE WOOD COLLECTION



BLACK
24790060 24.05 x 149.10 cm
Skirting: 26640773 LRV: 7.71%



WHITE
24790061 24.05 x 149.10 cm
Skirting: 26640774 LRV: 45.76%



GREY
24790059 24.05 x 149.10 cm
Skirting: 26640772 LRV: 22.39%



NATURAL
24790057 24.05 x 149.10 cm
Skirting: 26640770 LRV: 28.32%



BROWN
24790058 24.05 x 149.10 cm
Skirting: 26640771 LRV: 10.13%

 On stock

Designs which are not on stock are available on MTO (make to order). MTO designs require a 600 sqm minimum order quantity.

LEGACY PINE THE WOOD COLLECTION



LIGHT GREY

24784154
Skirting: 26640775

19.05 x 121.10 cm
LRV: 44.31%



MEDIUM GREY

24784155 19.05 x 121.10 cm
Skirting: 26640776 LRV: 33.02%



BROWN

24784157 19.05 x 121.10 cm
Skirting: 26640778 LRV: 11.97%



DARK GREY

24784156 19.05 x 121.10 cm
Skirting: 26640777 LRV: 12.24%

LEGACY PINE
MEDIUM GREY
24784155

Designs which are not on stock are available on MTO (make to order). MTO designs require a 600 sqm minimum order quantity.

ROUGH CONCRETE THE STONE COLLECTION



WHITE
24796157 49.05 x 99.10 cm
Skirting: 26640779 LRV: 43.67%



GREY
24796158 49.05 x 99.10 cm
Skirting: 26640780 LRV: 34.27%



DARK GREY
24796159 49.05 x 99.10 cm
Skirting: 26640781 LRV: 22.19%



BLACK
24796160 49.05 x 99.10 cm
Skirting: 26640782 LRV: 7.77%

 On stock

Designs which are not on stock are available on MTO (make to order). MTO designs require a 600 sqm minimum order quantity.

iD INSPIRATION CLICK HIGH TRAFFIC 70 THE FULL COLLECTION

CONTEMPORARY OAK



GREY
24787 109



GREGE
24787 110



NATURAL
24787 111



BROWN
24787 112

ELM



LIGHT GREY
24781 113



BEIGE
24787 114



NATURAL
24781 115



BEIGE
24781 106



GREY
24781 108

PATINA ASH

PATINA ASH



BROWN
24781 107



LIGHT GREY
24781 124



MEDIUM GREY
24781 123



DARK GREY
24781 122



STONE BROWN
24781 121

RUSTIC OAK

TERRAZZO



GREEN
24793 130



GREY
24793 129



ANTHRACITE
247931 31

OXIDE



STEEL
24793 119



COPPER
24793 118



BLACK STEEL
24793 120

On stock

Designs which are not on stock are available on MTO (make to order). MTO designs require a 600 sqm minimum order quantity.

iD INSPIRATION CLICK HIGH TRAFFIC 70^{PLUS} THE FULL COLLECTION

LIME OAK



BEIGE 24784 050 **WHITE** 24784 048 **LIGHT BEIGE** 24784 049 **NATURAL** 24784 051 **GREY** 24784 052

LEGACY PINE



LIGHT GREY 24784 154 **MEDIUM GREY** 24784 155 **BROWN** 24784 157 **DARK GREY** 24784 156

ROUGH CONCRETE



WHITE 24796 157 **GREY** 24796 158 **DARK GREY** 24796 159 **BLACK** 24796 160

ALPINE OAK



WHITE 24790 061 **GREY** 24790 059 **NATURAL** 24790 057 **BROWN** 24790 058 **BLACK** 24790 060

 On stock

Designs which are not on stock are available on MTO (make to order). MTO designs require a 600 sqm minimum order quantity.



CARING FOR PEOPLE AND THE PLANET

At Tarkett, we strive to support both our professional clients and consumers in creating healthy, beautiful and sustainable living spaces. Working with industry partners, we're bringing our best thinking and efforts toward making a positive impact on people and the planet.



Designing for life

We design our flooring solutions for life, thereby contributing to people's well-being and good health as well as preserving natural resources.

iD Inspiration Click High Traffic 70/70^{PLUS} has been developed to ensure:

Good indoor air quality

Through low levels of total volatile organic compounds (TVOCs) – TVOCs ≤ 10 µg/m³, compliant to EU standard EN-ISO 16000

Healthy spaces thanks to 100% phthalate-free product

We have been proactive in seeking alternatives to phthalates as they have been the subject of scientific debate about their potential impact on human health. Since 2010, we have developed the use of a phthalate-free plasticizer technology for our vinyl floors which is approved for food containers and toys for young children.



Quiet environment

19dB sound absorption thanks to Soundblock technology



Closing the loop

We work toward closing the loop, as we actively participate in the development of a circular economy, in which resources are responsibly stewarded, recycled and re-used.




Driving collaboration

We aim at driving collaboration with our customers, suppliers and industry partners as we believe in a collaborative approach to respond to global challenges.

**We are committed
to Doing Good, Together.**

ACCESSORIES

SKIRTING



PVC DECORATIVE SKIRTING

Compact skirting with decorative film and PUR surface treatment. Perfectly match all designs.

📦 2.02 lm skirting in packs x 10


ALUMINIUM STAIRNOSE

Aluminium stairnose, to be screwed over the floor

● Silver 1434 011

📦 10 units of 2.6 lm

ACCESSIBILITY



EASY KIT 3D STUDS


- Accessibility accessory
- Ready-to-use podotactile studs to be simply fitted on top of the existing floorcovering

● Grey 1440 051

● Black 1440 052

📦 5mm x 22.5mm for a 33 studs kit (8 kits per pack)

PROFILE




BENDABLE PROFILE

Very heavy traffic aluminium bendable profile, to be screwed

● Silver 1456 011

● Stainless Steel 1456 012

📦 10 units of 2.5 lm




TRANSITION PROFILE

Very heavy traffic aluminium transition profile, to be screwed

● Silver 1451 011

● Stainless Steel 1451 012

📦 10 units of 2.7 lm




RAMP PROFILE

Very heavy traffic aluminium ramp profile, to be screwed

● Silver 1454 011

● Stainless Steel 1454 012

📦 10 units of 2.7 lm



TRANSITION PROFILE

General traffic aluminium transition strip, to be screwed

● Silver 1451 021

● Stainless Steel 1451 022

📦 10 units of 2.7 lm


FORMATS



19,05 x 121,10 cm



24,05 x 149,10 cm



32,38 x 60,10 cm



49,05 x 99,10 cm

PRODUCT & ACCESSORIES DETAILS

DESIGN	COLOUR	AVAILABILITY	19,70 x 121,70 cm	24,70 x 149,70 cm	33,03 x 60,70 cm	49,70 x 99,70 cm	LRV	SKIRTING	SLIP RESISTANCE
Patina Ash	Brown	MTO	24781107				29,79%	26640344	R9
	Beige	MTO	24781106				43,21%	26640343	R9
	Grey	on stock	24781108				31,03%	26640345	R9
Contemporary Oak	Brown	on stock		24787112			16,06%	26640349	R9
	Natural	on stock		24787111			26,42%	26640348	R9
	Grege	on stock		24787110			30,32%	26640347	R9
	Grey	on stock		24787109			28,20%	26640346	R9
Elm	Natural	on stock		24787115			38,47%	26640352	R9
	Beige	MTO		24787114			45,40%	26640351	R9
	Light Grey	MTO		24787113			45,88%	26640350	R9
Oxide	Black Steel	MTO			24793120		10,67%	26640361	R9
	Copper	MTO			24793118		10,85%	26640359	R9
	Steel	MTO			24793119		18,07%	26640360	R9
Rustic Oak	Light Grey	MTO	24781124				45,58%	26640373	R9
	Dark Grey	MTO	24781122				14,18%	26640371	R9
	Stone Brown	MTO	24781121				7,25%	26640370	R9
	Medium Grey	MTO	24781123				21,68%	26640372	R9
Terrazzo	Anthracite	MTO			24793131		9,42%	26640380	R9
	Green	MTO			24793130		24,02%	26640379	R9
	Grey	MTO			24793129		23,18%	26640378	R9
Lime Oak	Grege	on stock	24784053				27,00%	26640766	R10
	Dark Grey	on stock	24784054				18,97%	26640767	R10
	Light Beige	MTO	24784049				48,42%	26640762	R10
	Black	MTO	24784056				8,25%	26640769	R10
	White	MTO	24784048				50,74%	26640761	R10
	Brown	MTO	24784055				14,61%	26640768	R10
	Grey	MTO	24784052				31,90%	26640765	R10
	Natural	MTO	24784051				35,85%	26640764	R10
Alpine Oak	Beige	MTO	24784050				42,51%	26640763	R10
	Grey	MTO		24790059			22,39%	26640772	R10
	Natural	on stock		24790057			28,32%	26640770	R10
	Brown	on stock		24790058			10,13%	26640771	R10
	White	MTO		24790061			45,76%	26640774	R10
	Black	MTO		24790060			7,71%	26640773	R10
Legacy Pine	Brown	MTO	24784157				11,97%	26640778	R10
	Dark Grey	MTO	24784156				12,24%	26640777	R10
	Medium Grey	MTO	24784155				33,02%	26640776	R10
	Light Grey	MTO	24784154				44,31%	26640775	R10
Rough Concrete	Grey	on stock				24796158	34,27%	26640780	R9
	Black	MTO				24796160	7,77%	26640782	R9
	White	MTO				24796157	43,67%	26640779	R9
	Dark Grey	on stock				24796159	22,19%	26640781	R9

SPECIFICATION MODEL

The selected flooring, similar to iD Inspiration Click High Traffic 70/70^{PLUS}, belongs to the compact vinyl floors category manufactured with the phthalate free technology based on alternative plasticizers and made of recycled vinyl. It contains over 24% of recycled material. It comes with a 10 Years Warranty.

Manufactured in Europe, it is available in 4 formats: tiles (61mm x 33,33mm, 100mmx 50mm) & planks (122mm x 20mm, 150mm x 25mm) with 4 micro-bevels.

Highly resistant, the flooring should be designed to perform in the most demanding environments and to fit commercial heavy traffic areas' needs, up to 500kg rolling and static heavy loads.

Thanks to the Fibertech technology, this flooring features a better dimensional stability, enabling its installation in areas subject to high temperature variation (from 10 to 40 C°).

The wear layer of 0.70 mm is reinforced with a UV photo crosslinked polyurethane including particles of alumina TopClean XP™ treatment, which permanently suppresses any wax and regenerating polish spray maintenance operations.

Its emission rate of volatile organic compounds in air is less than 10 µg / m³ (TVOC after 28 days).

TECHNICAL DATA

Certification & classification	Standards	iD Inspiration Click High Traffic 70/70 ^{PLUS}
Type of floor covering	EN ISO 10582	-
Classification	EN ISO 10874	Commercial: 34 Industrial: 43
Technical characteristics		
Total thickness	EN ISO 24346	5.0 mm
Wear layer thickness	EN ISO 24340	0.7 mm
Total weight	EN ISO 23997	8350 g/m ²
Wear layer binder content	EN ISO 10582	Type I
Dimensions	EN ISO 24342	19,05 x 121,10 cm 24,05 x 149,10 cm 32,38 x 60,10 cm 49,05 x 99,10 cm
Surface treatment (PUR)		Yes - TopCleanXP™
Beveled edges		Yes
Embossing in Register		Yes
Technical performances		
Dimensional stability	EN ISO 23999	Required value ≤ 0.15%
Reaction to fire	EN 13501-1	B _{fl} -s1 loose laid over concrete substrate
Residual indentation	EN ISO 24343-1	≤ 0,10 mm
Furniture leg	EN 424	No damage
Castor chair	ISO 4918 - EN 425	No damage
Curl resultant to heat	EN ISO 23999	≤ 1 mm
Reduction of in-room impact noise	EN ISO 31-074	Class C (L _{n,e,w} < 85 dB)
Impact sound reduction	EN ISO 717-2	ΔLw = 5 dB
Thermal resistance	ISO 10456	0,04 m ² K/W
Light fastness	EN ISO 105-B02	≥ 6
Slip resistance	DIN 51130 EN 13893	R9 / R10 depending on embossing μ ≥ 0,30
Chemical resistance	EN ISO 26987	Very good (1)
Electrical properties	EN 1815 EN 1081	< 2 kV on concrete ≥ 10 ⁹ Ohm
Peeling resistance	EN ISO 24345	≥ 50N / 50mm
Underfloor heating		Suitable - max. 27 °C
TVOC emissions after 28 days	EN 16516	≤ 10 µg/m ³ *

* Platinum TIAQ.

The above information is subject to modification for the benefit of further improvement. (06/17).
Tarkett's instructions regarding installation, cleaning and maintenance should be observed.

Please contact Tarkett at the address shown for these instructions. CE Marking is available on our website www.tarkett.com

CUSTOMS TARIFF : 4820 5000 00





■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien – Tel. +43 1 47 88 062 ■ Belgium: Tarkett Belux Sprl – Tel. +32 16 35 98 80 ■ Denmark: Tarkett A/S – Tel. +45 43 90 60 11 ■ Finland: Tarkett Oy – Tel. +358 9 4257 9000 ■ France: Tarkett SAS – Tel. +33 1 41 20 42 49 ■ Germany: Tarkett Holding GmbH, Bereich Objekt – Tel. +49 62 33 810 ■ Greece: Tarkett Monoprosopi Ltd – Tel. +30 210 6745 340 ■ Italy: Tarkett S.p.A. – Tel. +39 0744 7551 ■ Luxembourg: Tarkett GDL SA – Tel. +352 949 211 8804 ■ Netherlands: Tarkett Holding GmbH, Vestiging Nederland – Tel. +31 416 685 491 ■ Norway: Tarkett AS – Tel. +47 32 20 92 00 ■ Portugal: Tarkett SA – Tel. +351 21 427 64 20 ■ Spain: Tarkett Floors S.L. – Tel. +34 91 358 00 35 ■ Sweden: Tarkett Sverige AB – Tel. +46 771 25 19 00 ■ Switzerland: Tarkett Holding GmbH, Bereich Objekt Schweiz – Tel. +41 043 233 79 24 ■ Turkey: Tarkett Aspen – Tel. +90 212 213 65 80 ■ United Kingdom: Tarkett Ltd – Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** Baltic Countries: Tarkett Baltics – Tel. +370 37 262 220 ■ Czech Republic: Tarkett org. slozka – Tel. +420 271 001 600 ■ Hungary: Tarkett Polska SP Z.O.O. magyarorszagi fioktelepe – Tel. +36 1 437 8150 ■ Poland: Tarkett Polska Sp. z o.o. – Tel. +48 22 16 09 231 ■ Russian Federation: ZAO Tarkett RUS – Tel. +7 495 775 3737 ■ Slovakia: Tarkett Polska, organizačná zložka – Tel. +421 2 48291 317 ■ **South East Europe:** Tarkett SEE – Tel. +381 21 7557 649 (44) 569 12 21 ■ Ukraine: Tarkett UA – Tel. +38 (0) 44 569 12 21 ■ **ASIA AND OCEANIA:** Australia: Tarkett Australia Pty Ltd – Tel. +61 2 88 53 12 00 ■ China: Tarkett Floor Covering (Shanghai) Co. Ltd. – Tel. +86 (21) 60 95 68 38 ext 841 ■ North East Asia: Tarkett Hong Kong Limited – Tel. +852 2511 8716 ■ India: Tarkett France (India Branch) – Tel. +91 11 4352 4073 ■ South East Asia: Tarkett Flooring Singapore Pte. Ltd. – Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International: Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East: Tel. +961 1 51 3363/4 ■ Israel: Tarkett International: Tel. +33 1 41 20 41 01 ■ **NORTH AMERICA:** USA: Tarkett Inc. – Tel. +1 713 869 5811 / Johnsonite – Tel. +1 440 543 8916 ■ Canada: Tarkett Inc. – Tel. +1 450 293 173 ■ **LATIN AMERICA:** Brazil: Tarkett – Tel. 55 12 3954 7108 ■ Argentina - Chile - Uruguay: Tarkett Latam Mercosur – Tel. +54 11 47 08 07 72 / +54 9 11 44 46 88 82 ■ Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela: Tarkett – Tel. +55 11 9 8410 9310 / +55 11 95494 0069 ■ Mexico / Central America: Tarkett Latam Mexico – Tel. +55 11 98410 9310

09-2018

The designs and photos used in this brochure are for illustration purposes only. They are not contractual images and do not stand for product recommendation. Design: AgenceGecko / Photos: Getty

www.professionals.tarkett.com

