



Contents

Discover Starfloor Click 30 04 **& 30**PLUS

Design & inspiration

Country Oak	06
Charm Oak	08
Puzzle	10
Cosy Oak	12
Slate	14
Cube 3D	16
Retro	18
Cerused Oak	20
Smoked Oak	22
Scandinave wood	24
Colored Pine	26
Washed Pine	27
Teak	28
Beach	29
Soft Oak	30
Scratched Metal	31
Accessories	32
Sustainability	34

Technical information

35

DISCOVER STARFLOOR CLICK 30...


Your decoration clicks into place A new look installed simply and swiftly

Starfloor Click 30 brings choice, style and simplicity to your renovation. A wide range of patterns and colours to suit all tastes. Simple click installation system. Fifteen-year warranty.

Classic, contemporary or trendy; the living area, kitchen and bathroom or bedrooms, Tarkett Starfloor Click 30 refreshes your decoration in an instant. Mix and match wood, metallic, ceramic and stone designs to personalise your interior and enjoy true comfort underfoot.

Installing the vinyl tiles is fast and straightforward thanks to the easy click system that requires few tools. The tiles' natural acoustic qualities keep noise to a minimum, and with an acoustic underlay, noise can be reduced even further. Complete the look with matching skirtings.





Your new floor is also a durable choice. Starfloor Click 30's wear layer and Top Clean surfacing protect against scuffs, scratches and stains, making the flooring easy to maintain and clean throughout its 15-year warranty.

And it goes without saying that Starfloor Click 30 is made with the environment in mind. In your home, first with Starfloor Click 30: VOC levels are lower than current European standards, contributing to good indoor air quality and your well-being. Manufactured within Tarkett's closed loop sustainability system, Starfloor Click 30 is also 100% recyclable.

Starfloor Click 30 is the simple and sturdy flooring that also gives free reign to your tastes and imagination for great interior design.

...& 30PLUS


PLUS An Aura of Authenticity Add a lifelike finish

PLUS EFFECT Add another dimension to your decoration by amplifying it with textures that bestow upon your floor a look and feel close to the real thing. The embossed-in-register technique

engraves effects onto your planks and tiles that reproduce wood or stone's natural essence. As light travels across your floor, the grain or pattern is reflected, reproducing a lifelike finish all around you.







Country Oak



The Country Oak, with its registered embossing, is a traditional and classic wood. Its timeless elegance is reassuring.



36002000 Corresponding skirting 26640786



36002001 Corresponding skirting 26640787



Light Beige 36002002 Corresponding skirting 26640788











Charm Oak



The Charm Oak is a classic and charming limed wood. Its embossed in register surface brings extra authenticity and its delicate style adds softness and wellness in interiors.



36002003 Corresponding skirting 26640789



36002004 Corresponding skirting 26640790



Beige Corresponding skirting 26640791





Dimensions: 18,3 x 122 cm





Puzzle

The Puzzle is a relooking of the traditional cement tiles. The patterns play with the geometric and triangular shapes, in a pastel of blue and grey.



Light Blue 36001006 Corresponding skirting 26640796




36001007 Corresponding skirting 26640797









Cosy Oak

The Cosy Oak is a balance between a traditional, rustic and trendy wood. This will bring a warm atmosphere in your home.



Beige 35998014 Corresponding skirting 26640792



35998015Corresponding skirting 26640793




Grey 35998016 Corresponding skirting 26640794











Slate

The Slate is an authentic and natural stone. It creates a traditional ambiance in your interior.



Grey35994005
Corresponding skirting 26640784




Anthracite 35994006 Corresponding skirting 26640785









Cube 3D

The Cube 3D is inspired by the traditional pattern in the cement tile. It creates a graphic and optical effect. Its style is modern and timeless in a cameo of grey.




Grey36001005
Corresponding skirting 26640795









Retro

The Retro is a patchwork of vintage cement tiles. It follows the trend by mixing the traditional patterns. It adds a bohemian and creative style.



Black White

36001001 Corresponding skirting 26640730



Orange Blue

Corresponding skirting 26640731



36001002 Corresponding skirting 26640729



Grey Beige


Corresponding skirting 26640783











Cerused Oak

The Cerused Oak is a trendy lightwood. The variations of colors in the planks play with the contrasts and create a realistic effect.



Beige 35998005 Corresponding skirting 26640707



35998006Corresponding skirting 26640708




This design offers a lively range of colors and structures. Several planks within a box can therefore differ greatly.









Smoked Oak

Smoked Oak is an authentic wood with cracks and saw effects. Its look will add personality to any room in your house.



Light Grey Corresponding skirting 26640710




Dark Grey 35998008 Corresponding skirting 26640711







4V, standard



Scandinave Wood

The Scandinavian style plays with the omnipresence of white in combination with clean lines and soft materials. It creates a sense of warmth, light and wellbeing.



Beige 35998012 Corresponding skirting 26640734



White 35998013 Corresponding skirting 26640735







Dimensions: 18,3 x 122 cm


4V, standard

Colored Pine

The colored Pine is an original painted wood. It adds a colored and trendy touch to your decoration.



Grey 35998002 Corresponding skirting 26640802









Washed Pine

The Washed Pine is a vintage wood. Its light painting and patinas create a soft and authentic effect.



Snow 35998003 Corresponding skirting 26640702









Teak

The Teak adds a warm and exotic touch.



Natural 35998009 Corresponding skirting 26640713









Beech

The classic beech, in a natural color, is a timeless wood. It will be in harmony with all styles.



Natural 35998010 Corresponding skirting 26640714










Soft Oak

The Soft Oak is an elegant and easy wood. It creates a timeless ambiance.



Natural 35998011 Corresponding skirting 26640715









Scratched Metal

The trends like to rewrite histories by mixing the styles and recycled objects and materials. The Scratched Metal, old looking metal, with cracks and patinas is inspired by the industrial style.



Grey 35994004 Corresponding skirting 26640728









4V, standard

ACCESSORIES

Underlayer - Fast-track renovation systems



MARATHON® DUAL

- The ready-to-use solution for renovating over an existing subfloor
- Superior performance
- Easy to install and remove

DESCRIPTION

- Material: MDF and coniferous woods
- Density: 240kg per m³
- Total thickness: 6mm
- Article code: 24993020







Underlayers - for acoustic comfort



TARKOMFORT PREMIUM

- High-performance acoustic insulation
- High resistance to traffic
- Quick & easy to install

- Material: viscoelastic polymer based on polyolefins and EVA, with double sided anti-slip textre with micro suction cup effect
- Total weight: 100g per m² • Total thickness: 1.0mm

- Article code: 24992030 Black







TARKOMFORT PRO

- Powerful acoustic insulation
- · Simple to install and remove
- Enhanced durability

DESCRIPTION

- Material: siliconised PET carrier film with high-resistance polyurethane layer and non-woven, white-fleece backing
- Total weight: 1500g per m²
- Total thickness: 1.5mm
- Article code: 24992020

Transition profiles





LVT TRANSITION STRIP GENERAL TRAFFIC

Aluminium transition strip for LVT Click & Loose-Lay used in general traffic areas.

Elegant finish with smooth surface and no visual screws. Bendable with radius 60 cm.

- Size: 24 mm wide x 6 mm high x 2700 mm long
- Packaging: Full kit including top profiles and dowls. 10 units of 2,7lm in a cardboard box = 27 lm










LVT BENDABLE STOP PROFILE

Aluminium stop profile to be screwed. Very resistant to wear & traffic Ribbed surface for slip-resistance Bendable with radius 80cm

- Size: 30 mm wide x 5 mm high inside x 8 mm high outside 30 mm high
- Packaging: Full kit including stop profiles, screws and dowls. 10 units of 2,5lm in a cardboard box = 25 lm



Silver NCS:S 2500-N	1456 011
Stainless steel NCS:S 6005-Y20R	1456 012

Skirtings

PVC DECORATIVE SKIRTING

Compact skirting with decorative film and PUR surface treatment. Perfectly match all Starfloor Click 30 designs.



• Packaging: 2.02lm skirting in packs of 10



BUILDING A SUSTAINABLE FUTURE

At Tarkett, we are moving towards a circular economy, where our products are designed to be returned, recycled, remanufactured or reused in a close loop system.

Use good materials

that are safe for people and the environment

- Since 2010, 80%¹ of our raw materials have been assessed in accordance with the Cradle to Cradle® principles.
- Tarkett new generation vinyl flooring is using phtalate free technology.²

Recycle and reuse

to reduce waste

■ We work with our

customers and partners

through the ReStart®

programs in Europe and

North America

Between 2010 and 2015

we doubled the quantity

of post-installation or

post-consumer products collected for recycling.

Closed-Loop Circular Design Powered by Cradle to Cradle® principles people friendly spaces

Responsible use of resources

in our operations
= 57%¹ of our
manufacturing use closed
loop water circuits

 67%¹ of our factories have reduced their overall energy consumption per square meter of product manufactured.

Contributing to wellbeing

with better air quality

■ The VOC levels of our flooring collection are 10 to 100 times lower than the strictest European standards.

TECHNICAL DATASHEET

Heterogeneous Compact Resilier	nt Floorcovering	EN ISO 10582		
Classes of Use		EN ISO 10874	23	31
PRODUCT ID				
Material group		Starfloor Click 30: 35998 / Starfloor Click 30PLUS: 3600		
Dimensions	ISO 24342	122 x 18.3 cm = 9 planks/b 60.05 x 31 cm = 9 tiles/box 60.3 x 31 cm = 9 tiles/box	$x = 1,68 \text{ m}^2/\text{box}$	
Locking system		Click		
Commercial warranty		15 years residential use		
TECHNICAL CHARACTERISTICS				
Total thickness	EN ISO 24346	4,00 mm		
Wear layer thickness	EN ISO 24340	0,30 mm		
Wear layer binder content	ISO 10582	Type I		
Dimension - Length	EN ISO 24342	122 / 60.05/ 60.3 cm		
Dimension - Width	EN ISO 24342	18.3 / 31 /31 cm		
Surface Treatment (PUR)		Extreme®		
Bevelled edges		Microbevels		
Total weight	ISO 29997-EN430	7,4 kg/m²		
TECHNICAL PERFORMANCES				
Dimensional stability	EN ISO 23999	≤ 0,10 %		
Curl resultant to heat	EN ISO 23999	≤ 2 mm		
Reaction to fire	EN 13501-1	B _{fl} -s1 loose laid on concre	te and on wood	
Residual indentation	EN ISO 24343-1	≤ 0,08 mm		
Furniture leg	EN 424	No damage		
Castor chair	ISO 4918 - EN 425	No damage		
Impact sound reduction	EN ISO 717-2	$\Delta Lw = 3 dB$		
Thermal resistance	EN ISO 10456	0,03 m ² K/W		
Light fastness	EN ISO 105-B02 (method 3a)	≥ 6		
Chemical resistance	EN ISO 26987	Very good		
Slip resistance	DIN 51130 / EN 13893	R9 / R10 depending on em	nbossing / µ ≥ 0,30	
Electrical properties	EN 1815 / EN 1081	<2 kV on concrete / > 109 C)hm	
Peeling resistance	EN ISO 24345	≥ 50N / 50mm		
Underfloor heating		Suitable - max. 27 °C		
ENVIRONMENT				
TVOC 28 days AgBB test		≤ 100µg/m³		
Recyclable		100%		
Plasticizer		Phthalate-free technology		





























¹ 2015 figures. ² Except recycled content.



Tarkett is a global leader in innovative flooring solutions that generate value for customers in a sustainable way. Our balanced business model is supported by a decentralized organization and a shared commitment to sustainability, ethics and excellence.

We offer customers one of the broadest product portfolios in the flooring and sports surface industry, providing integrated and coordinated solutions to professional and residential end-users all over the world.

Our 34 industrial sites, 12,500 employees and sales in 100+ countries put us in close contact with customers and suppliers everywhere in the world. Globally, we drive operational excellence, commitment to our values and innovation, while empowering local teams to manufacture and design products and services suited to local customer needs and trends.

Tarkett is also committed to protecting our planet and bringing a sustainable lifestyle to all people, while addressing society challenges such as urbanization, population aging and resource scarcity. We aim to contribute to people's well-being and to the development of the circular economy powered by the Cradle to Cradle® principles, in partnership with external players.

More info at: www.tarkett.com

INT EMEA: 6920356866 / INT UK: 6920356867 / INT EST: 6920356868 / INT LITH: 6920356869 / INT TK: 6920356923 / INT CZ: 6920356870 / INT HG: 6920356871 / INT AUS: 6920356872 INT CH: 6920356873 / INT Design: 6920356927

INT CH: 6920356873 / INT Design: 6920356927

WESTERN EUROPE: Austria: Tarkett Holding GmbH, Niederlassung Wien − Tel. +43 1 47 88 062 ■ Belgium: Tarkett Belux Sprl − Tel. +32 16 35 98 80 ■ Denmark: Tarkett A/S − Tel. +45 43 90 60 11 ■ Finland: Tarkett Objekt − Tel. +49 62 33 810 ■ Greece: Tarkett Monoprosopi Ltd − Tel. +30 10 742 49 ■ Germany: Tarkett Holding GmbH, Bereich Objekt − Tel. +49 62 33 810 ■ Greece: Tarkett Monoprosopi Ltd − Tel. +30 210 6745 340 ■ Italy: Tarkett Sp. A +39 0744 7551 ■ Luxembourg: Tarkett GDL SA − Tel. +352 949 211 8804 ■ Netherlands: Tarkett Holding GmbH, Vestiging Nederland − Tel. +31 416 685 491 ■ Norway: Tarkett AS − Tel. +47 32 20 92 00 ■ Portugal: Tarkett SA +351 21 427 64 20 ■ Spain: Tarkett Holding GmbH, Bereich Objekt Schwerz − Tel. +41 043 233 79 24 ■ Turkey: Tarkett Holding GmbH, Vestiging GmbH, Bereich Objekt Schwerz − Tel. +41 043 233 79 24 ■ Turkey: Tarkett Ballitos: Tel. +370 37 262 220 ● Czech Republic: Tarkett Holding GmbH, Bereich Objekt Schwerz − Tel. +41 06 228 34 040 ■ EASTERN EUROPE: Baltic Countries: Tarkett Ballitos: Tel. +370 37 262 220 ● Czech Republic: Tarkett Trance SAS, org slozka

1- Tel. +90 212 213 65 80 • United Kingdom: Tarkett Ltd - Tel. +44 (0) 1622 854 040 ■ EASTERN EUROPE: Baltic Countries: Tarkett Baltics: Tel. +370 37 262 220 • Czech Republic: Tarkett France SAS, org. slozke 271 001 602 • Hungary: Tarkett France SAS - Tel. +36 1.437 81 50 • Poland: Tarkett Polska Sp. z.o. o. - Tel. +48 22 16 09 231 • Russian Federation: ZAO Tarkett BUS - Tel. +74 95 775 373 • Slovakia: Tarkett France SAS - Tel. +36 1.437 81 50 • Poland: Tarkett Polska Sp. z.o. o. - Tel. +48 22 16 09 231 • Russian Federation: ZAO Tarkett BUS - Tel. +74 95 775 373 • Slovakia: Tarkett France SAS - Tel. +36 1.437 81 50 • Poland: Tarkett France (Asc.) 1 - Tel. +85 (21) 609 12 21 • Ukraine: Tarkett UA - Tel. +38 (0) 44 569 12 21 • ASIA AND OCEANIA: Australia: Tarkett Australia Pty Ltc 88 53 12 00 • China: Tarkett Floor Covering (Shangha) Co. Ltd. - Tel. +86 (21) 60 95 63 88 ext 841 • North East Asia: Tarkett Hong Kong Limited - Tel. +852 2511 8716 • India: Tarkett Trance (India Branch) - Tel. +91 11 435 h East Asia: Tarkett Flooring Singapore Pte. Ltd. - Tel. +65 6346 1555 • AFRICA: Tarkett International Tel. +33 1 41 20 41 01 • MIDDLE EAST: Tarkett Middle East: Tel. +95 1 51 3353/4 • Israek: Tarkett International Tel. +33 1 41 20 41 01 • MIDDLE EAST: Tarkett Middle East: Tel. +95 1 51 3353/4 • Israek: Tarkett International Tel. +33 1 41 20 41 01 • MIDDLE EAST: Tarkett Middle East: Tel. +95 1 51 355/4 51 20 57 2109 • Microscopica - Tel. +30 20 57 20 57 2109 • Microscopica - Tel. +30 20 57 20 5

+33 1 41 20 41 01 ■ NORTH AMERICA: USA: Tarkett Inc. – Tel. +1 713 869 5811 / Johnsonite – Tel. +1 440 543 8916 ■ Canada: Tarkett Inc. – Tel. +1 450 293 173 ■ LATIN AMERICA: Brazil: Tarkett - Tel. +5 12 3954 7108 ■ Argentina - Chruguay: Tarkett Latam Mercosur - Tel. +54 11 47 08 07 72 / +54 9 11 44 46 88 82 ■ Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela: Tarkett - Tel. +55 11 9 8410 9310 / +55 11 95494 006 Mexico / Central America: Tarkett Latam Mexico - Tel. +55 11 98410 9310

O Tarkett