

Starfloor Click Ultimate

LUXURY VINYL TILES

The robust
flooring:
all rooms,
all conditions,
all comfort.



CONTENTS

FOR MODERN FAMILY LIFE THE ULTIMATE HOME FLOOR RENOVATION	3
.....	
THE NEW VINYL TILE GENERATION: A CONCENTRATE OF TECHNOLOGY	4
.....	
ULTIMATE ROBUSTNESS	5
.....	
ULTIMATE INSTALLATION	7
.....	
ULTIMATE ACOUSTIC COMFORT	9
.....	
ULTIMATE DESIGN	11
.....	
CARING FOR PEOPLE AND THE PLANET	13
.....	
ENHANCE YOUR SPACES WITH STARFLOOR CLICK ULTIMATE COLLECTION	14
.....	
ACCESSORIES FOR AN ULTIMATE FINISH	17
.....	
TECHNICAL SPECIFICATIONS	18
.....	



NEW!
Rigid
Composite Core
Technology


FOR MODERN FAMILY LIFE THE ULTIMATE HOME FLOOR RENOVATION

When it comes time to renovate, you're looking for the best results in the quickest time possible. For an ultimate experience delivering ultimate results, Tarkett introduces its **new rigid composite vinyl tile, Starfloor Click Ultimate**.

This new, innovative class of hard surface flooring combines the strength and feel of wood and stone


with all the advantages of luxury vinyl tiles. With all acoustic protection included, a long-lasting immaculate appearance and realistic designs, Starfloor Click Ultimate answers all your needs in **one immediate, robust and durable solution**. Choose your colour, click it into place and add life!

In Starfloor Click Ultimate, the extra density RCC technology delivers full performance:



*Install on ceramics with joints up to 8mm width and 3mm depth

THE NEW VINYL TILE GENERATION: A CONCENTRATE OF TECHNOLOGY



① The **Ultimate PUR** surface treatment is a photo-reticulated coating that is exceptionally resistant to abrasion and scratches.

② A **high definition** decorative layer includes life-like embossing-in-register on most references.

③ **Rigid Composite Core (RCC) technology** provides extreme dimensional resistance and stability, ensuring reliably durable performance.

④ The acoustic backing with **Soundblock technology** absorbs 19dB.

⑤ Installation is fast and easy thanks to new **I4F Click technology**. Simply drop, lock and click into place.

NEW!
Rigid
Composite Core
Technology

ULTIMATE ROBUSTNESS


The new patented extra dense rigide composite core make Starfloor Click Ultimate ideal for use in all rooms in a busy home. The flooring shrugs off spills in the kitchen and bathroom, temperature variations in the veranda, and the insistent battering of a busy family life.

ULTIMATE RESISTANCE



Wear-Proof:
Top resistance to indentation, abrasion, scratches and scuffs

Meeting Class 33 high traffic standards, Starfloor Click Ultimate offers extraordinary resistance to intense family lives thanks to **the new extra dense RCC technology**.



Stain-Proof:
Resists stains, easy to clean

Ultimate PUR surface treatment protects the floor from stains and facilitates cleaning.

ULTIMATE THERMOSTABILITY




Environment-Proof:
Withstands temperature extremes and water

Neither water, the cold nor heat can alter Starfloor Click Ultimate's appearance. It maintains excellent dimensional stability in extreme temperature variations. From the entrance to the bathroom, Starfloor Click Ultimate can be installed everywhere.

From **10°C to 60°C**,
no deformation over time

100% waterproof*

Maximum temperature of the floor allowed after installation (°C)




* See with your local installer for installation recommandation.



TIMELESS CONCRETE
LIGHT GREY
35993020

ULTIMATE INSTALLATION

Requiring little to no subfloor preparation*, no gluing and no waiting, Starfloor Click Ultimate makes for a quick and efficient renovation. You can even place it into position directly over ceramic tiles*. Interfering as little as possible with a family's activities, anticipation grows as you create elegant spaces for them. Install and go!



Place directly over
ceramic tiles and most
existing subfloors

Little or no special subfloor treatment* is required before installation and subfloor imperfections are greatly minimised thanks to the flooring's conception.



Click it quick
and easy



On the Ultimate collection, Tarkett is introducing for the first time the i4F triple lock click system, the easiest and fastest on the market.


Rigid composite core stiffness

Install on ceramics with joints up to 8mm width and 3mm depth*



Up to **30%** faster than a traditional
angle-angle click system

Install **100m²** of flooring in **8** hours
by 1 person




Install and walk

Everything about Starfloor Ultimate makes it fast to install and ready for immediate use.

Foam backing

Our Starfloor Click Ultimate Tiles have a foam backing that covers subfloor imperfections.*

*Each project is unique, check our installation notice for more details.



No glue, no drying time




ULTIMATE ACOUSTICS


The soundblock technology is integrated into Starfloor Click Ultimate's acoustic backing. Daily thumping and dragging are absorbed into the floor for everyone's peace of mind.




The exclusive Ultimate structure reduces in-room walking noise by the greatest amount of any hard floor solution.



Reduce sound transmission between floors by 19dB.




In-room walking noise (dB)



With Starfloor Click Ultimate integrated acoustic backing, no need for additional acoustic underlay.

Dampen noise levels in rooms and between floors





OLD STONE
ANTHRACITE
35993023

ULTIMATE DESIGN

Starfloor Click Ultimate offers a select range of elegant wood and stone designs that will immediately add warmth and style to any room. Choose the essence and colour that reflect your interior. From timeless to contemporary, Starfloor Click Ultimate immediately feels right at home in your home.



**Replicate
the Natural**

A high definition printed decorative layer recreates the look and feel of wood and stone so well that it could be mistaken for the actual material.

15 modern and stylish wood
and stone designs






Attention to Detail

Most Starfloor Click Ultimate designs benefit from our Plus Effect technology. Each plank has an embossing in register (EIR) treatment to add lifelike traces and patterns that subtly catch the light.

100% matte finish
for additional realism



**Plus Effect: Engrave patterns
onto planks with EIR to
reproduce wood's
natural essence**





**Reproduce
the Tactile**

Thanks to the rigid composite core, Starfloor Ultimate resembles an actual hard floor covering in feel as much as in presentation.

Wood or stone feeling



CARING FOR PEOPLE AND THE PLANET

At Tarkett, we strive to support both our professional clients and consumers in creating healthy, beautiful and sustainable living spaces. Working with industry partners, we're bringing our best thinking and efforts toward making a positive impact on people and the planet.



Designing for life

We design our flooring solutions for life, thereby contributing to people's well-being and good health as well as preserving natural resources.



Closing the loop

We work towards closing the loop, as we actively participate in the development of a circular economy, in which resources are responsibly stewarded, recycled and re-used.

Starfloor Click Ultimate has been developed to ensure:

Good indoor air quality

Through low levels of total volatile organic compounds (TVOCs) – TVOCs $\leq 100 \mu\text{g}/\text{m}^3$, compliant to EU standard EN-ISO 16000

Healthy spaces thanks to 100% phthalate-free product

We have been proactive in seeking alternatives to phthalates as they have been the subject of scientific debate about their potential impact on human health. Since 2010, we have developed the use of a phthalate-free plasticizer technology for our vinyl floors which is approved for food containers and toys for young children.



Quiet environment

19dB sound absorption thanks to Soundblock technology.



Driving collaboration

We aim at driving collaboration with our customers, suppliers and industry partners as we believe in a collaborative approach to respond to global challenges.

**We are committed
to Doing Good, Together.**

ENHANCE YOUR SPACES WITH STARFLOOR ULTIMATE COLLECTION



1. Stylish Oak

A classic and elegant oak with a natural colour play which will show some linear structures when installed. This Oak is a perfect companion to go with bold and rich colours.



Stylish Oak Beige
35992002
Matching skirting: 26643002



Stylish Oak White
35992003
Matching skirting: 26643003



Stylish Oak Grey
35992001
Matching skirting: 26643001



Stylish Oak Natural
35992000
Matching skirting: 26643000



2. Bleached Oak

Trendy ceruse oak. A light and minimalist floor.



Bleached Oak Grege
35992004
Matching skirting: 26643004



Bleached Oak Brown
35992006
Matching skirting: 26643006



Bleached Oak Natural
35992005
Matching skirting: 26643005



3. Bohemian Pine

Vintage and original painted pine.



Bohemian Pine White
35991010
Matching skirting: 26643010



Bohemian Pine Grege
35991011
Matching skirting: 26643011



4. Weathered Oak

Rustic and traditional oak with cracks and saw effects. An alive floor.



Weathered Oak Brown
35992008
Matching skirting: 26643008



Weathered Oak Anthracite
35992009
Matching skirting: 26643009



Weathered Oak Natural
35992007
Matching skirting: 26643007

5. Timeless Concrete

Selected warm colours which will mix perfectly with wood and warm fabrics. A new cosy concrete in classic tile dimensions.



Timeless Concrete Light Grey
35993020
Matching skirting: 26643020



Timeless Concrete Anthracite
35993021
Matching skirting: 26643021



Old Stone Anthracite
35993023
Matching skirting: 26643023




WEATHERED OAK
BROWN
35992008

ACCESSORIES FOR A PERFECT FINISH

Starfloor Click Ultimate comes with a full range of coordinated skirting and additional accessories. Please check with your local Tarkett representative for more information.

SKIRTING

PVC Decorative Skirting



8 cm high skirtings with PUR surface treatment.


- White
- ▨ With Decorative film matching collection designs

Packaging:
2,02lm skirtings

in packs of 10

ACCESSIBILITY

3D Stud




Ready to use self-adhesive warning studs kits for heavy traffic. Easy, effective and reliable installation.

- Grey (1440 551)
- Black (1440 552)

Packaging : Kit of 33 studs already pre-mounted in 300 x 300 mm template, allowing the installation of 33 studs at the same time.

PROFILE

Transition profile



Aluminium profile, to be screwed.

- Silver (1451 011)
- Stainless Steel (1451 012)

Packaging:
2.7lm profiles
in packs of 10

TECHNICAL SPECIFICATIONS

Starfloor Click Ultimate

The selected flooring similar to Starfloor Click Ultimate belongs to the compact vinyl floors category with a Rigid Composite Core layer manufactured through extrusion process.

It also contains an integrated acoustic backing of 19db.

It is available in planks (176 × 1213 mm) and tiles (300 × 600 mm) formats.

The wear layer of 0.55mm is reinforced with a PU treatment, which permanently suppresses any wax and regenerating polish spray maintenance operations. It has a static indentation resistance ≤ 0,05mm and a dimensional stability according to ISO Norm EN 23 999 of 0,05% (versus ≤ 0,15% required by the norm).

Its emission rate of volatile organic compounds in air is less than 100 µg / m³ (COVT after 28 days).

Starfloor Click Ultimate comes with a 20 Years Warranty for Residential use.



TECHNICAL DATA SHEET

Certification & classification	Standards	Starfloor Click Ultimate		
Type of floor covering	EN ISO 10582	Heterogeneous Compact Resilient Floorcovering		
Classification	EN ISO 10874	Domestic: 23 Commercial: 33 Industrial: 42		
Technical characteristics				
Total thickness	EN ISO 24346	6,5 mm		
Wear layer thickness	EN ISO 24340	0,55 mm		
Total weight	EN ISO 23997	11,3 kg/m²		
Wear layer binder content	EN ISO 10582	Type I		
Dimensions	EN ISO 24342	Planks	176 x 1213 mm	6 planks/box = 1,28 m²
		Tiles	300 x 600 mm	7 tiles/box = 1,26 m²
Surface treatment (PUR)		Yes - PUR Ultimate		
Beveled edges		Yes - 4 Bevels		
Technical performances				
Dimensional stability	EN ISO 23999	Average measured value 0,05% Required value ≤ 0.15%		
Curl resultant to heat	EN ISO 23999	≤ 1 mm		
Reaction to fire	EN 13501-1	B _f -s1		
Residual indentation	EN ISO 24343-1	≤ 0,05 mm		
Furniture leg	EN 424	No damage		
Castor chair	ISO 4918 - EN 425	No damage		
Impact sound reduction	EN ISO 717-2	ΔL _w 19 dB		
Reduction of in-room impact noise	EN ISO 31-074	Class C (L _{n,e,w} < 85 dB)		
Thermal resistance	EN ISO 10456	0,05 m² K/W		
Light fastness	EN ISO 105-B02 (method 3a)	≥ 6		
Chemical resistance	EN ISO 26987	Very Good		
Slip resistance	DIN 51130 EN 13893	R9 μ ≥ 0,30		
Electrical properties	EN 1815	≤ 2 kV		
Peeling resistance	EN ISO 24345	≥ 50N / 50mm		
Underfloor heating		Suitable - max. 27 °C		

The above information is subject to modification for the benefit of further improvement. (01/18).
Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions.

CUSTOMS TARIFF : 4820 5000 00



Produced under license from I4F
<https://i4f-patents.com>



Disclaimer: Please note that products in photos are installed for creative purposes and not according to technical specifications. Please refer to Tarkett installation instructions for guidance.



■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien - Tel. +43 1 47 88 062 ■ Belgium: Tarkett Belux Sprl - Tel. +32 16 35 98 80 ■ Denmark: Tarkett A/S - Tel. +45 43 90 60 11 ■ Finland: Tarkett Oy - Tel. +358 9 4257 9000 ■ France: Tarkett SAS - Tel. +33 1 41 20 42 49 ■ Germany: Tarkett Holding GmbH, Bereich Objekt - Tel. +49 62 33 810 ■ Greece: Tarkett Monoprosopi Ltd - Tel. +30 210 6745 340 ■ Italy: Tarkett S.p.A. - Tel. +39 0744 7551 ■ Luxembourg: Tarkett GDL SA - Tel. +352 949 211 8804 ■ Netherlands: Tarkett Holding GmbH, Vestiging Nederland - Tel. +31 416 685 491 ■ Norway: Tarkett AS - Tel. +47 32 20 92 00 ■ Portugal: Tarkett SA - Tel. +351 21 427 64 20 ■ Spain: Tarkett Floors S.L. - Tel. +34 91 358 00 35 ■ Sweden: Tarkett Sverige AB - Tel. +46 771 25 19 00 ■ Switzerland: Tarkett Holding GmbH, Bereich Objekt Schweiz - Tel. +41 043 233 79 24 ■ Turkey: Tarkett Aspen - Tel. +90 212 213 65 80 ■ United Kingdom: Tarkett Ltd - Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** Baltic Countries: Tarkett Baltics - Tel. +370 37 262 220 ■ Czech Republic: Tarkett org. složka - Tel. +420 271 001 600 ■ Hungary: Tarkett Polska SP Z.O.O. magyarországi fióktelepe - Tel. +36 1 437 8150 ■ Poland: Tarkett Polska Sp. z o.o. - Tel. +48 22 16 09 231 ■ Russian Federation: ZAO Tarkett RUS - Tel. +7 495 775 3737 ■ Slovakia: Tarkett Polska, organizačná zložka - Tel. +421 2 48291 317 ■ South East Europe: Tarkett SEE - Tel. +381 21 7557 649 (44) 569 12 21 ■ Ukraine: Tarkett UA - Tel. +38 (0) 44 569 12 21 ■ **ASIA AND OCEANIA:** Australia: Tarkett Australia Pty Ltd - Tel. +61 2 88 53 12 00 ■ China: Tarkett Floor Covering (Shanghai) Co. Ltd. - Tel. +86 (21) 60 95 68 38 ext 841 ■ North East Asia: Tarkett Hong Kong Limited - Tel. +852 2511 8716 ■ India: Tarkett France (India Branch) - Tel. +91 11 4352 4073 ■ South East Asia: Tarkett Flooring Singapore Pte. Ltd. - Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International: Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East: Tel. +961 1 51 3363/4 ■ Israel: Tarkett International: Tel. +33 1 41 20 41 01 ■ **NORTH AMERICA:** USA: Tarkett Inc. - Tel. +1 713 869 5811 / Johnsonite - Tel. +1 440 543 8916 ■ Canada: Tarkett Inc. - Tel. +1 450 293 173 ■ **LATIN AMERICA:** Brazil: Tarkett - Tel. 55 12 3954 7108 ■ Argentina - Chile - Uruguay: Tarkett Latam Mercosur - Tel. +54 11 47 08 07 72 / +54 9 11 44 46 88 82 ■ Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela: Tarkett - Tel. +55 11 98410 9310 / +55 11 95494 0069 ■ Mexico / Central America: Tarkett Latam Mexico - Tel. +55 11 98410 9310

INT UK: 6920356810 / INT TDM: 6920356811 / INT LATVIA: 6920356814 / INT KA: 6920356815 / INT SK: 6920356816 / INT HG: 6920356817 / INT CHINA: 6920356818 / INT ASIA: 6920356840 / INT TNA: 6920356841 / INT EMEA: 6920356980 / INT BNL: 6920356981 / INT NL: 6920356982 / INT CZ: 6920356983 / INT UA: 6920356984 / INT TK: 6920356985 / INT AUS: 6920356986

Due to evolution of standards, characteristics indicated in the text and images in this document are not binding only after confirmation by our departments.
Photo: Evolution / Print: Altavia

 **Tarkett**