

Inspired by an extraordinary element of nature

Tide has a diffused, repeating pattern combined with a multi-level loop structure, giving a wavy 3D-effect to the flooring

Tide lends a feeling of rippling waters to the indoors with its subtly layered wavy design. Like the tidal ridges of the seabed, this textured carpet allows you to play with the space to create a serene flooring with a nautical look.

Bring the ocean to your room with four nautical colours; dark and light blue, dark and light grey.

DESSO® Tide

- · Available in 4 nautical colours
- Multi level loop carpet
- Full compliance with IMO part 2 marine standards
- · Long term durability
- Reduction of cut-off waste due to specially designed repeat pattern
- 100% ECONYL® yarn
- 10 years warranty
- Delivery from stock*
- Minimum order quantity 25 length meters (x 4,0m width = 100 m²)










Tide 8432

Tide 8

Tide 95





Healthy Seas, a Journey from Waste to Wear

All colours of Tide are produced using only 100% recycled ECONYL® yarn - a regenerated nylon made from recovered waste materials such as carpet yarn from our Refinity® pilot recycling facility and waste fishnets. As a company we also support the Healthy Seas initiative (www.healthyseas.org). The initiative aims to remove waste, in particular fishing nets for the purpose of creating healthier seas and recycling marine litter into regenerated yarn, some of which is being used to produce new DESSO carpets.







About Tarkett

For 130 years, innovation, dedication to excellence, and a long-lasting commitment to sustainability have made Tarkett a global leader in cuttingedge flooring solutions, for a wide range of market segments.

Since 2015 DESSO Marine is part of Tarkett providing custom design Axminster woven and tufted carpet products and vinyl flooring solutions for the marine industry.

At Tarkett, we are bringing our best thinking and efforts together to make a positive impact on people and planet. We believe in the power of collaboration and dialogue, so we are working with our customers and the entire flooring industry to build a circular economy with good materials, creating happier, healthier and beautiful spaces. We believe in a future for all, where people and the planet prosper in balance.

Combine Tide with vinyl flooring and luxury vinyl tiles

DESSO Tide can easily be combined with Tarkett vinyl flooring and luxury vinyl tiles:

- iQ Granit homogeneous vinyl on roll
- Multisafe homogeneous vinyl on roll
- IMO LVT luxury vinyl tiles (available as from end 2018)
- DESSO Axminster custom design broadloom carpet
- DESSO Axminster In Stock woven broadloom

For more information, please visit www.desso-marine.com



Tide

| Specification according to Type of manufacture Pile Fibre Dimensions Primary backing Secondary backing Total thickness Effective pile thickness Total mass Total pile mass Effective pile mass Pile density Number of tufts Stroll test Classification for use Thermal resistance Flammability Repeat pattern | ISO 2424 ISO 2424 ISO 2424 ISO 2424 ISO 2424 ISO 2424 ISO 1765 ISO 1766 ISO 8543 ISO 2424 ISO 8543 ISO 8543 ISO 8543 ISO 8543 ISO 8543 ISO 8543 ISO 1763 ISO 6356 EN 1307 ISO 8302 EN 13501-1 | Solution dyed 400cm Polyester - pol Polypropylene 8.0 mm 4.8 mm 2250 g/m² 710 g/m² 440 g/m² 0.092 g/cm³ 1580 /dm² ≤ 2.0 kV | woven - Sandwich Backing 0.3 inch 0.19 inch 66.4 oz/yd² 21.0 oz/yd² 13.0 oz/yd² 0.0033 lb/in³ 132104 /yd² | Preliminary specification DESSO flooring products are to be installed in full accordance with Tarkett's installation instructions and recognised trade standards. An effective, regular cleaning and maintenance programme is vital for retaining a high appearance level. DESSO flooring products should only be used as floorcoverings. Note: Tarkett reserves the right to amend this specification without giving prior notice. For the latest versions of the technical specifications, contact Tarkett Customer Service via marine@tarkett.com * ECONYL is a yarn made from 100% regenerated content. |
|---|---|---|--|--|
|---|---|---|--|--|



















Fabriqué par Geproduceerd door Hergestellt von









Product is also certified for:Certificate of Fire Approval IMO Res. MSC. 307 (88) - (FTP Code), Annex 1, Part 2. Suitable for restricted areas only (cabins and corridors), not suitable for

Tarkett B.V.

P.O. Box 169 5140 AD Waalwijk The Netherlands

TEL. +31(0)416 684100 FAX +31(0)416 335955 marine@tarkett.com www.desso-marine.com

About Tarkett

With net sales of more than €2.8 billion in 2017, Tarkett is a worldwide leader of innovative flooring and sports surface solutions. Offering a wide range of products including vinyl, linoleum, carpet, rubber, wood, laminate, synthetic turf and athletic tracks, the Group serves customers in more than 100 countries worldwide through its major brands: Tarkett, Desso, Johnsonite, Tandus Centiva, Tarkett Sports, FieldTurf and Beynon. With approximately 13,000 employees and 34 industrial sites, Tarkett sells 1.3 million square meters of flooring every day, for hospitals, schools, housing, hotels, offices, stores and sports fields. Committed to "Doing Good. Together", the Group has implemented an eco-innovation strategy based on Cradle to Cradle® principles and promotes circular economy, with the ultimate goal of contributing to people's health and wellbeing, and preserving the natural capital. Tarkett is listed on Euronext Paris (compartment A, ISIN: FR0004188670, ticker TKTT) and is included in the following indices: SBF 120, CAC Mid 60. www.tarkett.com

© Tarkett, May 2018

Descriptions, colours and specifications are subject to change without notice. Tarkett is not responsible for typographical/ photographical errors. Actual product may differ from illustration. All rights reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent- or other industrial or intellectual property rights. In case of doubt or differences of interpretation, the English version shall prevail over all other language versions