

iD Revolution

NON-PVC MODULAR RESILIENT TILES

The
revolution
starts under
your feet

CONTENTS

THE FIRST C2C CERTIFIED™ GOLD
MODULAR RESILIENT FLOORING

3

WHAT IS C2C GOLD
CERTIFICATION ?

4

DESIGNING FOR LIFE

6

DRIVING COLLABORATION

7

CLOSING THE LOOP

9

MADE TO LAST

11

MAKE YOUR SPACE
C2C-FRIENDLY WITH THE
ID REVOLUTION COLLECTION

12

TECHNICAL SPECIFICATIONS
AND ACCESSORIES

14

TECHNICAL DATA SHEET

15

THE FIRST CRADLE TO CRADLE CERTIFIED™ GOLD MODULAR RESILIENT FLOORING MADE WITH NON-PVC MATERIALS

iD Revolution is a **major innovation** in modular resilient flooring. Using innovative **recycled and abundant raw materials** in its conception, iD Revolution is the result of Tarkett's proven expertise in materials and experience of developing sustainable, innovative solutions. iD Revolution was developed to respond to our customers' non-PVC requirements.

iD Revolution is the first **CRADLE TO CRADLE CERTIFIED™ GOLD** modular resilient flooring made with recycled materials. It is highly respectful of the environment and comprised of **more than 80% innovative recycled and recyclable raw materials**, including minerals, and both bio-based and recycled plastics.

iD Revolution offers the **optimum combination of performance, design, durability and sustainability.**

C2C CERTIFIED™ GOLD



100%
of iD Revolution's material have been independently evaluated and confirmed as safe for users, producers and environment.

UNIQUE COMPOSITION



83%
recycled, mineral and bio-based materials, including bio-plastics, recycled PVB and abundant minerals.

PERFORMANCE



10
years' warranty.
iD Revolution is as resistant and high-performing as Tarkett's other modular resilient floorings.

DESIGN



12
wood or stone-inspired designs

WHAT IS C2C GOLD CERTIFICATION?



In the circular economy, there is no waste, only nutrients. The Cradle to Cradle design philosophy requires designers and manufacturers to create products that are regenerative by design and produced in ways that respect the environment. C2C Certified products are designed from the outset to be reusable, or recyclable with zero waste.

Continuous progress is required across all five C2C Certified categories: material health, material reutilisation, renewable energy, water stewardship and social fairness. Tarkett has achieved C2C Gold certification for iD Revolution, with Platinum level for material health.

MATERIAL HEALTH

100% of the materials used in iD Revolution have been independently evaluated and confirmed as safe for users, producers and the environment. It has therefore achieved **C2C Certified Platinum level for material health**, the highest level of certification.



MATERIAL REUTILISATION

iD Revolution contains **83% rapidly** renewable and recycled minerals and abundant minerals, helping to conserve natural resources. It is **100% recyclable***.



SOCIAL FAIRNESS

We seek to **respect and protect everyone** who contributes to making this product.



WATER STEWARDSHIP

Water use is evaluated throughout the supply chain, and **99% of the water** used in the production process is recycled in closed loop.



RENEWABLE ENERGY

100% of electricity need are met by renewable sources, while the entire manufacturing process is optimised to save energy.



*To ensure 100% recyclability, we advise using a tackifier and following the installation instructions.

DESIGNING FOR LIFE




iD Revolution was developed in line with Cradle to Cradle principles, achieving Platinum level on the Cradle to Cradle Certified standard material health attribute. It is 100% free of phthalates, PVC and solvents.

Nordic Swan Ecolabel

The Nordic Swan Ecolabel is a voluntary certification scheme that evaluates a product's impact on the environment throughout its whole life cycle. iD Revolution is the first Nordic Ecolabelled Non-PVC flooring produced with recycled PVB.

MADE WITH RENEWABLE & RECYCLED RESOURCES

More than **80% of the materials used to make iD Revolution** are either recycled, mineral or bio sourced, helping to conserve natural resources. This includes **24% recycled PVB** derived from end-of-life vehicle windscreens or safety glass from buildings, **11% bio plastic (PLA)** and **49% chalk**, a mineral found in abundance in nature.



OPTIMAL INDOOR AIR QUALITY

People spend 90% of their time indoors. Tarkett strives to enhance quality of life by creating people-friendly spaces.

iD Revolution contributes to optimal indoor air quality in buildings due to an ultra-low level of volatile organic compounds (VOCs) emissions in the indoor environment.

The level of total volatile organic compounds (TVOC), yielding a measurement of <math><10 \mu\text{g} / \text{m}^3</math> after 28 days, is much lower than the existing regulations and standards.



DRIVING COLLABORATION



We are collaborating with all our stakeholders to accelerate the transition to the circular economy and help achieve the UN's Sustainable Development Goals, such as: good health and wellbeing, responsible consumption and production, climate action, life on land and partnerships for the goals.

UPCYCLING OTHER INDUSTRIES MATERIAL

In developing iD Revolution, **Tarkett partnered with an SME from the recycling industry to source recycled PVB**, a resin used to help prevent windscreens from shattering.

The PVB is recovered from end-of-life vehicles or safety glass from buildings, then integrated into the product formula.



ENGLISH OAK
LINEN
24756 301



CONTEMPORARY OAK
DUNE
24759 308

COMPOSITE
LUNAR GREY
24765 310

CLOSING THE LOOP



Tarkett is offering an environmentally-friendly product that is made with recycled raw materials and can be 100% recycled.

RECYCLING MATERIALS VIA RESTART

Between 2010 and 2018, Tarkett collected 102.000 tonnes of flooring (including vinyl, linoleum and carpet).

In 2018, we used 134.000 tonnes of recycled materials as raw materials. This represents 10% of our raw material spend.

With iD Revolution, we aim to go one step further.

iD Revolution can be recaptured at end-of-life through Tarkett's ReStart take-back programme, ready to be transformed into raw materials for new products.*



REDUCING USAGE OF WATER AND ELECTRICITY

Both the product and the manufacturing process respect the environment. **99% of the water** used during production is recycled and **100% of electricity needs** are met by renewable sources.

At a broader level, the production site is part of an industrial park applying Cradle to Cradle principles and circular economy for resource, service, energy and waste management.

Today, **67% of our production sites** are equipped with closed-loop water circuits. **By 2020**, Tarkett aims to reach **100%**.



**Please get in touch with your local representative to enlist to join the ReStart programme and recycle your post-installation or post-use iD Revolution product.*



CONTEMPORARY OAK
DUNE
24759 308

COMPOSITE
LUNAR GREY
24765 310

MADE TO LAST




RESISTANT AND PERFORMING

iD Revolution makes no compromise on resistance and durability. Indeed, this modular flooring, which uses natural fillers, recycled and bio-based materials, offers the same quality as Tarkett's other modular resilient flooring collections.



STAIN-PROOF: RESISTS STAINS, EASY TO CLEAN

Treated with our TopClean XP™ surface protection, it allows for easy maintenance and extra resistance to scuffs, scratches and stains.



①

TopClear XP™ PUR reinforcement
for excellent resistance to abrasion, scuffs and scratches plus easy, low-cost maintenance

②

0.55mm pure PLA transparent wear layer
for an exceptionally hard-wearing and indentation-resistant surface

③

12 designs in high-definition print
for a higher-quality, more natural look

④

Unique structure strengthened with non-woven glass fibre
for class-leading dimensional stability with superior performance against indentation and tearing

MAKE YOUR SPACES C2C-FRIENDLY WITH THE iD REVOLUTION COLLECTION

English Oak

A timeless and balanced oak, made to fit any interior.



English Oak - Charcoal
12.5 x 122 cm 24756 300
20 x 122 cm 24759 300
25 x 122 cm 24762 300

English Oak - Linen
12.5 x 122 cm 24756 301
20 x 122 cm 24759 301
25 x 122 cm 24762 301

English Oak - Almond
12.5 x 122 cm 24756 302
20 x 122 cm 24759 302
25 x 122 cm 24762 302

Pallet Pine

A timeless pine design, available in two subtle shades.



Pallet Pine - Espresso
12.5 x 122 cm 24756 305
20 x 122 cm 24759 305
25 x 122 cm 24762 305

Pallet Pine - Cotton
12.5 x 122 cm 24756 306
20 x 122 cm 24759 306
25 x 122 cm 24762 306

Rustic Oak

A vibrant oak, with strong knots and cracks.



Rustic Oak - Blonde
12.5 x 122 cm 24756 303
20 x 122 cm 24759 303
25 x 122 cm 24762 303

Rustic Oak - Basalt
12.5 x 122 cm 24756 304
20 x 122 cm 24759 304
25 x 122 cm 24762 304

Contemporary Oak

A smooth and subtle oak, with very few natural wood marks.



Contemporary Oak - Ivory
12.5 x 122 cm 24756 307
20 x 122 cm 24759 307
25 x 122 cm 24762 307

Contemporary Oak - Dune
12.5 x 122 cm 24756 308
20 x 122 cm 24759 308
25 x 122 cm 24762 308

Composite

A dynamic and rough concrete, designed to create a compelling all-over look and feel.



Composite - Stone Grey
25 x 50 cm 24765 309
50 x 50 cm 24768 309
50 x 100 cm 24771 309

Composite - Lunar Grey
25 x 50 cm 24765 310
50 x 50 cm 24768 310
50 x 100 cm 24771 310

Composite - Anthracite
25 x 50 cm 24765 311
50 x 50 cm 24768 311
50 x 100 cm 24771 311

SPECIFICATION DATA

iD Revolution

iD Revolution belongs to the non-PVC modular resilient flooring category manufactured with phthalate-free technology* based on alternative plasticisers and with a calandered backing layer made of recycled, non-PVC resilient flooring.

It is C2C CERTIFIED™ GOLD and contains over 80% recycled, mineral or bio-sourced materials, thus not contributing to resource scarcity.

It is available in three formats and shapes: planks of 12.5 x 122 cm, 20 x 122 cm or 25 x 122 cm; and tiles of 25 x 50 cm, 50 x 50 cm or 50 x 100 cm.

The wear layer of 0.55mm is reinforced with UV photo crosslinked polyurethane, which includes particles of alumina TopClean XP™ treatment. This permanently suppresses any wax and regenerating polish spray maintenance operations. It has a static indentation resistance of $\leq 0,05\text{mm}$.

Its emission rate of volatile organic compounds in air is less than $10 \mu\text{g} / \text{m}^3$ (COVT after 28 days).


It is 100% phthalate-free and 100% recyclable. Additionally, installation off-cuts can be collected and recycled through the Tarkett ReStart® programme.

iD Revolution comes with a 10-year warranty.

ACCESSORIES

SKIRTING

HDF decorative skirting



HDF compact skirting; this can be painted

☐ White and large 423 000 00
58 x 2400mm
📦 2.02 lm skirting in packs x 10

TECHNICAL DATA

| Certification & classification | Standards | iD Revolution |
|-----------------------------------|----------------------------|--|
| Type of floor covering | EN ISO 19322 | Resilient floor covering based upon synthetic thermoplastic polymers |
| Classification | EN ISO 10874 | Domestic: 23 Commercial: 33 Industrial: 42 |
| Technical characteristics | | |
| Total thickness | EN ISO 24346 | 2.5 mm |
| Wear layer thickness | EN ISO 24340 | 0.55 mm |
| Total weight | EN ISO 23997 | 3900 g/m ² |
| Form of delivery | EN ISO 24342 | Planks 12.5 x 122 cm, 24 planks/box = 3.66 m ² 20 x 122 cm, 15 planks/box = 3.66 m ² 25 x 122 cm, 12 planks/box = 3.66 m ² Tiles 25 x 50 cm, 30 tiles/box = 3.75 m ² 50 x 50 cm, 15 tiles/box = 3.75 m ² 50 x 100 cm, 7 tiles/box = 3.5 m ² |
| Surface treatment (PUR) | | Yes - TopClean XP™ |
| Beveled edges | | Yes |
| CE Marking | | |
| Declaration of Performance | | 0007-0049-DoP-2018-06 |
| Technical performances | | |
| Dimensional stability | ISO 19322 - PROCEDURE A | $\leq 0.15\%$ |
| Curl resultant to heat | ISO 19322 - PROCEDURE A | $\leq 1 \text{ mm}$ |
| Reaction to fire | EN 13501-1 | Cfl-s1 |
| Residual indentation | EN ISO 24343-1 | $\leq 0.1 \text{ mm}$ |
| Furniture leg | ISO 16581 - EN 424 | No damage |
| Castor chair | ISO 4918 - EN 425 | No damage |
| Impact sound reduction | EN ISO 717-2 | $\Delta L_w = 2 \text{ dB}$ |
| Reduction of in-room impact noise | NF S31-074 | Class C ($L_{n,e,w} < 85 \text{ dB}$) |
| Thermal resistance | EN ISO 10456 | 0.02 m ² K/W |
| Light fastness | EN ISO 105-B02 (method 3a) | ≥ 6 |
| Chemical resistance | EN ISO 26987 | Very Good |
| Slip resistance | DIN 51130 EN 13893 | R9/R10 depending on embossing $\mu \geq 0,30$ |
| Electrical properties | EN 1815 EN 1081 | < 2kV on concrete > $10^9 \Omega$ |
| Peeling resistance | EN ISO 24345 | $\geq 50\text{N} / 50\text{mm}$ |
| Environmental performances | | |
| TVOC 28 days AgBB test | ISO 16000-9 | $\leq 10 \mu\text{g}/\text{m}^3$ |

The above information is subject to modification for the benefit of further improvement. (03/18).

According to the European Regulation N° 305/2011 for CE Marking, the Declarations of Performance are available on our website www.tarkett.com. Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions.

CUSTOMS TARIFF : 4820 5000 00



■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien – Tel. +43 1 47 88 062 ■ Belgium: Tarkett Belux Sprl – Tel. +32 16 35 98 80 ■ Denmark: Tarkett A/S – Tel. +45 43 90 60 11 ■ Finland: Tarkett Oy – Tel. +358 9 4257 9000 ■ France: Tarkett SAS – Tel. +33 1 41 20 42 49 ■ Germany: Tarkett Holding GmbH, Bereich Objekt – Tel. +49 62 33 810 ■ Greece: Tarkett Monoprosopi Ltd – Tel. +30 210 6745 340 ■ Italy: Tarkett S.p.A. – Tel. +39 0744 7551 ■ Luxembourg: Tarkett GDL SA – Tel. +352 949 211 8804 ■ Netherlands: Tarkett Holding GmbH, Vestiging Nederland – Tel. +31 416 685 491 ■ Norway: Tarkett AS – Tel. +47 32 20 92 00 ■ Portugal: Tarkett SA – Tel. +351 21 427 64 20 ■ Spain: Tarkett Floors S.L. – Tel. +34 91 358 00 35 ■ Sweden: Tarkett Sverige AB – Tel. +46 771 25 19 00 ■ Switzerland: Tarkett Holding GmbH, Bereich Objekt Schweiz – Tel. +41 043 233 79 24 ■ Turkey: Tarkett Aspen – Tel. +90 212 213 65 80 ■ United Kingdom: Tarkett Ltd – Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE: Baltic Countries:** Tarkett Baltics: Tel. +370 37 262 220 ■ Czech Republic: Tarkett org. slozka – Tel. +420 271 001 600 ■ Hungary: Tarkett Polska SP Z.O.O. magyarországi fioktelepe – Tel. +36 1 437 8150 ■ Poland: Tarkett Polska Sp. z o. o. – Tel. +48 22 16 09 231 ■ Russian Federation: ZAO Tarkett RUS – Tel. +7 495 775 3737 ■ Slovakia: Tarkett Polska, organizačná zložka – Tel. +421 2 48291 317 ■ **South East Europe:** Tarkett SEE – Tel. +381 21 7557 649 (44) 569 12 21 ■ Ukraine: Tarkett UA – Tel. +38 (0) 44 569 12 21 ■ **ASIA AND OCEANIA:** Australia: Tarkett Australia Pty Ltd – Tel. +61 2 88 53 12 00 ■ China: Tarkett Floor Covering (Shanghai) Co. Ltd. – Tel. +86 (21) 60 95 68 38 ext 841 ■ North East Asia: Tarkett Hong Kong Limited – Tel. +852 2511 8716 ■ India: Tarkett France (India Branch) – Tel. +91 11 4352 4073 ■ South East Asia: Tarkett Flooring Singapore Pte. Ltd. – Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International: Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East: Tel. +961 1 51 3363/4 ■ Israel: Tarkett International: Tel. +33 1 41 20 41 01 ■ **NORTH AMERICA: USA:** Tarkett Inc. – Tel. +1 713 869 5811 / Johnssonite – Tel. +1 440 543 8916 ■ Canada: Tarkett Inc. – Tel. +1 450 293 173 ■ **LATIN AMERICA:** Brazil: Tarkett – Tel. 55 12 3954 7108 ■ Argentina - Chile - Uruguay: Tarkett Latam Mercosur - Tel. +54 11 47 08 07 72 / +54 9 11 44 46 88 82 ■ Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela: Tarkett – Tel. +55 11 9 8410 9310 / +55 11 98494 0069 ■ Mexico / Central America: Tarkett Latam Mexico - Tel. +55 11 98410 9310

02/2019 - 24759950805

The designs and photos used in this brochure are for illustration purposes only.
They are not contractual images and do not stand for product recommendation.
Design: Agence Gecko / Photo: Evolution / Print: Altavia

www.professionals.tarkett.com

