

iD Elegance Compact 55

LUXURY VINYL TILES

A great variety
of elegant
designs for
commercial
areas

BRING THE ELEGANCE TO YOUR PROJECT

With 11 different designs and a 0.55mm wear layer, iD Elegance Compact 55 is the perfect solution for classy high traffic areas! It includes a wide range of realistic woods to bring authenticity and a sense of home-feeling to workplace areas. Cement and slate designs are a great solutions for modern and industrial interiors.



GREAT VARIETY OF DESIGNS AND FORMAT

- 11 colours options in 2 formats that you can combine
- Infinite installation possibilities: ashlar, herringbone, monolithic...
- Realistic embossing that recreates the look and feel of wood, stone and cement



GREAT RESISTANCE AND EASY CLEANING

- 0,55 mm Wear Layer suitable for high traffic commercial areas
- Hygienic surface treated with the Tarkett unique TopClean XP coating that strengthens it, extends the life-cycle and simplifies cleaning and maintenance.
- 100% matte finish



A SUSTAINABLE SOLUTION

- Total VOC emissions are at least 10 times lower than Europe's strictest standards.
- Floorscore certified
- Enable to win credits in LEED & WELL green buildings
- Uses a phthalate-free technology, based on alternative plasticizers that can be used for sensitive applications such as the production of toys, food packaging and medical devices.
- 100% recyclable.



This soft oak pattern is fulfilling nearly every demand. A coordinated range of 6 colours from light to dark, allows mixing and matching within the range. By combining those colours you are able to create unique floor plans with a sophisticated look and feel.

Rough Concrete is neutral but exiting at the same time. The embossing is highlighting the colour coordinated design and delivers a cool and contemporary atmosphere.

THE RANGE

Soft Oak

22.9 x 121.9 cm



White
256069 030



Beige
256069 025



Light Brown
256069 027



Light Grey
256069 028



Natural
256069 029



Brown
256069 026

Primary Pine

22.9 x 121.9 cm



Natural
256069 034


Walnut



Light Brown
256069 036


Cement

91.4 x 91.4 cm



Grey
256067 010

Venezia



Grey
256067 002

Terazzo



Brown
256067 015



iD Elegance Compact 55

TECHNICAL DATA


Classification	Standards	iD Elegance Compact 55
Classification	EN ISO 10582:2010	Heterogeneous PVC Compact floor covering
	EN ISO 10874	Domestic: 23 Commercial: 33 Industrial: 42
Wear Layer binder content	EN ISO 10582	Type I
Technical characteristics		
Total thickness	EN ISO 24346	2,3 mm
Wear layer thickness	EN ISO 24340	0.55 mm
Total weight	EN ISO 23997	3857 g/m²
Bevelled edges	-	No
Surface treatment (PUR)	-	Yes – TopClean XP
Form of delivery	EN ISO 24342 Planks	22.86 x 121.92 cm 12 planks / box (3.36m2), 80 boxes/pallet (268.80 m2)
	Tiles	91.44 x 91.44 cm 4 tiles / box (3.34m2), 50 boxes/pallet (167 m2)
Technical performance		
Dimensional stability(%)	EN ISO 23999	≤ 0.25 %
Curl resultant to heat 6h at 80°C (mm)	EN ISO 23999	≤ 2.00 mm
Reaction to fire	EN 13501-1	Bfl-s1 glued over A2fl or A1fl substrate (concrete)
Residual Indentation	EN ISO 24343-1 (EN 433)	Required value: ≤ 0.10 mm
		Average measured value: 0.03 mm
Furniture leg	EN 424	No damage
Castor chair	ISO 4918 (EN 425)	No damage
Thermal resistance	EN ISO 10456	0.03 m2. K/W
Underfloor heating	EN ISO 10456	Suitable – max. 27°C
Impact sound reduction	EN ISO 140-8 EN ISO 717/2	ΔLw = 2 dB
Light fastness	EN ISO 105-B02	≥ 6
Resistance to chemicals	EN ISO 26987 (EN 423)	Good resistance
Slip resistance	DIN 51130	R9
	EN 13893	
Electrical properties	EN 1815	< 2 kV on concrete
	EN 1081	R1 > 1010 Ω
Colours	-	Wood: 8 - Ceramic: 3

The above information is subject to modification for the benefit of further improvement.
For the latest information, please visit our website: www.Tarkett-asia.com
Tarkett's instructions regarding installation, cleaning and maintenance should be observed.



iD Elegance Compact 55 Soft Oak Beige and Venezia Grey





More information on: www.tarkett-asia.com

