

# iD Spesso 55 / 70 Square Set 55 / 70

LUXURY VINYL TILES


**Stimulate  
ambiances  
with resistant  
and large  
vinyl tiles**



# GREAT DESIGN, LASTING PERFORMANCE AND PRACTICAL AFFORDABILITY

iD Spesso & Square Set is the best duo to bring the full trifecta: great design, lasting performance and practical affordability.

## GREAT VARIETY OF DESIGNS



These collections offer two new design families: the Classy Oak woods, a very pure and calm wood design and the Soft Terrazzo, a trendy neutral terrazzo. Our best-selling classics: Soft Oak, Primary Pine, Venezia and Cement design families are also reconducted. With a total of 20 designs, our new collections will support your vision for every space.

## LASTING PERFORMANCE



Available in two wear layer thickness, 0.55 and 0.70mm our Collections meet Class 33 certification for heavy commercial use. Protected by our strong TopClean XP polyurethane coating, these authentic-looking LVT visuals help you create stylish, durable environments at a competitive price point.

## TWO INSTALLATION METHODS POSSIBLE



iD Spesso enables a traditional and quick glue down installation while Square Set can be laid and take up again thanks to a special herringbone pattern. This collection is the best option for a reliable and fast renovation. Both collections come with 4 and 5mm thickness, enabling installation in a larger variety of subfloors.

## A SUSTAINABLE SOLUTION



Through our Tarkett Human-Conscious Design® approach, we develop flooring that helps people flourish in their every day without compromising on health and the environment. With 90% of time spent indoors, clear air matters. Our LVT collections showcase ultra low VOC emissions, less than 100µg/m<sup>3</sup> TVOC after 28 days. Our LVT is also phthalate-free. It contributes to healthier spaces and helps you reach green building certifications like WELL and LEED.





# CAPTURING THE BEAUTY OF WOOD AND STONE

## BRINGING THE OUTDOORS INSIDE

Nature guides every aspect of our design journey. We have carefully selected our 20 designs to replicate as good as possible the diversity that we find in nature. By selecting the best natural tones of wood and expressive stones, we have sought to bring the outdoors in. The variety of our designs gives you the freedom to subtly match the style that best suits your space.

## THE POWER OF NATURE

We aim to create positive emotions to help enhance learning, working and caring. iD Spesso & Square Set decors were selected to foster a feelgood atmosphere and bring interior designs to life. We are happy to provide two new design families: the Classy Oak wood, a very pure and calm wood designs and the Soft Terrazzo, a trendy neutral terrazzo.


## A UNIQUE LARGE TILE FORMAT

To bring innovation and premium look, we designed the cement tiles in a large format of 91x91 cm, to better reproduce the large Terrazzo tiles. For wood, for keep our most practical and best-selling format with 122 x 23cm.




# TWO SOLID CONSTRUCTIONS WITH TWO INSTALLATION METHODS


## Product Construction



### Two different backings:



**Square set**



**iD Spesso**

①

#### **TopClean XP™**

UV photo crosslinked polyurethane which allows for easy maintenance and extra resistance to scuffs, scratches and stains.

②

#### **Wear layer**

0.55 mm and 0.70mm for commercial traffic resistance.

③

#### **Printed film**

In 20 different wood and stone designs.

④

#### **Core layer**

for proper resistance to indentation.

⑤

#### **Glass fiber reinforcement**

for perfect dimensional stability.

⑥

#### **Bottom layer**

for a solid basis to the product.

⑦

#### **Balancing layer**

for a curl-free product.

⑧

#### **Backing**

iD Spesso – Backing layer made of PVC for glue down installation  
Square Set – Herringbone anti-skid backing for loose lay installation





Classy Oak BEIGE 002


# EASY AND CREATIVE INSTALLATION

Mix & Match designs, planks and tiles formats to compose unique and creative layout.


**RANDOM**




**LADDER**




**MOSAIQUE**



**STAGGERED**




**BASKET WEAVE BLOCK**



**FUNKY HERRINGBONE**




**STAIRS**



**DISSOLVED HERRINGBONE**








**PATCHWORK**





iD Spesso 55 / 70  
Square Set 55 / 70




iD Spesso 55 – 1219.2 x 228.6 mm – 256073 / iD Spesso 70 – 1219.2 x 228.6 mm – 256079  
iD Spesso 55 – 914.4 x 914.4 mm – 256072 / iD Spesso 70 – 914.4 x 914.4 mm – 256078

Square Set 55 – 1219.2 x 228.6 mm – 256075 / Square Set 70 – 1219.2 x 228.6 mm – 256081  
Square Set 55 – 914.4 x 914.4 mm – 256074 / Square Set 70 – 914.4 x 914.4 mm - 256080



# CLASSY OAK

This very pure and calm wood design is perfect to create exciting ambiances, based on a timeless, yet contemporary design.





CLASSY OAK  
NATURAL / GREY  
003 / 005



# SOFT OAK

Soft Oak is a very elegant and appealing wood design inspired by the distinctive knots, grain and texture of oak for a beautiful organic feel.





# PRIMARY PINE

Nature is evermore present in all minds. With its soft hues and small knots, Primary Pine lends an air of softness and purity to the interior.



011






PRIMARY PINE / VENEZIA  
Natural / Beige  
011 / 007



# SOFT TERRAZZO

Full of heritage and history, Soft Terrazzo brings back the old ways of handcrafted flooring. The small colour inlays create exciting all-over patterns.




SOFT TERRAZZO  
Medium Grey / Black  
002 / 004




# TERRAZZO

Terrazzo is now everywhere! This terrazzo look has been designed very delicately to create a simple and soft result. Its multicolored surface can be paired with any other flooring.



009



Natural  
SCALE 150%




TERRAZZO  
Natural

009




# CEMENT

Appearing in trendy retail spaces, upscale offices and dining establishments, Cement is the flooring material of choice for no other material can be that classic and modern at the same time.



006



Grey  
SCALE 150%



CEMENT  
Grey  
006



# VENEZIA

Appearing in trendy retail spaces, upscale offices and dining establishments, Cement is the flooring material of choice for no other material can be that classic and modern at the same time.



007



008





# ORIGINAL SLATE

Designed to mimic a real slate floor, Original Slate adds a modern industrial look with a beautiful finish. It blends well with wooden furniture, offering unique and unconventional ambiances.



005



ORIGINAL SLATE  
Grey  
005





Classy Oak NATURAL 003 / GREY 005





Classy Oak BEIGE 002 / Soft Terrazzo DARK GREY 003















# Technical Datasheet

Technical Data	Standards	iD Spesso 55	iD Spesso 70	Square Set 55	Square Set 70
Classification	EN ISO 10582	Heterogeneous PVC floor covering			
	EN ISO 10874	Domestic : 23 Commerical : 33	Domestic : 23 Commerical : 34	Domestic : 23 Commerical : 33	Domestic : 23 Commerical : 34
Wear Layer binder content	EN ISO 10582	Type I			
Technical characteristics					
Total thickness	EN ISO 24346	5.00 mm	5.00 mm	4.00 mm	4.00 mm
Wear layer thickness	EN ISO 24340	0.55 mm	0.70 mm	0.55 mm	0.70 mm
Total weight	EN ISO 23997	9000 g/m²	9100 g/m²	7600 g/m²	7700 g/m²
Bevelled edges	-	Microbevels			
Surface treatment	-	Yes – TopClean XP			
Form of delivery	EN ISO 24342 Plank (1219.2 x 228.6 mm)	5 planks / box (1.39m²) 72 boxes/pallet (100.33 m²)		6 planks / box (1.67m²) 78 boxes/pallet (130.42 m²)	
	Tile (914.4 x 914.4 mm)	3 tiles / box (2.51m²) 46 boxes/pallet (115.38 m²)		3 tiles / box (2.51m²) 46 boxes/pallet (115.38 m²)	
Technical performance					
Dimensional stability	EN ISO 23999	≤ 0.25 %			
Curl resultant to heat 6h at 80 °C (mm)	EN ISO 23999	≤ 2.00 mm			
Reaction to fire	EN 13501-1	Bfl-s1			
Residual Indentation	EN ISO 24343-1	≤ 0.10 mm		≤ 0.20 mm	
Castor chair	ISO 4918 (EN 425)	No damage			
Furniture leg	EN 424	No damage			
Light fastness	EN ISO 105-B02	≥ 6			
Resistance to chemicals	EN ISO 26987 (EN 423)	Good resistance			
Slip resistance	DIN 51130 EN 13893	R9 μ ≥ 0,30			
Underfloor heating	-	Suitable – max. 27°C			
VOC emission	ISO 16000	Gold (≤ 100 µg/m³)			
Recyclable	-	100%			
Plasticizer	-	Phthalate-free			
Commercial warranty	-	10 years			
Colours	-	Wood: 11 Stones / Ceramic: 9			

The above information is subject to modification for the benefit of further improvement (01/2024).  
For the latest information, please visit our website: [www.tarkett-asia.com](http://www.tarkett-asia.com)  
Tarkett's instructions regarding installation, cleaning and maintenance should be observed.



Classy Oak BROWN 003





Contact: [saleshk@tarkett.com](mailto:saleshk@tarkett.com)  
More information on: [www.tarkett-asia.com](http://www.tarkett-asia.com)

