Modular 7 LUKURY VINYL TILES The game changer **O** Tarkett

THE GAME CHANGER

Colours of the products shown in the photos are indicative only. There may be differences in colours, gloss and embossing structure between the products sold and the photos. OAK TREND Cold Brown 2570210 OAK TREND Grey 2570210

The game changer

The first impression of a space is to a great extent defined by thoughtfully designed interior. Texture and colour of the floor gives basic tone to the space, which is upgraded with the other elements of interior design. LVT floor coverings changed the game rules completely, when it comes to floor design.


Modular solution


This LVT collection opens numerous possibilities of combining designs, various textures, shapes and colours, thanks to its modularity. Areas in which ModularT 7 is installed can exude simplicity and calmness, or they can be cozy, with lots of details and strong personal touch of people spending their time there.

With seven carefully and professionally chosen designs in 49 colours, inspired by natural materials, ModularT 7 provides possibility to create spaces with different styles. This collection is a good solution for spaces with high traffic, such as hotels, coffee shops, stores, offices, or restaurants. Characteristics like simple maintenance, water resistance, durability and impact sound reduction, make ModularT 7 the right choice from both functional, and aesthetic aspect.

Summary:

Sustainable solution	4
Construction for high performances	5
Design for excellence	7
Designs	8
Modular solution	108
nstallation instructions	114
Гесhnical data	115







Durability: Very resistant and durable floor, intended for commercial areas with high frequency.

Multiple glass fiber and glass grid reinforcement (PATENT PENDING, filed under no. EP20196372.5 and RU2019129023) for great dimensional stability, several times better than most products on market have. Thanks to innovative construction, ModularT is flexible enough and easier for manipulation during installation.




Additional protective layer on floor covering, which keeps dirt away from lower layers of the product, at the same time making cleaning and maintenance of the floor easier.



Water resistant material.



Construction that provides good acoustic insulation, two times better than regular compact LVT.



Bevelled edges: realistic look of natural designs







Collection ModularT has been created after researching latest trends in ceramics and wood floor coverings. Its designs are suitable for modern architecture, and for those who like simplicity and uniqueness, at the same time paying attention to details.

We created this collection led by idea of achieving excellence.

ModularT collection is a selection of modern designs, created with the use of classic materials. Five different kinds of wood, the soul of collection, are timeless classics with natural imperfections, modern colours that create contemporary look of living spaces. Five modern oak designs, perfect for any use, from commercial to residential spaces, designed in order to satisfy those who search for classic looks, as well as those who prefer Scandinavian minimalism. Beton design, was a sophisticated project with carefully selected combinations of colurs, compatible with all wooden designs. Different grey tones in collection are mixed with nuances of brown and beige colour, which all together represent a solution for urban design spaces. Texton is clean and abstract design, with variation in Texton Grid design, which gives new, stone / textile look and feel for exciting interiors.

Collection ModularT with its charm and soul, can support our different characters and personalities.

OAK STREET

This design brings together traditional and modern, with various possibilities thanks to multicolour nuances.

With its modern appearance, and cheerful colour nuances inside each board, this design gives impressive looks to any space.

Rich selection of colouristic solutions enables complete transformation of this design in different versions.

OAK ORIGIN

Natural structure of wood exudes freshness and energy, leaving impression of traditional, classic and elegant oak.

Rich and massive structure is in perfect harmony with enhanced shapes and texture. Coloured in calm and flat aspect with darker effects around natural shapes of tree rings, make this design unique. Use of natural colours in this design is very important, since they create atmosphere and impression of natural environment.

OAK TREND

Authentic, old wood structure, which passed the test of time and became icon of design itself. Remaining trendy through the years, classic wood with enhanced brush effect brings in the spirit of nature. Stories can be told on this floor.

Colour pallette is inspired by Scandinavian style, which, along with its simplicity, expresses warmth, personality and familiarity.

OAK PURE

From traditional to classic, Oak Pure design has the rougher look of wood structure with its detail and depth of texture. The use of a bit rustic wood treatments creates dramatic wood design with highlighted cathedrals in a warm, inviting, and dynamic natural tone. The mellow blending of 4 colours imitates subtle variances in nature.

OAK ELEGANT

A perfect balance between nature and design is Oak Elegant. It has been designed to bring the artistry of nature with a soft texture and modern colour shades that mimic real elegant and contemporary oak look. Oak Elegant plank design has smoother and subtle structure, offering a delightful mix of 13 modern shades.



Concrete design, leaves strong impression with its simplicity. Without excess accents, pure perfection only. Designed and coloured with style, it is ideal for creating minimalist interior design.

TEXTON

A clean, abstract appearance that draws inspiration from a natural material, cement, translated and stylized into a design feels so organic. The understanding of "less is more" is the attitude behind this design. Texton offers 7 colours that follow and capture rich diversity of shades, materials and life.

Design **Texton Grid** has different colour variations with additional three perfect tones (brown, grey, and sand) giving a new and inviting modern textile look and feel that is impressively stylish for all spaces.





8





Classic oak structure in modern light tones


OAK PURE White 257021029/20x120cm







Smooth texture of oak wood in gentle white tones




Light, laminate-like mono white colour is ideal, since it creates the impression of light and clean space



OAK STREET White 257021014/20x120cm






Soft visual finish of oak design in sand tones creates cozy and warm interior







Ice cold beige with grey nuances

OAK ORIGIN Cool Beige 257021006/20x120cm








OAK TREND Beige 257021000/20x120cm




Warm beige nuance with cold ash effect




Silky and gently dimmed beige nuance

OAK ELEGANT Beige 257021018/20x120cm








OAK TREND Sand 257021004/20x120cm






OAK ORIGIN Beige 257021007/20x120cm



Warm powder beige



OAK ELEGANT Warm Beige



Soft and warm tones for cozy and pleasant atmosphere









Traditional colour of oak in dynamic and rough design

257021030 / 20x120cm OAK PURE Nature







257021021 / 20x120cm OAK ELEGANT Nature





Beige Stone 257021010/20x120cm OAK STREET





Medium cool pistachio brown





OAK ELEGANT Stone Beige





Subtle design in rough natural tones, with elegant finish

OAK ELEGANT Stone Brown 257021022 / 20x120cm







OAK STREET Cold Brown 257021012/20x120cm




Medium nuance of brown colour





OAK ORIGIN Nature 257021009/20x120cm






Natural brown tone in rich wood structure



OAK ORIGIN Light Brown 257021008/20x120cm






Deep texture in brown tones, with beautiful natural lines of oak wood




OAK PURE Brown 257021031/20x120cm






Beautiful deep brown tones in a plank that combine highlights of nature and design



OAK ELEGANT Brown 257021025/20x120cm







OAK STREET Brown 257021011/20x120cm



Dark chocolate brown



Dark brown tones combined with deep and detailed wood texture of Oak Pure design



OAK PURE Dark Brown 257021032/20x120cm






Modern tone applied on elegant wood design

OAK ELEGANT Light Brown 257021024/20x120cm







OAK ELEGANT Cold Brown 257021026/20x120cm







Original tone and design for complete transformation of interior

OAK ELEGANT Warm Brown 257021027 / 20x120cm




OAK TREND Cold Brown 257021003/20x120cm




Cold brown nuance



Non ordinary tone, where grey nuance has warm appearance







OAK STREET Grey 257021013/20x120cm




Dusty light grey nuance














OAK TREND Graphite 257021005 / 20x120cm



Graphite black nuance




Black applied on wood texture with modern finishing effect will accent the floor and bring a great base for designing impressive interior



257021028 / 20x120cm OAK ELEGANT Graphite




BETON



BETON Cold Beige 257022000 / 60x60cm

Cool beige nuance, with cold white effect











BETON Beige 257022006 / 60x60cm



Warm beige nuance



257022003 / 60x60cm **BETON** Original



Light grey concrete colour






BETON Cold Brown 257022002 / 60x60cm




Cold calm brown tones



BETON Stone Brown 257022004 / 60x60cm



Light grey with warm brown effect




Warm medium brown colour with tones of rust, that can be beautifully combined with neutral tones and white wood



BETON Warm Brown 257022005 / 60x60cm









BETON Grey 257022007 / 60x60cm



Classic concrete colour



BETON Dark Grey 257022008/60x60cm



Graphite grey nuance


TEXTON




TEXTON Sand












EXTON Warm Beige 257022019 / 66,5x66,5 cm



Neutral tone in texture inspired by nature




Mixture of cold and warm tones on modern, organic design




TEXTON Cold Brown 257022020 / 66,5x66,5 cm





Warm, earthy tones on a design inspired by natural texture of stone and cement

EXTON Brown 257022022 / 66,5x66,5 cm






TEXTON Cold Grey 257022018 / 66,5x66,5 cm 257022032 / 50x100 cm



Neutral, modern and pure design




Original and effective tone for modern commercial environment

TEXTON Grey


257022021 / 66,5x66,5 cm 257022033 / 50x100 cm






TEXTON Dark Grey

257022023 / 66,5x66,5 cm 257022034 / 50x100 cm





Clean, pure and abstract contemporary design




Textile look and feel in warm tone


257022024 / 66,5x66,5 cm **EXTON** Grid Sand






TEXTON Grid Brown 257022026 / 66,5x66,5 cm









257022025 / 66,5x66,5 cm 257022035 / 50 x 100 cm TEXTON Grid Grey








08 109


























Installation instructions

IMPORTANT!

- The subfloor must be level, flat, clean, free from marks, sound, dry, solid, hard, smooth and not exposed to moisture.
- The preparation/dryness of the subfloor and installation procedures should all be in accordance with the current relevant standard within the country of use. Absorbency has to be regulated when needed and subfloor protected from humidity rising.
- Use the same shade number for each continuous surface.



- For wood pattern, avoid installation of LVT with the same design next to each other.
- Let the flooring acclimatise and relax at least 24h at room temperature (minimum 15°C or in accordance with current relevant country standard) before installation.
- Before starting to install, determine the type of laying taking into account the shape of the room and the design to be laid.
- The cut tiles closest to the walls should be more than 10 cm wide; at doorways and corners, not less than half a whole tile.

INSTALLATION:

- Tiles should be laid in a checkerboard pattern and installation should start from the center of the room, taking into consideration the wet bonding method when necessary.
- Stagger each row of planks to ensure that the end joints do not coincide with the previous row installed.
- Use only adhesives recommended by Tarkett (list available on our website). Always follow the adhesive manufacturer's instructions.
- Apply about 250 g/m² using the recommended trowel (TKB A1 or A2 according adhesive specification) and recommended open time.
- The flooring should be pressed immediately with a cork press and rolled in both directions with a heavy roller after complete installation.
- Wait 48h before allowing any foot traffic and 72h for moving of furniture.

TECHNICAL DATA

CERTIFICATION AND CLASSIF	FICATION STANDARD	ModularT 7
Type of flooring	ISO (EN) 10582	Compact resilient floor covering
CE certification	EN 14041 (YES
Classification	ISO 10874 (EN 685)	Residential: 23 Commercial: 34 Industrial: 43
TECHNICAL CHARACTERISTIC	CS STANDARD	ModularT 7
Total thickness	ISO 24346 (EN 428)	2,5 mm
Vear layer thickness	ISO 24340 (EN 429)	0,7 mm
Bevelled edges		YES
Total weight	ISO 23997 (EN 430)	3200 g/m²
Abrasion (wear layer binder cor	ntent) ISO 10582	Type I
Form of delivery	ISO 24342 (EN 427)	Plank 20 x 120 cm, 18 planks/box = 4,32m ² Tiles 60 x 60 cm, 12 tiles/box = 4,32m ² Tiles 66,5 x 66,5 cm, 10 tiles/box = 4,42m ² Tiles 50 x 100 cm, 8 tiles/box = 4 m ²
TECHNICAL PERFORMANCES	S STANDARD	ModularT 7
Dimensional stability	ISO 23999 (EN 434)	≤ 0.10 %
Reaction to fire	EN 13501-1	Bfls1 on concrete substrate
Residual indentation	ISO 24343-1(EN 433)	≤ 0,10 mm
Furniture leg	EN 424	No damage
Castor chair	ISO 4918 (EN 425)	No damage
Curl resultant to heat	ISO 23999 (EN 434)	≤ 2 mm
Thermal resistance	ISO (EN) 12524	0,02 - 0,03 m² K/W
Acoustic insulation	ISO (EN) 717/2	6 dB
	NE 2 24 274	L n,e,w = 76 dB
Walking noise	NF S 31- 074	211,0,11 70 00
Walking noise Light fastness	NF S 31- 074 ISO (EN) 105-B02	7/8
	رج	







2701-0060-DoP-2019-12























115



for other countries see www.tarkett.com