


Tarkett Priority

3-WEEK PROGRAM: POWERBOND® + MODULAR

beautiful floors &
reliable service





Fast. Flexible. Reliable.

When you need beautiful flooring fast, Tarkett Priority has you covered with dozens of design options and your choice of standard backings—made to order and shipped to you in just three weeks. You can now order your favorite soft surface flooring sections, on the backing of choice with fast lead times.

- 3-week lead time (15 business days)
- Minimum order: 65 sq. yd.
- Maximum order: 1,500 sq. yd.

FLAME EDIT 11612

Available Size / Installation Method:
24x24: Vertical Ashlar
9x36 & 18x36: Herringbone, Vertical Ashlar
Sample size: 24x24
Yarn type: Dynex SD Nylon
Dye method: 100% Solution Dyed
Pattern match: Not Applicable
Modular construction options: ethos Modular with Omniccoat Technology, Flex-Aire Modular Cushion
Surface texture: Stratatec Patterned Loop
Coordinate group: 4
\$\$



22401
WAVEFORM



22402
ARMOR



22403
POLARITY



22404
COMMON GROUND



22405
DIRECT CURRENT



22406
EARTHING



22407
LIGHTNING



22408
DIODE



22409
HYDROELECTRIC



22410
HOT CONDUCTOR



22411
WIND TURBINE



22412
BALLAST



22407 LIGHTNING

ALIGHT EDIT 11613

Available Size / Installation Method:
24x24: Vertical Ashlar
9x36 & 18x36: Vertical Ashlar, Herringbone
Sample size: 24x24
Yarn type: Dynex SD
Dye method: 100% Solution Dyed
Pattern match: Not Applicable
Modular construction options: ethos Modular with Omnicoat Technology, Flex-Aire Modular Cushion
Surface texture: Stratatec Patterned Loop
Coordinate group: 4
\$\$



22401
WAVEFORM



22402
ARMOR



22403
POLARITY



22404
COMMON GROUND




22405
DIRECT CURRENT



22406
EARTHING



22407
LIGHTNING



22408
DIODE



22409
HYDROELECTRIC



22410
HOT CONDUCTOR



22411
WIND TURBINE



22412
BALLAST



CONNECT EDIT 11614

Available Size / Installation Method:
24x24: Vertical Ashlar
9x36 & 18x36: Herringbone, Vertical Ashlar
Sample size: 24x24
Yarn type: Dynex SD Nylon
Dye method: 100% Solution Dyed
Pattern match: Not Applicable
Modular construction options: ethos Modular with Omnicoat Technology, Flex-Aire Modular Cushion
Surface texture: Stratatec Patterned Loop
Coordinate group: 4
\$\$



22401
WAVEFORM



22402
ARMOR




22403
POLARITY



22404
COMMON GROUND



22405
DIRECT CURRENT




22406
EARTHING




22407
LIGHTNING



22408
DIODE



22409
HYDROELECTRIC



22410
HOT CONDUCTOR



22411
WIND TURBINE



22412
BALLAST



EDGE EDIT 11615

Available Size / Installation Method:
24x24: Vertical Ashlar
9x36 & 18x36: Herringbone, Vertical Ashlar
Sample size: 24x24
Yarn type: Dynex SD Nylon
Dye method: 100% Solution Dyed
Pattern match: Not Applicable
Modular construction options: ethos Modular with Omnicoat Technology, Flex-Aire Modular Cushion
Surface texture: Stratatec Patterned Loop
Coordinate group: 4
\$\$



22401
WAVEFORM




22402
ARMOR



22403
POLARITY




22404
COMMON GROUND



22405
DIRECT CURRENT




22406
EARTHING



22407
LIGHTNING



22408
DIODE



22409
HYDROELECTRIC



22410
HOT CONDUCTOR



22411
WIND TURBINE



22412
BALLAST



22403 POLARITY

ELECTRIC EDIT 11611

Available Size / Installation Method:
24x24: Vertical Ashlar
9x36 & 18x36: Herringbone, Vertical Ashlar
Sample size: 24x24
Yarn type: Dynex SD Nylon
Dye method: 100% Solution Dyed
Pattern match: Not Applicable
Modular construction options: ethos Modular with Omnicoat Technology, Flex-Aire Modular Cushion
Surface texture: Stratatec Patterned Loop
Coordinate group: 4
\$\$



22401
WAVEFORM




22402
ARMOR



22403
POLARITY




22404
COMMON GROUND




22405
DIRECT CURRENT




22406
EARTHING



22407
LIGHTNING



22408
DIODE



22409
HYDROELECTRIC



22410
HOT CONDUCTOR



22411
WIND TURBINE



22412
BALLAST



22409 HYDROELECTRIC

VELLUM 11500

Available Size / Installation Method:
24x24: Vertical Ashlar
9x36 & 18x36: Herringbone, Vertical Ashlar
Sample size: 24x24
Yarn type: Dynex SD® Nylon
Dye method: Solution Dyed
Pattern Match: Not Applicable
Modular construction options: ethos® Modular with Omniccoat Technology®, Flex-Aire Modular® Cushion
Surface texture: Stratatec® Patterned Loop
Coordinate group: 12
\$\$



25601
OBSIDIAN INK



25606
KETTLE STITCH



25608
MONOGRAPH



25606 KETTLE STITCH

BINDERY 11501

Available Size / Installation Method:
24x24: Vertical Ashlar
9x36 & 18x36: Herringbone, Vertical Ashlar
Sample size: 24x24
Yarn type: Dynex SD® Nylon
Dye method: Solution Dyed
Pattern Match: Not Applicable
Modular construction options: ethos® Modular with Omniccoat Technology®, Flex-Aire Modular® Cushion
Surface texture: Stratatec® Patterned Loop
Coordinate group: 12
\$\$



25601
OBSIDIAN INK



25606
KETTLE STITCH



25608
MONOGRAPH



25601 OBSIDIAN INK

CAPTURE 11359

Available Size / Installation Method:
24x24: Vertical Ashlar
9x36 & 18x36: Herringbone, Vertical Ashlar
Sample size: 9x36
Yarn type: Dynex SD® Nylon
Dye method: Solution Dyed
Pattern Match: Not Applicable
Modular construction options: ethos® Modular with Omniccoat Technology®, Flex-Aire Modular® Cushion
Surface texture: Stratatec® Patterned Loop
Coordinate group: 6
\$\$



52702
HARBOR FOG



52703
CLOUD BASE



52706
PRE DAWN




52708
CARBON FIBER



52702 HARBOR FOG

RESONATE 11360

Available Size / Installation Method:
24x24: Vertical Ashlar
9x36 & 18x36: Herringbone, Vertical Ashlar
Sample size: 9x36
Yarn type: Dynex SD® Nylon
Dye method: Solution Dyed
Pattern Match: Not Applicable
Modular construction options: ethos® Modular with Omniccoat Technology®, Flex-Aire Modular® Cushion
Surface texture: Stratatec® Patterned Loop
Coordinate group: 6
\$\$



52702
HARBOR FOG



52703
CLOUD BASE



52706
PRE DAWN



52708
CARBON FIBER



52706 PRE DAWN

SUBSTANCE 11449

Available Size / Installation Method:
24x24: Vertical Ashlar
9x36 & 18x36: Herringbone, Vertical Ashlar
Sample size: 18x36
Yarn type: Dynex SD® Nylon
Dye method: Solution Dyed
Pattern Match: Not Applicable
Modular construction options: ethos® Modular with Omnicat Technology®, Flex-Aire Modular® Cushion
Surface texture: Stratatec® Patterned Loop
Coordinate group: 12
\$



76204
BLOCK OUT



76205
TERRENE



76206
NATURAL BLUSH



76205 TERRENE

AFTERMATH II 03026

Available Size / Installation Method:
24x24: Quarter Turn, Random
18x36: Herringbone
Sample size: 24x24
Yarn type: Dynex® Nylon
Dye method: Solution/Yarn Dyed
Pattern Match: Not Required
Powerbond construction options: Powerbond Cushion, Powerbond Medfloor®
Modular construction options: ethos® Modular with Omnicat Technology®, Flex-Aire Modular® Cushion
Surface texture: Stratatec® Patterned Loop
Coordinate group: 3
\$\$\$



23508
FLEECE



23509
FLANNEL



23512
TAPESTRY



23509 FLANNEL, 23512 TAPESTRY

STREET LIFE 03973

Available Size / Installation Method:
24x24: Horizontal Ashlar, Quarter Turn, Random
Sample size: 24x24
Yarn type: Dynex SD® Nylon
Dye method: Solution Dyed
Pattern Match: Not Applicable
Modular construction options: ethos® Modular with Omnicat Technology®, Flex-Aire Modular® Cushion
Surface texture: Stratatec® Patterned Loop
Coordinate group: 6
\$



36102
OPEN AIR



36103
MASS TRANSIT



36109
BLUE LINE



36112
BROWN DERBY



36102 OPEN AIR

CITY WALK 03974

Available Size / Installation Method:
24x24: Horizontal Ashlar, Quarter Turn, Random
Sample size: 24x24
Yarn type: Dynex SD® Nylon
Dye method: Solution Dyed
Pattern Match: Not Applicable
Modular construction options: ethos® Modular with Omnicat Technology®, Flex-Aire Modular® Cushion
Surface texture: Stratatec® Patterned Loop
Coordinate group: 6
\$



36101
LIGHTS OUT



36102
OPEN AIR



36103
MASS TRANSIT



36104
STREET CORNER



36105
STEELHEAD



36109
BLUE LINE



36112
BROWN DERBY



36101 LIGHTS OUT

GEOKNIT 10887

Available Size / Installation Method:
24x24: Vertical Ashlar
9x36 & 18x36: Herringbone, Vertical Ashlar
Sample size: 24x24, 9x36
Yarn type: TDX® Nylon
Dye method: Solution Dyed
Pattern Match: Not Required
Powerbond construction options: Powerbond Cushion, Powerbond Medfloor®
Modular construction options: ethos® Modular with Omnicoat Technology®, Flex-Aire Modular® Cushion
Surface texture: Stratatec® Patterned Loop
Coordinate group: 12
\$\$\$



42703
SATURATED GREY



42704
NOIR, NOIR



42710
SHADOW GRIS



42713
FELTED




42717
DEEP INDIGO




42710 SHADOW GRIS

CACHE TWEED A0002

Available Size / Installation Method:
24x24: Vertical Ashlar
9x36 & 18x36: Herringbone, Vertical Ashlar
Sample size: 24x24, 9x36
Yarn type: TDX® Nylon
Dye method: Solution Dyed
Pattern Match: Not Required
Powerbond construction options: Powerbond Cushion, Powerbond MedFloor®
Modular construction options: ethos® Modular with Omnicoat Technology®, Flex-Aire Modular® Cushion
Surface texture: Tufted Patterned Loop
Coordinate group: 12
\$\$\$\$



42703
SATURATED GREY



42704
NOIR, NOIR



42710
SHADOW GRIS



42713
FELTED



42717
DEEP INDIGO



42713 FELTED

CARTOGRAPHY 04843

Available Size / Installation Method:
24x24: Vertical Ashlar
9x36 & 18x36: Herringbone, Vertical Ashlar
Sample size: 24x24
Yarn type: Dynex SD® Nylon
Dye method: Solution Dyed
Pattern match: 6' W x 105.15" L (end seam only)
Powerbond construction options: Powerbond Cushion, Powerbond MedFloor®
Modular construction options: ethos® Modular with Omnicoat Technology®, Flex-Aire Modular® Cushion
Surface texture: Stratatec® Patterned Symtex
Coordinate group: 12
\$\$\$\$



15611
ANCIENT PARCHMENT



15612
STONE LITHOGRAPH



15611 ANCIENT PARCHMENT

FABRICATE 11498

JHANE BARNES

Available Size / Installation Method:
24x24: Vertical Ashlar
9x36 & 18x36: Herringbone, Vertical Ashlar
Sample size: 24x24
Yarn type: Dynex SD® Nylon
Dye method: Solution Dyed
Pattern Match: Not Required
Powerbond construction options: Powerbond Cushion, Powerbond Medfloor®
Modular construction options: ethos® Modular with Omnicoat Technology®, Flex-Aire Modular® Cushion
Surface texture: Stratatec® Patterned Loop
Coordinate group: 16
\$\$\$\$



36207
BLACKCLOUD




36216
NIGHTTIME



36216 NIGHTTIME

ASSERTIVE ACTION 04837

Available Size / Installation Method:
24x24: Vertical Ashlar
9x36, 18x36: Herringbone, Vertical Ashlar
Sample size: 12x12
Yarn type: TDX® Nylon
Dye method: Solution Dyed
Pattern Match: Not Required
Powerbond construction options: Powerbond Cushion, Powerbond MedFloor®
Modular construction options: ethos® Modular with Omnicoat Technology®, Flex-Aire Modular® Cushion
Surface texture: Symtex®
Coordinate group: Textures
\$\$\$\$\$



26201
CHROMIUM




26202
STEELWORK



26201 CHROMIUM

ABRASIVE ACTION II 02578

Available Size / Installation Method:
24x24: Monolithic
18x36: Herringbone, Vertical Ashlar
Sample size: 12x12
Yarn type: TDX® Nylon
Dye method: Solution Dyed
Pattern Match: Not Required
Powerbond construction options: Powerbond Cushion, Powerbond Medfloor®
Modular construction options: ethos® Modular with Omnicoat Technology®, Flex-Aire Modular® Cushion
Surface texture: Accuweave® Patterned Loop
Coordinate group: Textures
\$\$\$\$\$



19100
CHARCOAL



19101
MIDNIGHT BLUE



19103
WINTER GRAY



19100 CHARCOAL

METRI II 04654

Available Size / Installation Method:
24x24: Quarter Turn
9x36 & 18x36: Herringbone, Vertical Ashlar
Sample size: 9x36
Yarn type: Dynex SD® Nylon
Dye method: Solution Dyed
Pattern Match: Not Required
Powerbond construction options: Powerbond Cushion, Powerbond Medfloor®
Modular construction options: ethos® Modular with Omniccoat Technology®, Flex-Aire Modular® Cushion
Surface texture: Stratatec® Patterned Loop
Coordinate group: 12; Textures
\$\$\$\$



60616
MID-GREY/SHARD



62112
DEEP BLUE




60616 MID-GREY/SHARD



Dynex SD® with Eco-Ensure.™

Dynex SD is a premium cationic nylon, meaning it's negatively charged to provide permanent resistance against most staining agents. For even greater protection, Dynex SD is treated with Eco-Ensure: a C2C Certified Material Health Certificate™ at the Platinum level chemistry that resists soiling from oils and organic materials.

This fluorine-free soil protection technology lowers cost of maintenance, and creates healthier spaces by promoting better indoor air quality with low-VOC emissions. The fiber within the product has been optimized to produce maximized appearance retention, cleanability, and coverage.



REGULAR NYLON

DYNEX SD NYLON


Our technologies.

Omniccoat Technology® is a patented barrier applied to the back of all ethos® Modular flooring. By creating an inert layer on the bottom of ethos, Omniccoat prevents moisture, pH, or previous adhesives from affecting the floor installation.


When combined with TarkettTAPE®, ethos can be installed without moisture testing saving one to three days of time. This creates an industry-leading combination second only to Powerbond. Installation can begin as long as there is no visible moisture, and the previous adhesive is scraped flat and doesn't telegraph visually through the ethos installation.



TarkettTAPE, a patented polyester film with a chemically inert, silicone-based adhesive, pairs versatility with a future-ready chemical resistance. Tested in extreme moisture and pH levels, the product is capable of withstanding the most adverse concrete conditions, and can be used with either Flex-Aire Modular® Cushion, or ethos with Omniccoat Technology (which eliminates the need for moisture testing). TarkettTAPE is a fast, easy way to float an installation, and makes it simple to uninstall, reinstall, replace tiles, or even take flooring with you when you move.




Our backings.




ethos Modular with Omnicoat Technology is a non-PVC backing made with post-consumer recycled PVB from car windshields and architectural glass from buildings. The filler used in the backing is post-industrial waste from the paper industry. ethos Modular carpet tile backing is Cradle to Cradle Certified® Silver.

When installed with TarkettTAPE, ethos with Omnicoat Technology requires no moisture testing.



Flex-Aire Modular® Cushion provides superior acoustic performance, appearance retention, and moisture management. Offering a 0.22 Noise Reduction Coefficient and a 68 Impact Insulation Class, the product reduces noise and impacts, producing a calmer environment.

With 22-28% overall recycled content (including a minimum of 5-6% post-consumer content), Flex-Aire may be installed with TarkettTAPE for a floating installation (which can be just as easily uninstalled). The product may also be installed with Tarkett’s C-12E pressure-sensitive adhesive, which has a C2C Certified Material Health Certificate™ at the Silver level.



Powerbond is a hybrid resilient carpet with a closed-cell impermeable cushion. Installing with chemically-welded seams creates a wall-to-wall impermeable installation. The product also creates a calmer environment with a 0.22 Noise Reduction Coefficient, and a 68 Impact Insulation Class. Powerbond is available with or without peel-and-stick—and no moisture testing is required before installation, if surface water is not visible.

Launched over 50 years ago, Powerbond still has no equal in the industry, and regularly maintained products have performed for over 40 years. When combined with Tarkett’s Imaginations® program, Powerbond (as well as ethos Modular and Flex-Aire Modular Cushion) can display customized visuals such as brand names, logos, mascots, wayfinding, communications, and any other visual imaginable.

Adhesives, primers and seam weld.

A brief comparison of adhesive products recommended for use with different Tarkett backing systems, in multiple installation scenarios.

	Backing	Floating	Adhesive for Dry Back	RS—Peel & Stick	Seam Weld
MODULAR	ethos Modular with Omnicoat Technology	TarkettTAPE	C-EX	N/A	N/A
	Flex-Aire Modular Cushion	TarkettTAPE	C-12E	RS	N/A
POWERBOND	Powerbond Cushion		C-16E	RS	Power-Weld / C-XL / Seam Weld #54
	Powerbond Medfloor®		C-16E	N/A	Power-Weld / C-XL / Seam Weld #54

New Power-Weld Seam Sealer meets all Air Quality Management Districts in the U.S., including California. Power-Weld is similar to #54 Seam Weld in strength over time. Tarkett manufactures: C-EX*, C-36, All RS adhesives. *C-14 and C-TR have been discontinued and replaced by C-EX.



Proof in Every StepSM

For years, Tarkett has raised the sustainability standards of our industry. We took the first steps and are determined to stay a step ahead.

And while inspirational words are great, we know impact is in the numbers — numbers subjected to intense third-party scrutiny. So, at Tarkett we don't just say it, **we prove it.**

These three values help us stay the course when it comes to sustainability.



Setting New Transparency Standards

What you begin with affects everything that comes after it. That's why we subject our products to relentless scientific scrutiny and third-party testing and offer radical transparency about our materials and operations.



Empowering the Next Step in the Value Chain

We make our business partners and customers more inherently sustainable with products and practices that consider every step in the value chain.



Creating Healthier Futures

We base all our sustainability initiatives on our commitment to create healthier environments indoors and out, today and for generations to come.

Sustainability Highlights

Feel confident in the numbers



A holistic
approach you
can count on...



...And
certifications
you can trust.



We're leaders
in radical
transparency.



Setting
tomorrow's
standards...



...For globally
recognized
excellence.

97%

of our raw materials are third-party assessed for their impact on human and environmental health based on Cradle to Cradle criteria.

2011

started working with EPEA to integrate Cradle to Cradle principles into every facet of our business.

100_{ppm}

raw materials content revealed down to 100 parts per million.

When most manufacturers reveal raw materials content down to just 1,000 ppm, there's simply no contest.

We've been providing Material Health Statements since 2013 to give you peace of mind about the content of our products.

99%

of flooring solutions have low VOC emission levels — 10x lower than the most stringent world standards.

100%

orthophthalate-free vinyl production. First company to eliminate orthophthalates from all products.

2010

first flooring manufacturer to join the UN Global Compact.

2021

awarded the Gold medal by EcoVadis; now ranked among the top 2% of companies in our industry rated by EcoVadis.

2022

scored A-, the CDP management level, regarding the climate change performance assessment.

70%

of raw materials are abundant, rapidly renewable or recycled.

2013

first commercial flooring CERTIFIED **asthma and allergy friendly**®.

14

zero-waste to landfill manufacturing plants.

2022

Powerbond RS is the first soft surface product in the industry to be CERTIFIED **asthma and allergy friendly**®.

At Tarkett, social and environmental responsibility aren't add-ons. They're woven, stamped and sealed into everything we do. **But more importantly, we don't just say this, we prove it.**

Style	Color	Tile Size	Tile Backings	Powerbond Backings
Abrasive Action II 02578	19100 Charcoal	24"x24", 18"x36"	ethos, Flex-Aire, Flex-Aire RS	Powerbond Cushion, Powerbond Cushion RS, Powerbond Medfloor
Abrasive Action II 02578	19101 Midnight Blue	24"x24", 18"x36"	ethos, Flex-Aire, Flex-Aire RS	Powerbond Cushion, Powerbond Cushion RS, Powerbond Medfloor
Abrasive Action II 02578	19103 Winter Gray	24"x24", 18"x36"	ethos, Flex-Aire, Flex-Aire RS	Powerbond Cushion, Powerbond Cushion RS, Powerbond Medfloor
Aftermath II 03026	23508 Fleece	24"x24", 18"x36"	ethos, Flex-Aire, Flex-Aire RS	Powerbond Cushion, Powerbond Cushion RS, Powerbond Medfloor
Aftermath II 03026	23509 Flannel	24"x24", 18"x36"	ethos, Flex-Aire, Flex-Aire RS	Powerbond Cushion, Powerbond Cushion RS, Powerbond Medfloor
Aftermath II 03026	23512 Tapestry	24"x24", 18"x36"	ethos, Flex-Aire, Flex-Aire RS	Powerbond Cushion, Powerbond Cushion RS, Powerbond Medfloor
Alight Edit 11613	22401 Waveform	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Alight Edit 11613	22402 Armor	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Alight Edit 11613	22403 Polarity	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Alight Edit 11613	22404 Common Ground	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Alight Edit 11613	22405 Direct Current	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Alight Edit 11613	22406 Earthing	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Alight Edit 11613	22407 Lightning	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Alight Edit 11613	22408 Diode	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Alight Edit 11613	22409 Hydroelectric	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Alight Edit 11613	22410 Hot Conductor	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Alight Edit 11613	22411 Wind Turbine	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Alight Edit 11613	22412 Ballast	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Assertive Action 04837	26201 Chromium	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	Powerbond Cushion, Powerbond Cushion RS, Powerbond Medfloor
Assertive Action 04837	26202 Steelwork	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	Powerbond Cushion, Powerbond Cushion RS, Powerbond Medfloor
Bindery 11501	25601 Obsidian Ink	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Bindery 11501	25606 Kettle Stitch	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Bindery 11501	25608 Monograph	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Cache Tweed A0002	42703 Saturated Grey	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	Powerbond Cushion, Powerbond Cushion RS, Powerbond Medfloor
Cache Tweed A0002	42704 Noir, Noir	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	Powerbond Cushion, Powerbond Cushion RS, Powerbond Medfloor
Cache Tweed A0002	42710 Shadow Gris	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	Powerbond Cushion, Powerbond Cushion RS, Powerbond Medfloor
Cache Tweed A0002	42713 Felted	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	Powerbond Cushion, Powerbond Cushion RS, Powerbond Medfloor
Cache Tweed A0002	42717 Deep Indigo	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	Powerbond Cushion, Powerbond Cushion RS, Powerbond Medfloor
Capture 11359	52702 Harbor Fog	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Capture 11359	52703 Cloud Base	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Capture 11359	52706 Pre Dawn	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Capture 11359	52708 Carbon Fiber	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Cartography 04843	15611 Ancient Parchment	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	Powerbond Cushion, Powerbond Cushion RS, Powerbond Medfloor
Cartography 04843	15612 Stone Lithograph	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	Powerbond Cushion, Powerbond Cushion RS, Powerbond Medfloor
City Walk 03974	36101 Lights Out	24"x24"	ethos, Flex-Aire, Flex-Aire RS	N/A
City Walk 03974	36102 Open Air	24"x24"	ethos, Flex-Aire, Flex-Aire RS	N/A
City Walk 03974	36103 Mass Transit	24"x24"	ethos, Flex-Aire, Flex-Aire RS	N/A
City Walk 03974	36104 Street Corner	24"x24"	ethos, Flex-Aire, Flex-Aire RS	N/A
City Walk 03974	36105 Steelhead	24"x24"	ethos, Flex-Aire, Flex-Aire RS	N/A
City Walk 03974	36109 Blue Line	24"x24"	ethos, Flex-Aire, Flex-Aire RS	N/A
City Walk 03974	36112 Brown Derby	24"x24"	ethos, Flex-Aire, Flex-Aire RS	N/A
Connect Edit 11614	22401 Waveform	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Connect Edit 11614	22402 Armor	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Connect Edit 11614	22403 Polarity	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Connect Edit 11614	22404 Common Ground	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Connect Edit 11614	22405 Direct Current	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Connect Edit 11614	22406 Earthing	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Connect Edit 11614	22407 Lightning	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Connect Edit 11614	22408 Diode	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Connect Edit 11614	22409 Hydroelectric	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Connect Edit 11614	22410 Hot Conductor	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Connect Edit 11614	22411 Wind Turbine	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Connect Edit 11614	22412 Ballast	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Edge Edit 11615	22401 Waveform	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Edge Edit 11615	22402 Armor	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Edge Edit 11615	22403 Polarity	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A

Style	Color	Tile Size	Tile Backings	Powerbond Backings
Edge Edit 11615	22404 Common Ground	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Edge Edit 11615	22405 Direct Current	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Edge Edit 11615	22406 Earthing	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Edge Edit 11615	22407 Lightning	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Edge Edit 11615	22408 Diode	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Edge Edit 11615	22409 Hydroelectric	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Edge Edit 11615	22410 Hot Conductor	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Edge Edit 11615	22411 Wind Turbine	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Edge Edit 11615	22412 Ballast	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Electric Edit 11611	22401 Waveform	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Electric Edit 11611	22402 Armor	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Electric Edit 11611	22403 Polarity	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Electric Edit 11611	22404 Common Ground	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Electric Edit 11611	22405 Direct Current	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Electric Edit 11611	22406 Earthing	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Electric Edit 11611	22407 Lightning	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Electric Edit 11611	22408 Diode	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Electric Edit 11611	22409 Hydroelectric	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Electric Edit 11611	22410 Hot Conductor	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Electric Edit 11611	22411 Wind Turbine	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Electric Edit 11611	22412 Ballast	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Fabricate 11498	36207 Blackcloud	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	Powerbond Cushion, Powerbond Cushion RS, Powerbond Medfloor
Fabricate 11498	36216 Nighttime	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	Powerbond Cushion, Powerbond Cushion RS, Powerbond Medfloor
Flame Edit 11612	22401 Waveform	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Flame Edit 11612	22402 Armor	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Flame Edit 11612	22403 Polarity	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Flame Edit 11612	22404 Common Ground	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Flame Edit 11612	22405 Direct Current	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Flame Edit 11612	22406 Earthing	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Flame Edit 11612	22407 Lightning	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Flame Edit 11612	22408 Diode	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Flame Edit 11612	22409 Hydroelectric	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Flame Edit 11612	22410 Hot Conductor	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Flame Edit 11612	22411 Wind Turbine	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Flame Edit 11612	22412 Ballast	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Geoknit 10887	42703 Saturated Grey	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	Powerbond Cushion, Powerbond Cushion RS, Powerbond Medfloor
Geoknit 10887	42704 Noir, Noir	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	Powerbond Cushion, Powerbond Cushion RS, Powerbond Medfloor
Geoknit 10887	42710 Shadow Gris	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	Powerbond Cushion, Powerbond Cushion RS, Powerbond Medfloor
Geoknit 10887	42713 Felted	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	Powerbond Cushion, Powerbond Cushion RS, Powerbond Medfloor
Geoknit 10887	42717 Deep Indigo	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	Powerbond Cushion, Powerbond Cushion RS, Powerbond Medfloor
Metri II 04654	60616 Mid-Grey/Shard	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	Powerbond Cushion, Powerbond Cushion RS, Powerbond Medfloor
Metri II 04654	62112 Deep Blue	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	Powerbond Cushion, Powerbond Cushion RS, Powerbond Medfloor
Resonate 11360	52702 Harbor Fog	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Resonate 11360	52703 Cloud Base	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Resonate 11360	52706 Pre Dawn	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Resonate 11360	52708 Carbon Fiber	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Street Life 03973	36102 Open Air	24"x24"	ethos, Flex-Aire, Flex-Aire RS	N/A
Street Life 03973	36103 Mass Transit	24"x24"	ethos, Flex-Aire, Flex-Aire RS	N/A
Street Life 03973	36109 Blue Line	24"x24"	ethos, Flex-Aire, Flex-Aire RS	N/A
Street Life 03973	36112 Brown Derby	24"x24"	ethos, Flex-Aire, Flex-Aire RS	N/A
Substance 11449	76204 Block Out	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Substance 11449	76205 Terrene	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Substance 11449	76206 Natural Blush	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Vellum 11500	25601 Obsidian Ink	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Vellum 11500	25606 Kettle Stitch	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A
Vellum 11500	25608 Monograph	24"x24", 18"x36", 9"x36"	ethos, Flex-Aire, Flex-Aire RS	N/A



Edge Edit 11615 Polarity 22403

On the cover: **Connect Edit** 11614 Common Ground 22404

Tarkett North America

30000 Aurora Road
Solon, Ohio 44139
800.248.2878

tarkett.com

©Tarkett North America 6299030175 02/2023