

iQ™ Optima®

HOMOGENEOUS VINYL SHEET AND TILE FLOORING


NO Wax.
NO Polish.
EVER.

 **Tarkett**


iQ™ Unique Restoration Technology

Only iQ homogeneous flooring solutions can be continuously restored to a like-new appearance without stripping or refinishing. Because our proprietary restorative technology is throughout the product, scratches and scuff marks can be removed with a simple dry buffing, leading to a significant cost savings on downtime, expensive maintenance products, and labor—and an unmatched return on investment over the life of the product. iQ also helps maintain healthier indoor air quality, since it eliminates the need for floor finish and other harmful chemicals.


RESTORE APPEARANCE WITH SIMPLE DRY BUFFING



Small surface abrasions from traffic allow stains to penetrate and become embedded



Dry-buffing



Restored flooring after dry-buffing, ensuring a sealed, smooth surface to ease maintenance



The background image shows a clean, modern interior. In the foreground, a white reception desk stands on a floor with large, light-colored tiles in a chevron pattern. To the left, a large white planter holds a green plant. On the desk, there's a small potted plant, a magazine, and a black object. In the background, a wooden bench with folded towels is visible near a doorway.

Superior Maintenance


Healthier materials? Present!

With a quick and simple maintenance routine, iQ flooring surfaces provide the industry's lowest total cost of ownership.

- Proprietary formula eliminates the need for floor finish or polish – forever
- Occasional dry-buffing continuously restores shine
- Regular maintenance includes a simple neutral cleaner to remove dirt




iQ™ Optima®




Optima

3242 205 Summer Moon W
460 Cotton W*



Optima

3242 862 Raw Ivory W
68 White Sand W*



Optima

3242 821 Frothy Latte CB
31 Zephyr CB*



Optima

3242 248 French Pastry CB
195 Ash WG*



Optima

3242 246 Egyptian Scrolls CB
280 Shoreline CB*




Optima

3242 207 Prairie Dancing CB
TA8 Welsh Castle CB*



Optima

3242 899 Flannel Blanket CB
80 Fawn*



Optima

3242 898 Heavy Cream WG
TA4 Gateway WG*



Optima

3077 261 Kettle Black WG
TA4 Gateway WG*




Optima

3242 244 Darkened Oasis B
63 Burnt Umber B*



Optima

3077 951 Salt N Pep B
63 Burnt Umber B*



Optima

3242 845 Stroke of Midnight B
40 Black B*



Optima

3242 860 Malt WB
280 Shoreline WB*



Optima

3242 820 Coffee Shoppe WB
49 Beige WB*



Optima

3077 263 Outland Trails CB
TA8 Welsh Castle CB*



Optima

3077 264 Spartan Helmet CB
283 Toast CB*



Optima


3242 249 Forest Thicket WB
47 Brown*



Optima

3242 900 Old Bark
167 Fudge*

* Suggested colors for finishing borders (wall base). Please refer to the Color Guide for accurate color representation.




Optima

3242 202 Greyed Opal CG
21 Platinum CG*




Optima

3242 886 Beluga W
TB3 Dover CG*



Optima

3077 262 Angel Kiss WG
460 Cotton W*



Optima

3242 245 Foggy Shores WG
24 Grey Haze WG*



Optima

3242 206 Hazy Valley CG
469 Mystify CG*



Optima

3242 873 Koala Bear CG
469 Mystify CG*



Optima

3242 897 Slate WG
32 Pebble WG*



Optima

3077 260 Sharktale WG
32 Pebble WG*



Optima

3242 242 Ebony Ash WG
48 Grey WG*



Optima

3242 204 Cobalt Smoke WG
48 Grey WG*



Optima

3242 874 Hardwired WG
20 Charcoal WG*



Optima

3242 875 Bedrock WG
TA4 Gateway WG*



Optima

3242 871 Arctic Winter W
50 White W*



Optima

3242 872 Silver Bell CG
23 Vapor Grey CG*




Optima

3242 853 Thunderhead CG
21 Platinum CG*



Optima

3242 200 Cathedral Wall CG
38 Pewter CG*



Optima

3242 864 Concrete Slab CG
21 Platinum CG*




Optima

3242 203 Infused Ash CG
TA5 Colonial Grey CG*



Optima

3242 201 Chimney Sweep CG
38 Pewter CG*



Optima

3242 866 Sidewalk CG
38 Pewter CG*

We've identified Color Foundations™ neutrals in the following way: **WB** (Warm Beige), **CB** (Cool Beige), **WG** (Warm Grey), **CG** (Cool Grey), **B** (Black), **W** (White)

iQ™ Optima®



3242 247 Almond Cream WB
49 Beige WB*



3242 825 Caramel Infusion WB
461 Wicker WB*



3242 829 Peach Sorbet WB
79 Bone White W*



3242 850 Flan
129 Silk WB*



3242 824 Yellow Mustard
TG7 Canary*



3242 826 Goldenrod
130 Sisal*



3242 831 Hot Ginger
130 Sisal*



3242 258 Monarch Flying
TG8 Spicy Chip*



3242 861 Clover Leaf
151 Iguana*



3242 251 Spencer's Eyes
72 Harbour*



3242 250 Rushing Waters
92 Blue Lagoon*



3242 857 Popiu Bay
84 Blue Jeans*



3242 849 Blue Satin
18 Navy Blue*



3242 255 Mountain Blush
162 Sovereign*



3242 256 Violet Hill
162 Sovereign*

All colors shown in this brochure, including swatches and photographs, approximate the actual flooring as accurately as possible.

* Suggested colors for finishing borders (wall base). Please refer to the Color Guide for accurate color representation.



Great spaces. One surface at a time.

Coordinated to work together visually across platforms, the Tarkett Solution SPECtrum™ helps you develop a flooring platform for the specific needs of every space and budget.


Our portfolio of products are designed to work together functionally and aesthetically, creating more productive workspaces that maximize return on investment. Without compromise.

PRODUCTS SHOWN:

1. Vinyl Sheet, iQ™ Optima® (Salt N Pep 3077 951)
2. Rubber Tile, Pentagonals Diamond Cut, Metallurgy® (Dusty Charm WGM)
3. Soft Surface, Modular, Output 11085 (Cable Jetting 11601) Suzanne Tick
4. Soft Surface, Modular, Input 11083 (Cable Jetting 11601) Suzanne Tick
5. LVT, Contour Abstracts, Color Beam PCBE (Ruby C110)
6. Solid Color Rubber Tile, Cubis Texture (Salsa 163)
7. Traditional Vinyl Wall Base (Salsa 163)
8. Traditional Vinyl Wall Base (Sterling Silver 69)
9. Rubber Wall Base, Masquerade™ Reveal (Seasoned Oak Peppercorn ME5)
10. Finishing Accessories, Metal Edge (Ironstone 00178)
11. Rubber Tile, Mesto® Configurations™ (Noble Knight Dark)
12. Finishing Accessories, Dynex SD® Nylon Surging Color Option (Pimento 10374)
13. Finishing Accessories, Dynex SD® Nylon Surging Color Option (Onyx 10568)
14. Finishing Accessories, Dynex SD® Nylon Surging Color Option (Dove 10199)



Color may vary from actual swatch. To order a sample and to learn more about Tarkett Solution SPECtrum™, please visit tarkettna.com.



3

5

11

1

14

12

13

1

6

2

9

10



Doing Good— Together.

At Tarkett North America, we believe that together, we can make a positive impact on people and the planet. That's why we're Doing Good—Together, connecting our sustainability efforts with what our customers value and our world needs. It's an active, living commitment to create a future where people and the planet prosper in balance. Where sustainable flooring solutions don't just perform. They inspire.

iQ products are designed to create healthier indoor spaces and reduce our impact on the outdoor environment. With TVOCs under $10\mu\text{g}/\text{m}^3$, these long-lasting solutions contribute to LEED certifications.

- asthma & allergy friendly® certified
- FloorScore® certified
- Phthalate-free, except for recycled materials
- 100% recyclable through the Tarkett ReStart® Reclamation Program




Find sustainability information for all Tarkett products online at our ecomedes database and mindful Materials library.



DESIGNING FOR LIFE

Developing products based on Cradle to Cradle® principles that contribute to people friendly spaces AND respect the planet's natural capital.



CLOSING THE LOOP

Building a circular economy inclusive of programs and business models that encourage take back, reuse, recycling and elimination of waste.



DRIVING COLLABORATION

Inviting others to join us in Doing Good through education, collaboration, transparency and communication.

Weld Rods

OPTIMA PART NUMBER	OPTIMA COLOR NAME	SOLID WELD ROD	MULTI COLOR WELD ROD
3077260	Sharktale	1287839	1290365
3077261	Kettle Black	1287534	1290366
3077262	Angel Kiss	1287279	1290151
3077263	Outland Trails	1294083	1290174
3077264	Spartan Helmet	1287447	1290173
3077951	Salt N Pep	1287170	1290364
3242200	Cathedral Wall	1292160	1290354
3242201	Chimney Sweep	1287836	1290355
3242202	Greyed Opal	1287837	1290356
3242203	Infused Ash	1287831	1290357
3242204	Cobalt Smoke	1287832	1290358
3242205	Summer Moon	1287838	1290359
3242206	Hazy Valley	1287828	1290360
3242207	Prairie Dancing	1287830	1290361
3242242	Ebony Ash	1287006	1290340
3242244	Darkend Oasis	1287835	1290124
3242245	Foggy Shores	1287279	1290085
3242246	Egyptian Scrolls	1292319	1290290
3242247	Almond Cream	1291615	1290342
3242248	French Pastry	1287233	1290343
3242249	Forest Thickett	1287458	1290344
3242250	Rushing Waters	1287824	1290345
3242251	Spencer's Eyes	1287825	1290346
3242255	Mountain Blush	1287823	1290350
3242256	Violet Hill	1287829	1290351
3242257	Tiger Glow	1287834	1290352
3242258	Monarch Flying	1287472	1290353

OPTIMA PART NUMBER	OPTIMA COLOR NAME	SOLID WELD ROD	MULTI COLOR WELD ROD
3242820	Coffee Shoppe	1287005	1290099
3242821	Frothy Latte	1291821	1290159
3242824	Yellow Mustard	1287827	1290334
3242825	Caramel Infusion	1291203	1290024
3242826	Goldenrod	1287504	1290102
3242829	Peach Sorbet	1291342	1290040
3242831	Hot Ginger	1287059	1290335
3242845	Stroke of Midnight	1291845	1290034
3242849	Blue Satin	1287515	1290113
3242850	Flan	1287041	1290045
3242853	Thunderhead	1292388	1290022
3242857	Popiu Bay	1287841	1290336
3242860	Malt	1287039	1290066
3242861	Clover Leaf	1287592	1290337
3242862	Raw Ivory	1291862	1290025
3242864	Concrete Slab	1287412	1290029
3242866	Sidewalk	1287842	1290026
3242871	Arctic Winter	1287522	1290120
3242872	Silver Bell	1287523	1290121
3242873	Koala Bear	1287524	1290122
3242874	Hardwired	1287840	1290338
3242875	Bedrock	1287526	1290124
3242886	Beluga	1291609	1290049
3242897	Slate	1287170	1290203
3242898	Heavy Cream	1287333	1290339
3242899	Flannel Blanket	1287447	1290088
3242900	Old Bark	1287013	1290089

Specifications

Technical Data	Standards	iQ™ Optima®
Classification	ASTM F-1913, ASTM F1700	Homogeneous Vinyl Sheet, Solid Vinyl Tile
Polyurethane Reinforced	ASTM F410	Yes
Total Thickness	ASTM F386	0.080" (2mm)
Static Load Resistance	ASTM F970	250 psi, ≤ 0.005 inches
Chemical Resistance	ASTM E925	Passes
Resistance to Heat	ASTM F1514	Δ E≤ 8.0
Resistance to Light	ASTM F1515	Δ E≤ 8.0
Residual Indentation	ASTM F1914	Passes
Slip Resistance	ASTM D2047	≥ 0.5 SCOF
Flame Spread / Smoke (Canada)	CAN/ULC S102.2	≤ 300 FS / 300 Smoke
Flame Resistance	ASTM E648	Class 1 (≥ 0.45 W/cm²)
Warranty		20 years
Colors Available		53
Roll	Length	82' (25 m)
	Width	6' 6" nominal (2 m)
	Weight / yd² (m²)	5.53 lbs/yd² (3.1 kg/m²)
Tile	Size	12" x 12" (30 cm x 30 cm), 12" x 24" (30 cm x 61 cm), 24" x 24" (61 cm x 61 cm)
	Pieces per Carton	60, 28, 14
	Area per Carton	60 ft² (5.57 m²), 56 ft² (5.2 m²), 56 ft² (5.1 m²)
	Weight per Carton	36.8 lbs. (16.7 kg), 34.7 lbs. (15.7 kg), 34.7 lbs. (15.0 kg)

Please visit tarkettna.com for the most updated specifications, and installation, cleaning and maintenance instructions.

The weld rods listed are intended to correspond with the denoted flooring colors. Other weld rods can be used for a variety of visual effects.



Tarkett North America

30000 Aurora Rd
Solon, OH 44139
800.899.8916

tarkettna.com

©Tarkett USA Inc. 10/2019 31599500004