

Tandus

Degrees Transition

MODULAR CARPET

Seamless
Transition
pattern

Degrees Transition

Degrees transition introduces gradation and movement to the floor thanks to the combination of two contrasting colours into one carpet tile, add more vivid elements to the contemporary office area.

The colours have been selected from nature and for their complementarity. Two base grey colours are associated to contrasted accents including the full palette of colours: green, orange, yellow, reds, pink and blues. As well as neutral color tones like brown and several shades of greys.


A transition tile between two base grey colours also exist to be able to mix and match all fifteen colours together.

This inspirational collection enable to create unique layout and divide the different areas of the space by playing with the colours gradations. In addition, the high and low loops in the pattern bring comfort and soft feeling to the workplace.

With our Tarkett Human-Conscious Design™ approach, Tandus ECOPLY™ PVC backing is phthalate free and Tandus ECOBOND™ backing contains a minimum 35% overall recycled content.



Create endless design possibilities



Pattern Repeat

A



B



Tiles: Two types of tiles, full colour transition within 1 tile.


A1

A2



B1

B2



Planks: Four types of planks, full colour transition over 2 planks.

A2, B2 shows a light colour transition, while A1, B1 displays a stronger colour transition.



Degrees Transition presents collections with bands of colours, appearing in a subtle flow from dark to light tones. Over and over again. From iconic floor plans that make a statement to more elegant and soft creations.

Let your creativity express by Degrees Transition.



SIGNAL GREY/SAND 632060007 / SIGNAL GREY/PEACH 632060014 / SAND 632060014 / SIGNAL GREY 632058016
Tile 50cm X 50cm Horizontal Installation

Enable soft gradients of colours




SIGNAL GREY/PEACH 632060014 / SIGNAL GREY/TANGERINE 632060013 / TANGERINE 632058013 / PEACH 632058014 / SIGNAL GREY 632058016

Tile 50cm X 50cm Horizontal Installation



SIGNAL GREY/CARMINE 632060003 / SIGNAL GREY/MOREL 632060006 / CARMINE 632058003 / MOREL 632058006 / SIGNAL GREY 632058016
Tile 50cm X 50cm Horizontal Installation

Colour Range



SIGNAL GREY/AQUA
Tile: 632060001
Plank: 632061001



SIGNAL GREY/LIME
Tile: 632060002
Plank: 632061002




SIGNAL GREY/CARMINE
Tile: 632060003
Plank: 632061003




SIGNAL GREY/TUXEDO
Tile: 632060004
Plank: 632061004




SIGNAL GREY/MOUSE
Tile: 632060005
Plank: 632061005



SIGNAL GREY/MOREL
Tile: 632060006
Plank: 632061006



SIGNAL GREY/SAND
Tile: 632060007
Plank: 632061007




MOUSE/CHILI
Tile: 632060008
Plank: 632061008



SIGNAL GREY/ATLANTIS
Tile: 632060009
Plank: 632061009



MOUSE/BASALT
Tile: 632060010
Plank: 632061010



MOUSE/PLUM
Tile: 632060011
Plank: 632061011




MOUSE/CAPRI
Tile: 632060012
Plank: 632061012



SIGNAL GREY/TANGERINE
Tile: 632060013
Plank: 632061013




SIGNAL GREY/PEACH
Tile: 632060014
Plank: 632061014




SIGNAL GREY/MOSS
Tile: 632060015
Plank: 632061015






SIGNAL GREY/SAND 632060007 / SIGNAL GREY/PEACH 632060014 / SAND 632058007 / PEACH 632058014
SIGNAL GREY 632058016
Tile 50cm X 50cm Horizontal Installation



SIGNAL GREY/MOUSE 632060005 / MOUSE/BASALT 632060010 / SIGNAL GREY/MOSS 632060015
BASALT 632058010 / MOSS 632058015
Tile 50cm X 50cm Horizontal Installation



SIGNAL GREY/TANGERINE 632060013 / SIGNAL GREY/MOSS 632060015 / TANGERINE 632058013
MOSS 632058015 / SIGNAL GREY 632058016
Tile 50cm X 50cm Horizontal Installation



SIGNAL GREY/CARMINE 632061003 / SIGNAL GREY / MOUSE 632061005 / CARMINE 632059003 / MOUSE
632059005 / SIGNAL GREY 632059016
Plank 20cm X 100cm Herringbone Installation

PRODUCT SPECIFICATION SHEET

	Metric	Imperial	Procedure
Construction	Patterned Loop		
Fiber System	100% Nylon		
Dye Method	Solution Dyed		
Gauge	39.4 rows/10cm	1/10	ASTM D-418
Stitches per inch	40.0 stitches/10cm	10.2 stitches/inch	ASTM D-418
Pile Height Average	4.0 mm	0.157 inch	UM44D
Density Factor	233.2 kg/m3	6,304 oz/yd3	
Total Product Weight	4,500 g/m2 ± 5%	132.8 oz/yd2 ± 5%	
Product Testing Information			
Indoor Air Quality	All Tandus Flooring products comply with CRI Green Label Plus Standards ID: #GLP5288. Passes GB 18587-2001		
Surface Flammability	Passes CPSC FF 1-70		ASTM D-2859
Flooring Radiant Panel	Class I (Mean average CRF: 0.45 watts/cm2 or higher)		ASTM E-648
Electrostatic Propensity	3.0 kV or lower	Permanent Conductive Fiber	AATCC 134
Colourfastness to Light	≥ 4 after 100 hours		AATCC 16E
Backing System			
Standard Backing	Tandus ECOPLYTM PVC Backing		
Backing Customization Option	Tandus ECOBONDTM PVC Backing		
Recycled Content	Tandus ECOBONDTM contains a minimum of 35% overall recycled content		
Recycling	Recycling 100% recyclable when recovered		
Standard Product Size	250 mm x 1000 mm; 500 mm x 500 mm		
Packaging	For Tiles 500x500mm, 1 box (4sqm) includes 16 tiles of each pattern For Planks 250x1000 mm, 1 box (4sqm) includes 16 planks of each pattern		

Product Notes

1.

Product specifications are derived from averages resulting from normal manufacturing tolerances in yarn, fiber, temperature, humidity and colour. Product specifications may vary within normal industry and standardised testing tolerances.
2.

These spoifications reflect mean averages based upon tests of production runs of this carpet style by independent laboratories. A range of variances is implicit in the testing process. Furthermore, the standard test methods established to derive the specifications lack a degree of precision and repeatability; therefore, individual test results on the actual carpet purchased may differ from the specifications above.
3.

Colours may vary slightly from dye lot to dye lot.
4.

Backing or other materials may be changed without prior notice when shortages occur or when technological advancements become available whith provide for improvement of the product's performance.
5.

All Tandus Flooring products are 100% recyclable

↑↑↑

↑↑↑

↑↑↑

Monolithic

↑→↑

→↑→

↑→↑

Quarter Turn

↑→

←↓↑

→↑

Random

↑↑↑↑

↑↑↑↑

↑↑↑↑

Horizontal Ashlar

↑↑↑↑

↑↑↑↑

↑↑↑↑

Herringbone

↑↑↑↑

↑↑↑↑

↑↑↑↑

Ashlar

PHTHALATE
FREE



SIGNAL GHYVADDFE-6620600067/MODEL 6620600067/SIGNAL GHYV 6620658016 118x55cm X 50cm Horizontal Installation



Contact: saleshk@tarkett.com
More information on: www.tarkett-asia.com

