Resilient Product Guide

2019











2

CREATING TOGETHER

and ideas to create something worth more than the sum of its parts. Within our walls, we're committed to fostering a diverse work environment that encompasses and nurtures people from all backgrounds, ages, races, ethnic groups, and lifestyles. Outside our walls, we've been co-creating with our customers and prominent designers around the globe to create flooring solutions that inspire. When you or your customers ask if something is possible, Tarkett's











TARKETTNA.COM

4



At Tarkett, we believe that together, we can make a positive impact on people and the planet. That's why we're Doing Good—Together, connecting our sustainability efforts with what our customers value and our world needs. It's an active, living commitment to create a future where people and the planet prosper in balance.

Doing Good—Together means Designing for Life. A life where we respect natural resources and good materials contribute to people-friendly spaces. It means Closing the Loop, building a circular economy in which resources are responsibly stewarded, recycled and continually re-used. And Doing Good— Together means Driving Collaboration, an open invitation to our customers, our partners, and our industry to join us in creating a healthy, beautiful and sustainable world.



DESIGNING FOR LIFE

Developing products based on Cradle to Cradle® principles that contribute to people-friendly spaces and respect the planet's natural capital.



CLOSING THE LOOP

Building a circular economy inclusive of programs and business models that encourage take back, reuse, recycling and elimination of waste.



DRIVING COLLABORATION

Inviting others to join us in Doing Good through education, collaboration, transparency and communication.

A global impact.

Doing Good—Together is inspired by the world's most ambitious sustainability goals and organizations. From our membership in the World Economic Forum to our participation in the UN Global Compact and our alignment with the UN Sustainable Development Goals, we're committed to big ideals and positive action, working for the health of our products, our world, and a good future for all.



floor score

Thank you for helping us make real progress on a global scale.

We are the only North American flooring manufacturer to offer both commercial and residential products that are certified asthma and allergy friendly by the Asthma & Allergy Foundation of America.

We have the industry's most ambitious inventory of Cradle to Cradle certified products covering multiple product categories, from resilient to soft surface, and from products to adhesives to maintenance. By 2020, 100% of Tarkett's raw materials will be third-party assessed for health and planet impacts. Our third-party verified Material Health Statements provide a true assessment of product ingredients and their long-term effects on people and the environment versus the simple ingredient lists provided by other manufacturers.

By 2020, 75% of our raw materials will be recycled, rapidly renewable, or abundantly available in nature.

We've designed products to perform better in the long term with simple wet or dry buffing and neutral cleaning products which means TVOC emissions are among





the lowest in the flooring industry and 10 to 100 times below the world's strictest standard.

Our robust Take Back program is the oldest in the industry, building on a legacy of more than six decades of recycling.

We are collaborating on the Responsible Use of PVC Network to mobilize the industry so that together, we can improve the impact of our products on people and our planet.

Together, we're making an impact.



Within the following pages, you'll find the work of artisans, designers, inventors and innovators. Creative solutions for every space that are both practical and beautiful—and fully designed by our skillful team in North America.

With remarkable expertise in resilient flooring, Johnsonite (part of the Tarkett family of brands) always has product designers, developers and managers in the field listening. By seeing and hearing our customers' needs firsthand, we're able to keep moving forward with innovative products that are responsive to real-life situations.

Our comprehensive portfolio reflects the performance you need, even for your most challenging projects. Moisture mitigation? We

have it with SureStart underlayment. Quick install? We have it with SureSet LVT. Custom colors for branding? Microtone Rubber Tile is one answer we'll provide to you. The list goes on and on.

Bonus—we provide color, texture and pattern coordination across product categories, helping you create seamless design aesthetics throughout a space.

We love helping you make great spaces. Let's do what we love. Together.

Chris Stulpin

Chief Creative Officer Tarkett North America spaces.

12 Tarkett Suppor Services

19 Rubber

57 Linoleum

63 Luxury Vinyl Ti and Planks

The Product Guide is our annual showcase piece for as many products as possible at the time of print. We are constantly updating our styles throughout the year, so please make sure you log onto tarkettna.com for the most up-to-date products.

Photos may not accurately depict color. Please order samples for exact product color.

TABLE OF CONTENTS

Thank you for considering Tarkett flooring products for your next design project. We look forward to working with you to create happier, healthier, more productive

ort	87 Vinyl	171 Finishing Borders (Wall Base)
	131 Multi-Functional and Sports Flooring	185 Finishing Accessories
	143 Specialty Applications	195 References
¯ile	161 Stairwell Management	



With its state-of-the-art digital printing technology, Tarkett is able to recreate the look of everything from natural wood grains and stone effects to your favorite upholstery. Send us an image or physical sample of any material to create a fully customized flooring* or wall base that's uniquely your own.



Digital printing.







* Customized flooring coming Spring 2018











The world speaks in color and sometimes, you need to write your own language. Tarkett gives you options to achieve the unique character each space deserves. With LVT or Prima® rubber tile flooring, we can use anything from a photograph to a fabric swatch—to create a customized floor color with just the right accent. We have no need for dye lots when working with rubber, so your signature color will be precise the first time, and with any reorders to come.



Color customization.








Color foundations. We may speak in color, but we're also fluent in neutrals. Color Foundations gives you six core neutral palettes that coordinate across our entire portfolio of floorcoverings, stair treads, wall base and accessories. As we update patterns and styles, we guarantee these core neutrals - warm beige, cool beige, warm grey, cool grey, black and white - will always be available, allowing spaces to be updated easily over time without losing the integrity of their original design.






















Designer on Demand.








TARKETTNA.COM







Rubber

Quietly supportive but able to command attention. Rubber doesn't just allow creative expression, but inspires it as well.

20 Surface Textures	34 Organics
24 Circulinity®	38 Minerality [™]
26	42
Pentagonals	Mesto Configurations™
MicroTone [®] Tile	Prima® Marbleized® and Prima® Olio

48 Metallurgy™

52 Eco-Naturals® 53 Eco-Shell™ with Cork Tile 54 CorkTones™ Whatever you're looking to accomplish in a floor, rubber has a solution. Safe, comfortable, sustainable—and full of possibility—Tarkett's rubber flooring offers an unmatched variety of colors, patterns and textures, and no need for dye lots. With natural slip resistance, shock absorption, and comfortable acoustics, rubber just seems to check all the boxes.

All of these products are recyclable, and made in the U.S.A in ISO 9001 and ISO 14001 certified plant.



FloorScore® certified and meets CA 01350 Cradle to Cradle Bronze certified A part of **ReStart®** program

Phthalate free

tile size = 24" x 24" (610 mm x 610 mm nominal)


> **thickness** = 1/8" (3.175mm) and .080" (2mm)

Raised Round and Raised Square textures also available in .155" (4 mm nominal) thickness

Let's talk tile.

Creating brilliant spaces starts with square one. Tiles, in this case. Choose bold colors that stand out, or neutral colors that blend in. Our flooring collection incorporates Color Foundations®, a system of guaranteed availability across 6 neutral palettes. Or, for the ultimate in design freedom, customize your own tiles in a Prima® Marbleized®, Prima® Olio® or Mesto Configurations® design. Then, with performance features like natural slip resistance and shockabsorbing comfort, you'll arrive at solutions that look smart and act smart too.

SELECTING RUBBER TILE



	GAUGE	TILES							
PRODUCT LINE		24" X 24"	12" X 12"	6" X 6"	6" X 24"	12" X 24"	6" X 48"	ROLLS	TEXTURES- SPECIAL ORDER AND STANDARD- (see chart below) (2)
Circulinity and Solid Colors	1/8"	STD	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Defiant Oil and Grease-Resistant	1/8"	STD	STD	so	so	so	so	N/A	13
Eco-Naturals CorkTones	.080"	so	so	so	so	so	so	N/A	2-3-8-9-12
	1/8"	STD	so	so	so	so	so	N/A	13
Eco-Naturals Eco Shell	.080"	so	so	so	so	so	so	N/A	2-3-8-9-12
	1/8"	STD	so	so	so	so	so	N/A	13
Inertia Sports Flooring	1/4"	STD	N/A	N/A	N/A	so	N/A	N/A	13
	3/8"	so	N/A	N/A	N/A	so	N/A	N/A	13
Mesto Configurations	.080"	STD	STD	STD	STD	STD	so	N/A	2-3-8-9-12
	1/8"	so	so	so	so	so	so	N/A	13
Metallurgy	1/8"	STD	so	so	so	so	N/A	N/A	8
Microtone Speckled	.080"	STD	so	so	so	so	so	N/A	2-3-8-9-12
	1/8"	so	so	so	so	so	so	N/A	13
Minerality	1/8"	so	N/A	N/A	N/A	STD	STD	N/A	9
Organics	1/8"	STD	N/A	N/A	N/A	STD	so	N/A	9
Pentagonals	1/8"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	15
Prima Marbleized & Olio	1/8"	so	STD	SO	so	so	so	N/A	13-14
Replay Sport Flooring	1/4"	STD	N/A	N/A	N/A	N/A	N/A	STD	Replay
	3/8"	STD	N/A	N/A	N/A	N/A	N/A	STD	Replay
	1/2"	STD	N/A	N/A	N/A	N/A	N/A	so	Replay
Solid Colors Rubber Tile	1/8"	STD	N/A	N/A	N/A	N/A	N/A	N/A	13-14
Triumph Sport Rubber*	3/8"	STD	N/A	N/A	N/A	so	N/A	N/A	3-8-9-12

* Slidelock profile only available in Hammered Texture

(2) TEXTURES*					
1. Bamboo	7. Flagstone	13. Textures 1-11			
2. Brushed	8. Hammered	14. Smooth for Accents			
3. Concrete	9. Leather	15. Forged			
4. Diamond	10. Raised Round	16. Linen			
5. Cubis	11. Raised Square	17. Woodgrain			
6. Fast Lane	12. Rice Paper	18. Woven			

* Textures listed may be Standard or Special Order. See respective product section for standard offering.



Cradle to Cradle Bronze certified





Talk texture.


Beyond pattern, texture provides another opportunity to make a statement. Choose from a dozen different stamped textures for added interest and slip resistance. All 16 standard textures are available in 142 solid colors from the color palettes, that let you coordinate finishing borders, accessories, stairwell management and more.

Bamboo⁺ (BMRT)


Hammered⁺ (HRT)







Flagstone (FRT)



Raised Round⁺ (RT-RD)



5 textures

Concrete (CO)





Forged (FG)

Leather (LR)

Brushed (BR)

With natural slip resistance, rubber flooring helps maximize safety in high-risk environments such as hospitals, nursing homes and daycare centers. It also helps absorb noise and reduce shock, which makes it very valuable to those on their feet all day.

Smooth[©] (C orRET)


Raised Square (RT-SQ)



Woodgrain (**WG)**

Circulinity® textures shown on page 33.


† Available in coordinating rubber tread with integrated riser. See page 164.





Woven (WV)

Textures shown in one-half actual size.



TARKETTNA.COM





Phthalate free

tile size = 24" x 24" (610 mm x 610 mm nominal)

adhesives pg. 196

thickness = 1/8" (3.175 mm)





Tricycle[®] (CTR)



Tic-Tac-Toe® (CTT)



See page 34 for 40 Circulinity® favorites. A color palette developed especially to highlight the patterns and textures of this modern textileinspired tile.

Effervescent® (CEF)

To view all circulinity options, please visit our website at tarkettna.com

ESSENTIALS & ACCENTS PALETTES

For available standard colors, reference Essentials & Accents palettes on the color guide in the back of the book. Custom colors available. Circulinity is also available in coordinating FastLane stair treads. Stair treads are available with or without an integrated riser, both with and without striping for the visually impaired.

Circulinity® RUBBER TILE

An updated Color Palette.

Reference the color guide in the back of the book to find our refreshed palette of standard colors, or speak to a Tarkett representative about your custom color needs. Circulinity is also available in coordinating FastLane stair treads. Stair treads are available with or without an integrated riser, both with and without striping for the visually impaired.











Pentagonals

RUBBER TILE

Find your angle.

For more than a century, mathematicians have been trying to solve one of the world's most intriguing geometric puzzlessearching for pentagonal shapes that "tile the plane," or fill a surface without overlapping or leaving gaps. In all this time, only 15 such pentagons have been discovered-and now you can use three of them to create distinctive rubber floor designs. No one knows how many of the novel shapes exist—a mystery that adds wonder and intrigue to these artistic focal points.

PENTAGONALS Style: Diamond Shape

Color: Black Pearl, Sterling Platform: Rubber




Custom Designs in 3 Easy Steps

Once you've chosen a shape for the space, our online visualizer will help you complete the design and tell you exactly how much material to order in each color.

CHOOSE A SHAPE.

Diamond comes as a single tile, while Monument and Shell each have a left and right to complete the pattern.



CREATE YOUR DESIGN.

To choose from patterns already designed, or to create your own design, visit the Pentagonals visualizer at

https://pentagonals.tarkett.com. Download your finished layout and the

corresponding Installation Guide as a reference for ordering and installation.






















Cradle to Cradle Bronze certified



Phthalate free

tile size = 24" x 24" (610 mm x 610 mm nominal) thickness = .080" (2 mm)

textures pg. 22 adhesives pg. 196 chip details pg. 200





27 Mist WG *



LJ1 Glazed Icing W 68 White Sand W

LA6 Antique Ivory WG LE8 French Toast 01 Snow White W *





LD8 Crumbcake 130 Sisal *

LJ9 High Energy LE2 Chocolate Cream WB 45 Sandlewood WB * TG8 Spicy Chip 3







20 Charcoal WG *

LD7 Lunar Explorer WG 29 Moon Rock WG *

LC4 Mountaineer WG 48 Grey WG *





LE1 Sandbox CB 31 Zephyr CB *











LJ2 Spring Valley 86 Hunter Green

LD9 Peacock Plume 29 Moon Rock WG

We've identified Color Foundations neutrals in the following way: WB (warm beige), CB (cool beige), WG (warm grey), CG (cool grey), B (black), W (white). * Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.

Expand your palette.

RUBBER TILE

MicroTone®

Select from 45 dynamic colorways to create a one-of-a-kind tapestry. Our Design-a-Space PRO Visualizer helps you customize your layout and then request a production sample to eliminate surprises. Matching borders, transitions and stair treads are also available to complete the space and simplify the entire process.



O Tarkett













24 Grey Haze WG *



















LE3 Silkworm WB 129 Silk WB *



LJ8 Summerset 130 Sisal *



LA8 Banana Republic TG7 Canary *



LH7 Sizzling TB6 Flame



LK1 Red Caboose WB 163 Salsa *



LB1 Vanilla Bean 47 Brown *



LC5 Riverbed WG 32 Pebble WG *



LE4 Log Cabin CB 80 Fawn CB *



LB2 Great Plains WB 49 Beige WB *




LE5 El Giza CB 22 Pearl CB *



LH3 Harmony 73 Palm Leaf *



LG9 Unfettered TH1 Glenhaven *



LB6 Quenched 84 Blue Jeans *



LD3 Indigo Dye 18 Navy Blue *



LA2 Wedgewood 18 Navy Blue *

SO = Special Order





LB7 Go Blue

70 Bluest *





LD4 Rain Puddle 58 Windsor Blue *

LF8 High Seas B4 Blue Jeans 1

score FloorScore® certified

and meets CA 01350

Cradle to Cradle Bronze certified



LC2 City Block CG

28 Medium Grey CG *

LC8 Melody TB3 Dover CG *



A part of **ReStart**® program

Phthalate free

tile size = 24" x 24"

(610 mm x 610 mm nominal)

thickness = .080" (2 mm)

LC3 The Times CG 21 Platinum CG *



LC7 Best Seller CG

23 Vapor Grev CG *

LF7 Blueberry Pie

TH2 Blue Inter



LC6 Nightowl WG 55 Silver Grey WG *

LD5 Williamsburg CG 38 Pewter CG ★

LC1 Smokiness CG 71 Storm Cloud CG *



LD6 Cosmology B 63 Burnt Umber *



LJ4 Sugar Plum 162 Sovereign *

LB8 Vortex B 40 Black B *






LG7 Mystique CG 469 Mystify CG *


Color Foundations[™] is our commitment to always have representation across 6 key neutral palettes.

SO = Special Order

We've identified Color Foundations neutrals in the following way: WB (warm beige), CB (cool beige), WG (warm grey), CG (cool grey), B (black), W (white). * Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.







textures pg. 29

adhesives pg. 196 chip details pg.208

Experience underfoot comfort.

Our MicroTone® Speckled Rubber Tile offers underfoot comfort that makes it a great choice for many types of applications, including busy classrooms, office corridors, retail spaces and more. Naturally slip resistant, these rubber tiles help to reduce the risk of expensive slips and falls, and the resultant physical and financial costs that

Organics RUBBER TILE AND PLANK

Naturally Beautiful.

With subtle color variations and more random patterning, this large-scale, free-flowing aesthetic lends an open, organic feel and updated appearance to any space-plus all the strength and comfort of traditional rubber flooring. While rubber is often reserved as a safe and comfortable solution for education and healthcare spaces, this stylish design is ready to greet guests and customers in the front of the house, from lobbies to conference rooms.



ORGANICS



Cradle to Cradle Bronze certified

a the start A part of **ReStart®** program

Phthalate free

tile size = 12" x 24" (305 mm x 610 mm nominal) custom sizes available

plank size = 6" x 48" (152 mm x 1.22 m nominal)

Standard in leather texture.


custom sizes available



RG9 Crystallized W TB3 Dover CG *



23 Vapor Grey CG *



RH2 Quartz CG TA5 Colonial Grey CG *



RH3 Jet B 20 Charcoal WG *



RH6 Emperador CB 31 Zephyr CB *



RH8 Quantum CB 24 Grey Haze WG *




RH4 Dolomite WG 460 Cotton W *




RH5 Calcite WG 27 Mist WG *

* Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.






RH9 Cedarstone WG 32 Pebble WG *




RUBBER TILE AND PLANK



The Minerality collection achieves the sophisticated look of natural wood and stone, without the expense and ongoing maintenance of the real thing. Ideal for healthcare, retail and corporate environments, rubber flooring offers slip resistance, shock absorption and acoustic properties—with incredible durability.










Cradle to Cradle Bronze certified



Phthalate free

```
tile size = 12" x 24"
(305 mm x 610 mm nominal)
custom sizes available
```

plank size = 6" x 48" (152 mm x 1.22 m nominal) custom sizes available

Standard in leather texture.





MRLR-PB3 Christo WB TA7 Rusty Nail



MRLR-PB4 Mara WG TB1 Peppercorn *

MINERALITY" STRATA



MRLR-PA1 Marbleite W 27 Mist WG *



MRLR-PA3 Marma CB 283 Toast *



MRLR-PA5 Marbre CB TA3 Castaway CB *



MRLR-PA7 Dolo CG 20 Cha oal WG 🛪



MRLR-PA9 Becka CG TA5 Colonial Grey CG *



24 Grey Haze WG *



MRLR-PA4 Crysta WB 45 Sandalwood WB *



MRLR-PA6 Carra CG 23 Vapor Grey CG *



MRLR-PA8 Meta WG rey WG * 55 Si



MRLR-PB1 Oxide CG TA4 Gateway WG *

* Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.

MINERALITY" GRAINS




MRLR-PB5 Woodside WB TA2 Saddlebrook WB *



MRLR-PB6 Red Walnut WB TA7 Rusty Nail ★



MRLR-PB7 Barnwood WG TB1 Peppercorn *



STRATA IS STANDARD IN 12" X 24"

Mesto - 20 Configuratio RUBBER TILE AND PLANK

14212

lit

T

- des

in come the

700

11

Capture the outdoors.

- 40

Design research suggests that natural elements in a space can promote both learning and healing, so we created a line of marbleized rubber tiles-specifically with education and healthcare environments in mind. With three different tones in each of 12 color groupings, you can arrange these tiles and planks in a way that reflects the organic color shifts found in nature.



PR9

PS3

PR9D

PS3D

PR9L

PS3L

PS3 Noble Knight

TA5 Colonial Grey CG *

PR9 Story Book

27 Mist WG *



PR3L

PR3 Gallant Steed

461 Wicker WB *

a the start A part of **ReStart**® program


Phthalate free

tile sizes


6"x 6" (152 mm x 152 mm nominal) 12"x 12" (305 mm x 305 mm nominal) 24"x 24" (610 mm x 610 mm nominal)

plank sizes 6"x 24" (152 mm x 610 mm nominal)


12"x 24" (305 mm x 610 mm nominal)




PS2 Glass Slipper 41 Sea Breeze *









PR7 Enchanted Forest




PR8 Troll's Bridge 283 Toast *









151 Iguana *




PR5 Dragon's Breath 113 Chestnutty *



PS1 Sorcerer's Wand 32 Pebble WG *



PS5 Maiden Voyage TA4 Gateway WG *





PR3D

PR6 Mystic Unicorn



PR4 Golden Slumber 130 Sisal *


* Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.




PR3

thickness = .080" (2 mm)

AVAILABLE IN THESE STANDARD TILE SIZES



AVAILABLE IN THESE STANDARD PLANK SIZES





NSF-332 certified gold (UL)

Cradle to Cradle Bronze certified

A part of **ReStart**® program



tile sizes = 12" x 12" (305 mm x 305 mm nominal) 24" x 24" special order (610 mm x 610 mm nominal)

thickness = 1/8" (3.175 mm)

standard textures = Hammered, Rice Paper, Smooth. All others special order. Naturally slip resistant

Prima[®]

RUBBER TILE


Create your signature.


Have a design in mind that's so unique, it doesn't exist? Well, not for long. Capture the elegant charm of your space with artful marble or oil-and-water effects. With Prima®, creating your own signature rubber flooring has never been simpler.



Every step is a work of art.

Now you can create your own signature rubber flooring, designing a custom look that also keeps safety, productivity and comfort in mind. Tarkett makes it easy, allowing you to integrate the color and character of your space into your own marbleized or oil-and-water effect. Simply select the field and vein colors you wish to incorporate, and contact Tarkett to request a product sample. We'll send you an actual production sample of the colors you've chosen to ensure you're happy with the design before placing your order.





Metallurgy RUBBER TILE

Posh meets practical.

Metallurgy uniquely combines the sophistication of natural metals with the performance of rubber floor tiles. Offering shock and noise absorption, slip resistance, low maintenance, and a dozen authentic colors, this stylish rubber flooring is not only posh—it's practical.



score) FloorScore® certified and meets CA 01350

Cradle to Cradle

Bronze certified



Phthalate free, except for recycled materials

tile size = 24" x 24" (610 mm x 610 mm nominal) thickness = 1/8" (3.175 mm)


Hammered stair treads.

Metallurgy available in


See stair section for details.

Safer solutions. Daring creativity.

Create authentic-looking metallic floor designs without all the expense or the noise. Offering excellent shock and noise reduction, $\mathsf{Metallurgy}^{\mathsf{m}} \text{ is also naturally slip resistant-proof from Tarkett that}$ a quieter, safer solution can also be daring in design.




CGD Black Diamond B 82 Black Pearl B *




BRL Sugar Cookie WB 176 Brass WB *




CGL Frosted Diamond CG ing Silver CG *



WGL Antique Metal WG 179 Steel WG *




 ${\bf BRM}\,$ Cocoa Cabana $\,{\rm WB}\,$ 176 Brass WB *




WGM Dusty Charm WG 179 Steel WG *





BRD Mahogany Glaze 66 Either Ore *



CGM Silver Slate CG 178 Ironstone CG *



AGM Venetian Gold 67 Old Gold *

All tiles on right shown at actual size in Hammered texture.



From flooring to bases to transitions, these options were

designed to coordinate perfectly. Eliminating guesswork and allowing you to design with ease.

> ACCESSORIES AND WALL BASE 67 Old Gold

METALLURGY AGM Venetian Gold

floor FloorScore® certified October and meets CA 01350

Cradle to Cradle

Bronze certified



Phthalate free, except for recycled materials

tile size = 24" x 24" (610 mm x 610 mm nominal) thickness = 1/8" (3.175 mm)

Recycled Content

Rapidly Renewable Resources All profiles 7%

Pre-consumer 7%

Rally Your Resources

Bring together dust from walnuts and cork from pre-consumer waste streams, and you've got Eco-Shell[™] with Cork. With 7% by weight renewable and recycled content, these rubber tiles don't stop at ecofriendly. These 24" x 24" textured tiles coordinate easily with other Tarkett flooring, treads and accessories. Plus, they're available in 24 colors, making them ideal for a wide range of projects.

ECO-SHELL® WITH CORK RUBBER TILE





DE8 Snow Bird W 01 Snow White W

DE9 Fossil WB DN7 Sun Tan WB 09 Clay WB 49 Beige WB *





DP2 Sea Grass

101

DN6 Spot On WB 45 S ood WB

DQ2 Destiny WB TA7 F

DQ1 Panache

DP8 Appaloosa B

DP7 Grass Spots B





DJ2 Ashen CG 38 Pewter CG *



WG

469 Mystify CG *



DP4 Deep Sea

* Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.




RUBBER TILE

Take a step.

Changing the world starts with small choices that add up to big impact. Choosing a rapidly renewable flooring is a great first step. Eco-Naturals is made with cork (CorkTones™) or a combination of cork and walnut shells (Eco-Shell™), helping specifiers achieve LEED accreditation—and helping all of us take another step toward a more beautiful planet.



We're committed to developing products that deliver more than just ROI. Our goal is to provide solutions that balance all the competing needs of your space-function and aesthetics, first-time costs and lifetime return, safety and efficiency-with your desire to use products that create less impact on the planet. To learn more about our environmental initiatives, positioning and products, visit tarkettna.com.



DH7 Sandstorm 461 Wicker WB



DP5 Strand 130 Sisal



DP6 Nutshell 461 Wicker WB *



DP3 Timber TA7 Rustv Nail *



DP9 Ruddy TA7 Rusty Nail *



DN9 Spotty 76 C



DH9 Mars Rock WG



DP1 Baby Deer CB 80 Faw



DN5 Pacific Storm WG Grey WG *



DH8 Lunar Sky WG



DN8 Spicy Brown B



DJ3 Spring Nights B

score) FloorScore® certified Q65344 and meets CA 01350

Cradle to Cradle

Bronze certified



Phthalate free, except for recycled materials

tile size = 24" x 24" (610 mm x 610 mm nominal)

thickness = 1/8" (3.175 mm)

Recycled Content Pre-consumer 2.5% Rapidly Renewable Resources

All profiles 2.5%

Spec responsibly.

Put conservation into action with CorkTones Rubber Tile, made up of 2.5% rapidly renewable cork. These 24" x 24" tiles are available in 36 ColorMatch® colors (in addition to all the rubber colors available by special order), offer coordinating stair treads with or without risers, and accommodate striping for the visually impaired.

CorkTones RUBBER TILE



09 Clay WB 09 Clay WB *




49 Beige WB 49 Beige WB *

80 Fawn CB

40 Black B

40 Black B *

80 Fawn CB *



55 Silver Grey WG 55 Silver Grey WG *

29 Moon Rock WG

29 Moon Rock WG *

76 Cinnamon

92 Blue Lagoon

92 Blue Lagoon *

namon 🛪

76 Cir



32 Pebble WG

48 Grey WG 48 Grey WG *

130 Sisal

130 Sisal 🕇

32 Pebble WG *



42 Sable WB *

20 Charcoal WG

20 Charcoal WG *

45 Sandalwood WB

45 Sai



38 Pewter WG 38 Pewter WG *



47 Brown 47 Brown 🖌



85 Burgundy 85 Burgundy





283 Toast *



01 Snow White W *







24 Grey Haze WG 24 Grey Haze WG *



31 Zephyr CB 31 Zephyr CB *



21 Platinum CG 21 Platinum CG *



28 Medium Grey CG 28 Medium Grey CG *








58 Windsor Blue 58 Windsor Blue





TARKETTNA.COM





* Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.

44 Dark Brown B *



132 Espresso



150 Wetlands











-











167 Fudge 167 Fudge *





283 Toast

86 Hunter Green

86 Hunter Green >



od WB *

11 Canvas WB 11 Canvas WB *









34 Almond W 34 Almond W *



22 Pearl CB 22 Pearl CB *





Linoleum

Harmonium xf^{2™} Linoleum flooring is made up of four unique collections: Etrusco, Veneto, Lenza and Tonali. Additionally, you can reduce disruptive sounds with Acoustiflor options. It's truly sustainable, beautiful and maintainable. Harmonium xf² is made from 95 percent natural materials that are replenished and naturally abundant.

58

60

59 Greys Beiges and Browns Blues and Greens

61 Lenza and Tonali

59

LINOLEUM



LINOLEUM

Ready to

perform.

Natural materials, rapidly

renewable content and en-

vironmental certification.

Harmonium xf^{2™} not only

has a compelling sustainability story, but it also offers superior surface treatment technology, a stylish matte finish and outstanding performance features.



Cradle to Cradle Silver certified

OTarkett

Harmonium x



Recycled Content Pre-consumer 30%

Rapidly Renewable Resources All SKUs 73%

GREYS

Veneto

Roll 2.5 mm

for recycled materials



685 Iced Slate CG Solid Weld Rod 1751685 262 Drizzle CG *

702 Ironed WG Roll 2.0 mm, 2.5mm Solid Weld Rod 1751202 Muliticolor 14000702 32 Pebble WG



Veneto

Veneto

604 Carlsbad WG Roll 2.0 mm, 2.5 mm Solid Weld Rod 1751205 Multicolor 14000604 20 Charcoal WG

Roll 2.0 mm, 2.5mm



Roll 2.5mm



906 Grizzled B Roll 2.0 mm, 2.5mm Solid Weld Rod 1751906 Muliticolor 14000906 40 Black B *

*Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color

representation across 6 key neutral palettes. We've identified Color Foundations neutrals in the following way: WB (warm beige), CB (cool beige), WG (warm grey), CG (cool grey), B (black), W (white).


The Solid and Multicolor Weld Rods listed are coordinating recommendations. Other color weld rods can be used for a variety of visual effects.


Veneto 2.0 mm is a standard non-stocking item available in full rolls. Call for availability.

roll width = 6'6" nominal (2m) roll length = 65-100 linear feetnominal (20-30 lm) thickness = see individual pattern for availability

Acoustiflor[®] options available. adhesives pg. 196

GREYS (CONT.)






703 Shaded WG Roll 2.5mm Solid Weld Rod 1751703 55 Silver Grey WG *

700 Frost W Roll 2.5mm Solid Weld Rod 1751700

01 Snow White W

Roll 2.5mm Solid Weld Rod 1751601 22 Pearl CB >



704 Becloud WG

20 Charcoal WG

Solid Weld Rod 1751205

Roll 2.5mm

Veneto Veneto

611 Moonstone WB 🔊 Roll 2.0 mm, 2.5 mm Solid Weld Rod 1751611 Multicolor 14000611 461 Wicker WB >

911 Burlap WB Roll 2.5mm Solid Weld Rod 1751625 11 Canvas WB



Veneto

711 Pleasant WB Roll 2.0 mm, 2.5 mm Solid Weld Rod 1751611 Multicolor 14000711 461 Wicker WB








919 Tumeric Roll 2.5mm Solid Weld Rod 1751919 112 Oakley

Veneto 692 Smoky Mountain CG Solid Weld Rod 1751692 28 Medium Grev CG *



Veneto



40 Black B *



quide in back. Color Foundations™ is our commitment to always have



Veneto



Roll 2.0 mm. 2.5mm Solid Weld Rod 1751098 Muliticolor 14000674

Veneto 686 Deep Space CG Roll 2.5mm Solid Weld Rod 1751686 71 Storm Cloud CG *

Veneto

610 Bituminous B

Roll 2.0 mm, 2.5mm

Muliticolor 14000610

40 Black B *

Solid Weld Rod 1751098



Veneto



Veneto

400 Natural Clay WB Roll 2.5mm Solid Weld Rod 1751400







Veneto 739 Clay Court Roll 2.5mm



673 Comet WG Roll 2.0 mm, 2.5mm



608 Northern Lights WG Solid Weld Rod 1751608 Muliticolor 14000608 29 Moon Rock WG *

Vanata				
Veneto				
Vonete				
Vanata				
	Vonoto			
	601 Cloud I	Nine	CB	Ø

622 Geode WB Roll 2.5mm Solid Weld Rod 1751611 129 Silk WB *

Veneto



624 Azurite WB Roll 2.5 mm Solid Weld Rod 1751619 129 Silk WB *

BLUES AND GREENS



663 Lighthouse Roll 2.0 mm, 2.5 mm Solid Weld Rod 1751660 Multicolor 14000663 139 Gla



637 Au Lait CG Roll 2.5mm



22 Pearl CG *



679 Mesa Roll 2.0 mm, 2.5 mm Solid Weld Rod 1751611 Multicolor 14000679 19 Desert Camel



Veneto

Roll 2.5mm

130 Sisal *



Veneto 524 Tiger Eye Roll 2.5mm Solid Weld Rod 1751524

712 Good Natured WB

Solid Weld Rod 1751313


625 Arizona Tan WB 🔘

Solid Weld Rod 1751625

Roll 2.5mm

09 Clav WB *

121 Durango WB Roll 2.5 mm Solid Weld Rod 1751121 09 Clav WB >



764 Violetta Roll 2.5 mm Solid Weld Rod 1751764 465 Seafarer >



003 Ashen CG Roll 2.5 mm Solid Weld Rod 1751692 28 Medium Grev CG



631 Warm Day Roll 2.5mm Solid Weld Rod 1751631 286 Fortune C



671 Silver Lining CG Roll 2.0 mm, 2.5 mm Solid Weld Rod 1751671 Multicolor 14000671 262 Drizzle CG *



632 Garnet Roll 2.5mm Solid Weld Rod 1751632 284 G



756 Sprouting Roll 2.5 mm Solid Weld Rod 1751756 593 Duckwe





76 Cir



Cradle to Cradle Silver certified

BLUES AND GREENS (CONT.)





665 Penninsula Roll 2.5 mm Solid Weld Rod 1751670 Solid Weld Rod 1751665 84 Blue Jeans



/eneto 612 Dandelion Roll 2.0 mm, 2.5 mm Solid Weld Rod 1751219 Multicolor 14000612 460 C

۲ کی ^ع

A part of ReStart®

TVOC ≤ 10 µg/m3

Phthalate free except

for recycled materials

program



Recycled Content

Pre-consumer 30%

All SKUs 73%

Rapidly Renewable Resources

628 Sunflower Roll 2.5 mm Solid Weld Rod 1751628 273 Copper Penny *



634 Daisy Roll 2.5mm 473 Butterscotch *



Solid Weld Rod 1751636

roll width = 6'6" nominal (2m)
roll length = 65-100 linear feetnominal (20-30 lm)

adhesives pg. 196

LENZA AND TONALI



202 Aged Concrete WG Roll 2.5 mm Solid Weld Rod 1751202 55 Silver Grey WG 🛪

Lenza

Tonali

305 Carbonize WG

29 Moon Rock WG

Solid Weld Rod 1751205

Roll 2.5 mm

303 Thicket WG Roll 2.5 mm Solid Weld Rod 1751303 281 Grizzly WG >

203 Agrarian WG Roll 2.5 mm Solid Weld Rod 1751203 281 Grizzly WG

Tonali

Tonali

Roll 2.5 mm

20 Charcoal WG



Veneto

Veneto

Veneto

TARKETTNA.COM

714 Aloof CB

121 Cement CB 7

Roll 2.5 mm

757 Grown Green

Solid Weld Rod 1751757

Roll 2.5 mm

190 Greege *

651 Sea

Roll 2.5 mm

Solid Weld Rod 1751651

147 South Seas *



Roll 2.5 mm Solid Weld Rod 1751670 58 Windsor Blue





Veneto

Veneto

502 Fossil WB

Solid Weld Rod 1751502

Roll 2.5 mm

280 Shore

767 Magestic Roll 2.5 mm

465 Seafarer

Solid Weld Rod 1751220

Solid Weld Rod 1751761 192 Tidewater *

670 Blue Agave

84 Blue Jeans

Roll 2.5 mm



650 Rainforest Roll 2.0 mm, 2.5 mm Solid Weld Rod 1751650 Multicolor 14000650 471 Bok Choy *

Veneto

688 Downpour

Solid Weld Rod 1751220

Roll 2.5 mm

70 Bluest *

Veneto

Roll 2.5 mm

684 Cascade WG 🙆

24 Grey Haze WB *

Solid Weld Rod 1751793



Veneto 636 Day Lily Roll 2.0 mm, 2.5 mm Solid Weld Rod 1751636 Multicolor 14000636 273 Copper Penny

Veneto

Veneto

741 Blooming

85 Burgundy *

Solid Weld Rod 1751094


Roll 2.5 mm

740 Blaze

Roll 2.5mm

163 Salsa *

Solid Weld Rod 1751740



641 Towpath Trail Roll 2.0 mm, 2.5 mm Solid Weld Rod 1751641 Multicolor 14000641 140 Carrot *

Veneto

Etrusco

Ftrusco

053 Echo

Roll 2.5mm

271 Seedlin

Solid Weld Rod 1751053

094 Auburn

Roll 2.5 mm

85 Burgundy *

Solid Weld Rod 1751094

945 Russet

Roll 2.5mm

113 Chestnutty

Solid Weld Rod 1751945



744 Kilauea Roll 2.5 mm Solid Weld Rod 1751744 148 Paprika *



742 Viola Roll 2.5mm Solid Weld Rod 1751049 162 Sovereign *







048 Indeed Roll 2.5 mm 472 Imperial *





Ftrusco

Solid Weld Rod 1751054











205 Rustic Pathway WG

Solid Weld Rod 1751205

29 Moon Rock WG

Roll 2.5 mm

Tonali

308 Straw Hat WB Roll 2.5 mm Solid Weld Rod 1751313 19 Desert Camel 🛪

Lenza

319 Sunrise

Roll 2.5 mm

75 Lemon *

Solid Weld Rod 1751219

Tonali 215 Limeade Roll 2.5 mm Solid Weld Rod 1751215



Solid Weld Rod 1751303

793 Mirage CG Roll 2.0 mm. 2.5 mm Solid Weld Rod 1751793 Multicolor 14000793 23 Vapor Grey CG *




Veneto 672 Twilight WG Roll 2.0 mm, 2.5 mm Multicolor 14000672



Solid Weld Rod 1751672 71 Storm Cloud CG >



Solid Weld Rod 1751753 289 Jaded



754 Budding Roll 2.5mm Solid Weld Rod 1751754 271 Seed



054 Beryl Roll 2.5mm 147 South Seas

Lenza
314 Rosie
Roll 2.5 mm
Solid Weld Rod 1751214
294 Big Top *

Tonali

220 Engaged

Solid Weld Rod 1751220

Roll 2.5 mm

18 Navy Blue



Tonali

214 Real Red

Roll 2.5 mm

294 Big Top

309 Dark Obsidian B Roll 2.5 mm Solid Weld Rod 1751309 40 Black B 🕇



Roll 2.5 mm 40 Black B 🕇



Solid Weld Rod 1751209







l enza 300 Warm Biscuit Roll 2.5 mm Solid Weld Rod 1751300 129 Silk WB >



200 Hummus Roll 2.5 mm Solid Weld Rod 1751200 129 Silk WB



201 Spanish Stucco WB Roll 2.5 mm Solid Weld Rod 1751201 09 Clay WB *



207 Shaded Walkway WG Solid Weld Rod 1751207







317 Landing Pier Roll 2.5 mm Solid Weld Rod 1751621 66 Either Ore



217 Venetian Fresco Roll 2.5 mm Solid Weld Rod 1751621 66 Either Ore *



Tonali 219 Sun Time



Roll 2.5 mm Solid Weld Rod 1751219 75 Lemon *



218 Glowing Roll 2.5 mm Solid Weld Rod 1751037 62 Tangerne Tango *



318 Flashy Roll 2.5 mm Solid Weld Rod 1751037 62 Tangerne Tango *



Lenza


315 Alight Lime Roll 2.5 mm Solid Weld Rod 1751215 475 Marshland



320 Astute Roll 2.5 mm Solid Weld Rod 1751220 18 Navy Blue *

* Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.





The Solid and Multicolor Weld Rods listed are coordinating recommendations. Other color weld rods can be used for a variety of visual effects.



Veneto 2.0 mm is a standard non-stocking item available in full rolls. Call for availability.



Luxury Vinyl Tile

With uncompromising style, comfort, performance, and sustainability, our luxury vinyl tiles and planks deliver everything you've ever wanted in a floor.

64 I.D. Inspiration™

78 I.D. Freedom™ Woods

70 I.D. Freedom™ Abstracts **82** I.D. Principle

74 I.D. Freedom™ Stones **84** Transcend™ SureSet™ LUXURY VINYL TILE AND PLANKS Johnsonite offers a perfectly balanced lineup of high-performing LVT in tiles and planks that coordinates seamlessly with our other flooring materials, wall bases and accessories. With so many sizes, colors, and patterns to choose from, our full line of LVT means you'll never be void of inspiration.



Σ 4 menu 生 - Starters -Red reper soup 8 Almond, Mint & Rivotta Salad 14 Anchovies on Dried, Tomatoes 16 Tuna, and Line Ceviche. 16 1 S.L _ Entrees -Californian Salmon Tartar 24 Sesame Tuni, Steak 28 Fresh cod & Tomatillo Sauce 30 Black Angus Filet & Brondi prec 34 _ Desserts Pineapple Rie & Mango Sorbet Chocolale House Zabanliane 9 11-11

I.D. Inspiration

Born to innovate.

Durability and lifelike design are in I.D. Inspiration's DNA. Recently updated to include 30 colors, 24 plank wood designs from a classically trained European woodworker, and 6 tiles. The 6 tiles feature all-new designs, bringing abstract, stone and woven patterns to the once all-woods collection. An advanced engraving technique provides superior attention to detail for graining, texture and color on color. The result is a beautiful floor that remains so for years.



LV TILE AND PLANKS 66 I.D. Inspiration"

score FloorScore® meets CDPH 01350



a and A part of **ReStart®** program TVOC is .5 mg/m3 Phthalate free, except for recycled materials

Recycled Content Pre-consumer 32%

plank sizes =

ID70: 24201: 7.87" x 48" (20cm x 122cm) (20cm x 122cm) ID70: 24205: 6.56" x 39.37" ID55: 24235: 6.56" x 39.37" (16.66cm x 100cm) (16.66cm x 100cm)

tiles = ID55: 24231: 7.87" x 48"









Wenge | Black B 44 Dark Brown B *





ID70: 24201113 ID55: 24231113 Elm | Light Grey W 24 Grey Haze WG *

ID70: 24201001 ID55: 24231001 Antik Oak | Beige WB TA3 Castaway WB *



ID70: 24201109 ID55: 24231109 Contemporary Oak | Grey CB 469 Mystify CG *



ID70: 24201008 ID55: 24231008 Antik Oak | Middle Grey CB 121 Cement CB *



ID70: 24201013 ID55: 24231013 Brushed Pine | Brown WB 45 Sandalwood WB *



ID70: 24201115 ID55: 24231115 Elm | Natural WB 461 Wicker WB *



ID70: 24201003 ID55: 24231003 Antik Oak | Dark Grey WG 55 Silver Grey WG *



ID70: 24201007 ID55: 24231007 Antik Oak | Anthracite WG 32 Pebble WG *



ID70: 24201111 ID55: 24231111 Contemporary Oak | Natural WB 09 Clay WB *



ID70: 24201024 ID55: 24231024 English Oak | Beige CB 195 Ash WG *



ID70: 24201025 ID55: 24231025 English Oak | Brown WB 49 Beige WB *

ID70: 24201092 ID55: 24231092 Vintage Teak | Grey CB TB1 Peppercorn CB *





ID70: 24201108 ID55: 24231108 Patina Ash | Grey WG 55 Silver Grey WG *



ID70: 24207: 19.68" x 19.68" (50cm x 50cm) ID55: 24237: 19.68" x 19.68" (50cm x 50cm)



ID70: 24201122 ID55: 24231122 Rustic Oak | Dark Grey CB TA8 Welsh Castle CB *



ID70: 24201093 ID55: 24231093 Vintage Teak | Natural WB TA2 Saddlebrook WB *



ID70: 24201100 ID55: 24231100 Scandinavian Oak | Light Beige WB TA3 Castaway WB *




ID70: 24205011 ID55: 24235011 Wenge | Grey CG TA4 Gateway WG *



ID70: 24201110 ID55: 24231110 Contemporary Oak | Grege CB 31 Zephyr CB *



score FloorScore® meets CDPH 01350 CERTIFIED



a and A part of ReStart® program TVOC is .5 mg/m3 Phthalate free, except for recycled materials **Recycled Content** Pre-consumer 32% plank sizes =

ID70: 24201: 7.87" x 48" (20cm x 122cm) ID70: 24205: 6.56" x 39.37" (16.66cm x 100cm)

ID55: 24231: 7.87" x 48" (20cm x 122cm) ID55: 24235: 6.56" x 39.37"

(16.66cm x 100cm)

ID70: 24207: 19.68" x 19.68" (50cm x 50cm) ID55: 24237: 19.68" x 19.68" (50cm x 50cm)

tiles =








ID70: 24205010 ID55: 24235010 Wenge | Natural 47 Brown *

ID70: 24201128 ID55: 24231128 Rustic Oak | Medium Brown WB 101 Seaweed WB *



ID70: 24201121 ID55: 24231121 Rustic Oak | Stone Brown 44 Dark Brown B *

I.D. INSPIRATION[™] TILES



ID70: 24207082 ID55: 24237082 Tisse | Beige CB TA8 Welsh Castle CB *




ID70: 24207090 ID55: 24237090 Trend Line | Silver CG TA5 Colonial Grey CG *



ID70: 24207084 ID55: 24237084 Tisse | Light **CB** 24 Grey Haze **WG ***



ID70: 24207094 ID55: 24237094 Vintage Zinc I Black B 63 Burnt Umber B *



ID70: 24207088 ID55: 24237088 Trend Line | Black B 20 Charcoal WG *



ID70: **24207120** ID55: **24237120** Oxide | Black Stee| CG TA4 Gateway WG *





score) FloorScore® meets CDPH 01350



reedom

Phthalate free, except for recycled content **Recycled Content** Pre-consumer 53%

Pace | Warm Grey WG 29 Moon Rock WG * (S) FRE-T 3563, size 18" x 18"

(SO) Not Applicable

Unravel | Warm Grey WG

Rays | Warm Beige WB

(SO) Not Applicable

Unravel | Warm Brown

76 Cinnamon ***** (S) FRE-T 3579, size 18" x 18"

(SO) FP3579636, size 6" x 36"

461 Wicker **WB *** (S) FRE-T 3584, size 18" x 18"

29 Moon Rock WG * (S) FRE-T 3573, size 18" x 18"

(SO) FP3573636, size 6" x 36"



Unravel | Charcoal B







Forgo familiar.

LUXURY VINYL TILE

Abstracts

Familiar is fine. However, when you deconstruct the familiar, the conversation gets a little more interesting. Why not weave strands of metal into a familiar fabric? Or build textiles out of weathered wood? I.D. Freedom[™] accepted the challenge and combined familiar patterns and materials into dramatic configurations. The resulting collection of planks and tiles is like nothing you've seen before.



* Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.

TARKETTNA.COM

store FloorScore meets CDPH 01350

A part of **ReStart®** program



thickness = .125" (3.18 mm) adhesives pg. 196



Pace | Warm Beige WB 461 Wicker WB * (S) FRE-T 3561, size 18" x 18" (SO) Not Applicable




Unravel | Cool Grey CG 38 Pewter CG * (S) FRE-T 3574, size 18" x 18" (S0) FP3574636, size 6" x 36"



TexGrain | Cool Grey CG **TG2** Sharkfin **CG *** (S) FRE-T 3541, size 18" x 18" (SO) Not Applicable



TexGrain | Cool Beige CB 80 Fawn CB * (S) FRE-T 3542, size 18" x 18" (SO) Not Applicable



Pace | Cool Grey CG 38 Pewter CG * (S) FRE-T 3564, size 18" x 18" (SO) Not Applicable



Pace | Cool Beige CB **280** Shoreline ***** (S) FRE-T 3562, size 18" x 18" (SO) Not Applicable



280 Shoreline ***** (S) FRE-T 3572, size 18" x 18" (SO) FP3572636, size 6" x 36"



80 Fawn CB * (S) FRE-T 3552, size 18" x 18" (SO) Not Applicable



Unravel | Warm Beige WB 45 Sandalwood WB * (S) FRE-T 3571, size 18" x 18" (SO) FP3571636, size 6" x 36"



44 Dark Brown B * (S) FRE-T 3545, size 18" x 18" (SO) Not Applicable



TexMode | Charcoal B **44** Dark Brown **B *** (S) FRE-T 3555, size 18" x 18" (SO) Not Applicable



TG2 Sharkfin **CG *** (S) FRE-T 3551, size 18" x 18" (SO) Not Applicable



TexMode | Golden WB 461 Wicker WB * (S) FRE-T 3553, size 18" x 18" (SO) Not Applicable





TexLine | Charcoal B **44** Dark Brown **B *** (S) FRE-T 3535, size 18" x 18" (SO) Not Applicable



TexLine | Golden WB **461** Wicker **WB *** (S) FRE-T 3533, size 18" x 18" (SO) Not Applicable





score) FloorScore® meets CDPH 01350

Freedom



Phthalate free, except for recycled content **Recycled Content** Pre-consumer 53%

thickness = .125" (3.18 mm) adhesives pg. 196

Concrete | Gypsum CB 31 Zephyr CB * (S) FRE-T 3511, size 18" x 18" (S0) FT35111836, size 18" x 36"

Concrete | Briney Grey WG

Concrete | Slate Grey CG

Travertine | White W

27 Mist WG * (S) FRE-T 5122, size 18" x 18" (SO) Not Applicable

20 Charcoal **WG *** (S) FRE-T 3517, size 18" x 18" (SO) FT35171836, size 18" x 36"

29 Moon Rock WG * (S) FRE-T 3518, size 18" x 18"

(SO) FT35181836, size 18" x 36"



Concrete | Alumin CG 23 Vapor Grey CG * (S) FRE-T 3515, size 18" x 18" (SO) FT35151836, size 18" x 36"



Concrete | Fallow CB 80 Fawn CB * (S) FRE-T 3513, size 18" x 18" (SO) FT35131836, size 18" x 36"



Concrete | Russet WB **45** Sandalwood **WB *** (S) FRE-T 3514, size 18" x 18" (SO) FT35141836, size 18" x 36"



Travertine | Dapple Grey WB 195 Ash WG * (S) FRE-T 5123, size 18" x 18" (SO) Not Applicable

Pave the way.

LUXURY VINYL TILE

one

We've actually done it. We've left no stone unturned. We've taken the natural beauty, markings and coloration of stone and we've reimagined them. We've washed, worn, rusted, stained and steeped stone in coordinated color. From classic Travertines to element-blending Meta-Stone, our I.D. Freedom Stones are paving the way to greatness. Enjoy the journey.












Concrete | Straw WB 09 Clay WB * (S) FRE-T 3512, size 18" x 18" (S0) FT35121836, size 18" x 36"



Concrete | North Sea Grey WG **48** Grey **WG *** (S) FRE-T 3516, size 18" x 18" (SO) FT35161836, size 18" x 36"



Concrete | Charcoal B **40** Black **B *** (S) FRE-T 3519, size 18" x 18" (SO) FT35191836, size 18" x 36"



Sizes available: (S) = Standard, (SO) = Special Order

store FloorScore meets CDPH 01350

A part of **ReStart®** program

Phthalate free, except for recycled content **Recycled Content** Pre-consumer 53%



Travertine | Cream WB 129 Silk WB * (S) FRE-T 5121, size 18" x 18" (SO) Not Applicable



Linear Travertine | Roman Classic WB **22** Pearl **CB *** (S) FRE-T 5155, size 12" x 24" (S0) FT51552424, size 24" x 24"



MetaStone | Zinc 48 Grey WG * (S) FRE-T 4114, size 12" x 24" (SO) FT41142424, size 24" x 24"



MetaStone | Copper **TA7** Rusty Nail **WB** * (S) FRE-T 4112, size 12" x 24" (S0) FT41122424, size 24" x 24"



45 Sandalwood WB * (S) FRE-T 5124, size 18" x 18" (SO) Not Applicable



Linear Travertine | Nuez CB **121** Cement **CB *** (S) FRE-T 5156, size 12" x 24" (SO) FT51562424, size 24" x 24"



MetaStone | Ferro **48** Grey **WB *** (S) FRE-T 4115, size 12" x 24" (SO) FT41152424, size 24" x 24"



Color Carrier | Yellow **TA1** Tannery **WB** * (S) FRE-T 5125, size 18" x 18" (SO) FT51251836, size 18" x 36"



Linear Travertine | Cream W 50 White W * (S) FRE-T 5154, size 12" x 24" (S0) FT51542424, size 24" x 24"



MetaStone | Spar **283** Toast ***** (S) FRE-T 4111, size 12" x 24" (SO) FT41112424, size 24" x 24"



MetaStone | Alchemy CB 283 Toast * (S) FRE-T 4113, size 12" x 24" (S0) FT41132424, size 24" x 24"



Color Carrier | Beige WB 461 Wicker WB * (S) FRE-T 5132, size 18" x 18" (SO) FT51321836, size 18" x 36"



Color Carrier | Orange
 113 Chestnutty *

 (S) FRE-T 5133, size 18" x 18"

 (SO) FT51331836, size 18" x 36"





Color Carrier | Red **163** Salsa ***** (S) FRE-T 5134, size 18" x 18" (SO) FT51341836, size 18" x 36"



Color Carrier | Blue **TH2** Blue Intensity ***** (S) FRE-T 5128, size 18" x 18" (SO) FT51281836, size 18" x 36"

162 Sovereign ***** (S) FRE-T5131, size 18" x 18" (SO) FT51311836, size 18" x 36"

Color Carrier | Grey Teal **41** Sea Breeze ***** (S) FRE-T 5127, size 18" x 18" (SO) FT51271836, size 18" x 36"





149 Milk Chocolate ***** (S) FRE-T 5129, size 18" x 18" (SO) FT51291836, size 18" x 36"








Color Carrier | Brown 284 Ganache * (S) FRE-T 5130, size 18" x 18" (SO) FT51301836, size 18" x 36"



Color Carrier | Green **TB2** Boxwood ***** (S) FRE-T 5126, size 18" x 18" (SO) FT51261836, size 18" x 36"



AII

LUXURY VINYL TILE

Look

natural.

score) FloorScore® meets CDPH 01350

Freedom[™]

69



Phthalate free, except for recycled content **Recycled Content** Pre-consumer 53%

thickness = .125" (3.18 mm) adhesives pg. 196



Eastern Elm | Noce | 101 Seaweed * (S) FRE-P 7512, size 4" x 36" | (SO) FP7512636, size 6" x 36"



White Oak Classic | Honey | TA2 Saddlebrook WB * (S) FRE-P 2816, size 4" x 36" | (SO) FP2816448, size 4" x 48"



New Walnut | Castano | 76 Cinnamon * (S) FRE-P 5172, size 4" x 36" | (S0) FP5172448, size 4" x 48"



New Walnut | Sumatran | 284 Ganache ★ (S) FRE-P 5173, size 4" x 36" | (S0) FP5173448, size 4" x 48"



Fruitwood | Umber | 47 Brown * (S) FRE-P 5163, size 4" x 36" | (SO) FP5163448, size 4" x 48"

* Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.

Since real already existed, we started theretweaking and twisting it to our liking. The end result: I.D. Freedom[™] Woods. See wider-than-natural grains in our oak. Experience pine that's been blanched or bronzed. Our luxury planks feature beautiful, natural woods—just with more of a story behind them. And some interesting options ahead.

O Tarkett



Eastern Elm | Cornell | 76 Cinnamon * (S) FRE-P 7510, size 4" x 36" | (SO) FP7510636, size 6" x 36"



Native Pine | Grand Sorrel | TA2 Saddlebrook WB * (S) FRE-P 5131, size 6" x 48" | (SO) FP5131636, size 6" x 36"



score) FloorScore® meets CDPH 01350







Koa | Natural | 284 Ganache ★ (S) FRE-P 4698, size 4" x 36" | (SO) FP4698448, size 4" x 48"



Craft Maple | Cognac | 76 Cinnamon * (S) FRE-P 0514, size 4" x 36" | (S0) FP0514648, size 6" x 48"



Craft Maple | Bitter Brown | 47 Brown * (S) FRE-P 0515, size 4" x 36" | (S0) FP0515648, size 6" x 48"



White Oak Classic | Espresso | 47 Brown * (S) FRE-P 2817, size 4" x 36" | (SO) FP2817448, size 4" x 48"



Lumin Maple | Natural WB | 129 Silk * (S) FRE-P 4681, size 4" x 36" | (SO) FP4681448, size 4" x 48"



Craft Maple | Pale | 130 Sisal * (S) FRE-P 0512, size 4" x 36" | (SO) FP0512648, size 6" x 48"



New Walnut | Natural | 130 Sisal * (S) FRE-P 5174, size 4" x 36" | (S0) FP5174448, size 4" x 48"



Fruitwood | Apple | 112 Oakley * (S) FRE-P 5162, size 4" x 36" | (SO) FP5162448, size 4" x 48"



White Oak Classic | Ginger | 112 Oakley ★ (S) FRE-P 0814, size 4" x 36" | (SO) FP0814448, size 4" x 48"



Seasoned Oak | Brined WB | 129 Silk WB * (S) FRE-P 4692, size 6" x 48" | (SO) FP4692448, size 4" x 48"



Seasoned Oak | Barrel | 112 Oakley ★ (S) FRE-P 4697, size 6" x 48" | (SO) FP4697448, size 4" x 48"



Seasoned Oak | Scout | 101 Seaweed ★ (S) FRE-P 4694, size 6" x 48" | (SO) FP4694448, size 4" x 48"



Native Pine | Blanched Grey WG | 32 Pebble WG * (S) FRE-P 5134, size 6" x 48" | (SO) FP5134636, size 6"x 36"



Seasoned Oak | Peppercorn B | 44 Dark Brown B * (S) FRE-P 4695, size 6" x 48" | (SO) FP4695448, size 4"x 48"



Eastern Elm | Ginger | 45 Sandalwood WB * (S) FRE-P 7480, size 4" x 36" | (SO) FP7480636, size 6" x 36



Sizes available: (\$) = Standard, (\$0) = Special Order * Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.



store FloorScore® meets CDPH 01350



Phthalate free, except for recycled content Recycled Content Pre-consumer 53%



Loft Oak 0800748



Grange Oak 0802748



Chalkhill 0807748



Hewn Chestnut 0805748



Mid-Modern Oak 0809748

Sizes available: (S) = Standard, (SO) = Special Order

Solutions for enduring design and performance.

Luxury Resilient Flooring

This straightforward collection of designer woods will quickly update any space, while protecting your bottom line. We've developed new, contemporary designs based on our top-selling colors to ensure an enriching environment for every application. I.D. Principle's glue-down planks can be quickly installed in a variety of creative layouts, and their long-lasting performance will keep maintenance costs low throughout the life of the floor.



Maritime Oak 0801748



Oiled Walnut 0808748



American Cherry 0803748



Red Star Alder 0806748



Wild Maple 0804748



store® meets CDPH 01350

A part of ReStart® program



Territory.

Tarkett

thickness = .125" (3.18 mm) **adhesives** pg. 196



CT4291 | Café



CC110 | Surf



CC112 | Sand



FM303 | Acer



HM106 | Fumed 270260003



LAP108 | Tea Toned 270260007

Sizes available: (S) = Standard, (SO) = Special Order

Transcend™ SureSet™

Luxury Resilient Flooring

Engineered for adversity.

Transcend[™] SureSet[™] installs quickly, absorbs sound, and doesn't mind high-moisture subfloors. And that's just the backing. With a preapplied adhesive that's easily repositioned, a sculpted wave technology that directs moisture and sound, and a Tritonite®-reinforced polyurethane that stands up to heavy traffic, this dimensionally stable solution forgives mishaps at every stage of the project, so it can keep looking beautiful for years to come.



DM4641 | Pearl



CC111 | Greystone 270261001



B0801 | Lion




CO331 | Burren 270260004



LAP101 | Dark Natural 270260006



LAP109 | Ash Grey 270260008



FloorScore® meets CDPH 01350



Phthalate free, except for recycled content Recycled Content Pre-consumer 53%



RP431 | Brindle Grey



V0104 | Enzo 270260001



NR530 | Ginger 270262008



PS510 | Praline



SH100 | Meadow 270262000



SH103 | Nutmeg 207262002

Sizes available: (S) = Standard, (SO) = Special Order



V0101 | Sanded Natural



V0105 | Moorland



NR531 | Scotch 270262009



PS511 | Natural



SH101 | Auburn Royale 270262001



LP393 | Umber 270262003

Vinyl

Want every sheet, plank, tile, pattern, grain, texture and color to provide optimal interaction within a space? We can make that happen. We've designed all our iQ[™], Luxury Tile, Acczent[™] Performa and other vinyl flooring collections to coordinate with each other, helping to connect spaces and the people who gather in them.

89	102
iQ™ Difference	Aria™
90	104
iQ™ Optima®	Standard Plus®
94	106
iQ™ Granit™	Acczent® Flourish
97	110
iQ™ Granit™ Micro	Acczent [®] Woods
98	114
iQ™ Natural™	Acczent [®] Concrete
100 Melodia™	114 Acczent® Zen Acczent® Tisse

116 Performa™

118 Cortina Grande® – SVT

122 Color Essence[™] - VET

126 Azterra[™] - VET

128 Tarkett VCT

Design. Aesthetics. Technology.

Is it possible to have too many design options? We don't think so. That's why our portfolio of vinyl flooring products is one of the most extensive in the industry from budget-conscious solutions to highly engineered works of art.


Our homogeneous lines are available in both tile and sheet and include a UVcured polyurethane (PUR) to deliver greater durability and easier maintenance. Meaning less water and cleaning products throughout a more than 20-year lifespan.

Taking convenience a step further, our iQ[™] line promises no waxing. Ever.

Our heterogeneous product families provide more design opportunities than ever before. These low-maintenance, hygienic solutions drive value for a variety of applications without sacrificing style.







on throughout the entire depth of the product ontinually restored to its original beauty
ign provides superior resistance to wear, d the typical surface coating
l our innovative product structure greatly mance and beauty of our flooring
wax or polish required
ants allow for more effective
chemical usage, and reduces discharge
,
ontent as part of our ReStart®
educes VOC emissions for better
fied

• Provides lowest cleaning and maintenance life-cycle costs of



Consider how a pencil works. As the pencil wears down or if the lead snaps, you simply sharpen that pencil to restore to new. The iQ technology performs in a similar manner. If a scratch or scuff is noticed, simply dry buff the product to restore it to new. No wax, no finish, no chemical strippers for life!

The photo to the left features one half of a scratched iQ floor tile (*left*) and the same tile buffed to remove the scratches (right).

iQ[™] Optima[®] HOMOGENEOUS SHEET AND TILE FLOORING

Take it in stride.

Inspired by the organic shifts and patterns created by nature, the new iQ Optima line of homogeneous sheet and tile draws from the soft, subtle strides found in natural stone or bark. Its multi-tonal aesthetic brings depth, dimension and warmth to commercial spaces. This is the iQ Optima you've known and loved, only better!





260 Sharktale WG Solid Weld Rod 1287839 Multicolor 1290365 32 Pebble WG *



261 Kettle Black WG Solid Weld Rod 1287534 Multicolor 1290366 TA4 Gateway WG *



262 Angel Kiss WG Solid Weld Rod 1287279 Multicolor 1290151 460 Cotton W *



263 Outland Trails CB Solid Weld Rod 1294083 Multicolor 1290174 TA8 Welsh Castle CB *



264 Spartan Helmet CB Solid Weld Rod 1287447 Multicolor 1290173 283 Toast CB *

TARKETTNA.COM



TVOC ≤ 10 µg/m3

FloorScore® certified and floor meets CA 01350 Quantino asthma &

allergy friendly™ certified



886 Beluga W Solid Weld Rod 1291609 Multicolor 1290049 TB3 Dover CG *

831 Hot Ginger

130 Sisal a

Solid Weld Rod 1287059

Multicolor 1290335

Ø

Multicolor 1290066

Solid Weld Rod 1287039

ine WB 🚽

860 Malt WB

280 Shore



Ð

824 Yellow Mustard

Multicolor 1290334

TG7 Canary 🖌

256 Violet Hill

162 Sove

Solid Weld Rod 1287829

Multicolor 1290351

Solid Weld Rod 1287827



Solid Weld Rod 1287041 Multicolor 1290045 129 Silk WB *

826 Goldenrod

130 Sisal 7

Solid Weld Rod 1287504

Multicolor 1290102

Ø

Multicolor 1290099

250 Rushing Waters

Multicolor 1290345

92 Blue La

Solid Weld Rod 1287824

49 Beige WB *

820 Coffee Shoppe WB

Solid Weld Rod 1287005



829 Peach Sorbet WB Solid Weld Rod 1291342 Multicolor 1290040 79 Bone White W *

ø

Multicolor 1290352

TG8 Spicy Chip *

254 Lucky Clover

) (A)

Multicolor 1290088

80 Fawn

899 Flannel Blanket CB

Solid Weld Rod 1287447

151 Iguana 🖌

Solid Weld Rod 1287352

Solid Weld Rod 1287834

257 Tiger Glow

NSF-332

certified gold (UL)

Phthalate free, except

for recycled materials



-

825 Caramel Infusion WB Solid Weld Rod 1291203 Multicolor 1290024 461 Wicker WB >



259 Ruby Firestone TB6 Flame >

A part of **ReStart®** program

Recycled Content

Pre-consumer 25%

iQ Surface Restoration



Multicolor 1290331







Solid Weld Rod 1287441





258 Monarch Flying Solid Weld Rod 1287472 Multicolor 1290353 TG8 Spicy Chip >



Solid Weld Rod 1287826



253 Greenhouse Lane Multicolor 1290348 59 Heather G







255 Mountain Blush

Multicolor 1290350

162 So

900 Old Bark

Solid Weld Rod 1287013

873 Koala Bear CG

Multicolor 1290122


469 Mystify CG >

Solid Weld Rod 1287823

Solid Weld Rod 1287524



874 Hardwired WG Solid Weld Rod 1287840 Multicolor 1290338 20 Cha oal WG 3



roll width = 6'6" nominal (2m) roll length = 82'7" nominal (25 m) thickness = .080" nominal (2 mm)

tile sizes = 12" x 12" nominal (305 mm x 305 mm)

24"x 24" nominal (610 mm x 610 mm) 12"x 24" nominal (305 mm x 610 mm)



856 Morning Sky

84 Blue Jeans

246 Egyptian Scrolls

Multicolor 1290290

243 Sabled Street WG

Multicolor 1290341

20 Charcoal WG

897 Slate WG

Solid Weld Rod 1287170

200 Cathedral Wall CG

Multicolor 1290354

38 Pewter CG

Solid Weld Rod 1292160

Color Foundations" is our commitment to always have

representation across six key neutral palettes.

Multicolor 1290203

32 Pebble WG *


Solid Weld Rod 1294727

line CB :

280 Shore

847 Periwinkle WB Solid Weld Rod 1288905 Solid Weld Rod 1287513 Multicolor 1290051 Multicolor 1290111 84 Blue le

821 Frothy Latte CB Solid Weld Rod 1291821 Multicolor 1290159 31 Seafarer CB *




861 Clover Leaf Solid Weld Rod 1292319 Solid Weld Rod 1287592 Multicolor 1290337 151 Iquana d

Ð

857 Popiu Bay Solid Weld Rod 1287841 Multicolor 1290336 84 Blue Jeans a

Ð

Ø



242 Ebony Ash WG Solid Weld Rod 1287006 Multicolor 1290340 48 Grev WG *

836 Turf

TH1 G

Solid Weld Rod 1287040

Multicolor 1290078

203 Infused Ash CG

Multicolor 1290357

Solid Weld Rod 1287831

TA5 Colonial Grev CG *





206 Hazy Valley CG Solid Weld Rod 1287828 Multicolor 1290360 469 Mystify CG >



201 Chimney Sweep CG Solid Weld Rod 1287836 Multicolor 1290355 38 Pewter CG *

color guide in back.




251 Spencer's Eyes Solid Weld Rod 1287825 Multicolor 1290346 72 Harbour



864 Concrete Slab CG Multicolor 1290029 21 Platinum CG >

TARKETTNA.COM





Solid Weld Rod 1287412



Solid Weld Rod 1287833 Multicolor 1290347



Ø 871 Arctic Winter W Solid Weld Rod 1287522 Multicolor 1290120 50 White W



Ø 853 Thunderhead CG Solid Weld Rod 1292388 Multicolor 1290022 21 Platinum CG >



247 Almond Cream WB Solid Weld Rod 1291615 Multicolor 1290342 49 Beige WB :





862 Raw Ivory CB Solid Weld Rod 1291862





Multicolor 1290026 38 Pewter CG *

866 Sidewalk CG

Ø











Solid Weld Rod 1287842







248 French Pastry CB Solid Weld Rod 1287233 Multicolor 1290343 195 Ash WG



875 Bedrock WG Solid Weld Rod 1287526 Multicolor 1290124 20 Charcoal WG *



245 Foggy Shores WG Solid Weld Rod 1287279 Multicolor 1290085 24 Grev Haze WG



244 Darkened Oasis B Solid Weld Rod 1287835 Multicolor 1290124 63 Burnt Umber B *



849 Blue Satin Solid Weld Rod 1287515 Multicolor 1290113 18 Navy Blue 3



209 Glowing Sand Dune CB Solid Weld Rod 1287223

208 Desert Flower CB Solid Weld Rod 1287204 Multicolor 1290362 31 Zephyr CB *





205 Summer Moon W Solid Weld Rod 1287838 Multicolor 1290359 460 Cotton W *





951 Salt N Pep B Solid Weld Rod 1287170 Multicolor 1290364 63 Burnt Un er B a

*Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference



207 Prairie Dancing Solid Weld Rod 1287830 Multicolor 1290361 TA8 Welsh Castle CB *



898 Heavy Cream WG Solid Weld Rod 1287333 Multicolor 1290339 TA4 Gateway WG



249 Forest Thickett WB Solid Weld Rod 1287458 Multicolor 1290344 47 Brown

The Solid and Multicolor Weld Rods listed are coordinating recommendations. Other color weld rods can be used for a variety of visual effects.




845 Stroke of Midnight Solid Weld Rod 1291845 Multicolor 1290034 40 Black B *



204 Cobalt Smoke WG Solid Weld Rod 1287832 Multicolor 1290358 48 Grev WG *

TVOC ≤ 10 µg/m3



allergy friendly™ certified

NSF-332 certified gold (UL)

Phthalate free, except

for recycled materials



Recycled Content Pre-consumer 25%

iQ Surface Restoration

roll width = 6'6" nominal (2m)

patterns for availability

roll length = 82'7" nominal (25 m) thickness = see individual

tile sizes = 12" x 12" nominal (305 mm x 305 mm)

24"x 24" nominal (610 mm x 610 mm) 12"x 24" nominal (305 mm x 610 mm)

iQ[™] Granit[™]

HOMOGENEOUS SHEET AND TILE FLOORING

Step it up.

iQ[™] Granit[™]. Tough, youcan't-beat-me construction that'll last the life of the floor without waxing or stripping. Beautiful, nondirectional stone patterns in a range of colors. Plus, homogeneous composition. Which means all that good stuff runs through the entire product, and doesn't just stop at the surface.

iQ Granit is also available in slip-resistant Granit Safe-T and static-dissipative iQ Granit SD.



Coordinating Granit Safe-T available.

Coordinating iQ Granit SD or iQ Toro SC available. 🐐 iQ toro sc pg. 156 🐐 iQ granit sd pg. 157 adhesives pg. 196





453 Narwhal WB Solid Weld Rod 1287324 Multicolor 1290292 11 Canvas WB *



770 Soft Fleece WB Solid Weld Rod 1288255 Multicolor 1290036 11 Canvas WB *



445 Vintage WG Solid Weld Rod 1287531 Multicolor 1290142

195 Ash WG *

463 Pebblestone CB Solid Weld Rod 1287427 Multicolor 1290248 TA3 Castaway CB 🚽



421 Sandlot WB Solid Weld Rod 1291352 Multicolor 1290033 12 Hard Rock WB



434 Latte CB Solid Weld Rod 1287292 Multicolor 1290069 80 Fawn CB *



419 Portland Grey **CB** Solid Weld Rod 1287341 Multicolor 1290061 80 Fawn CB *



410 Queens Ferry WB Solid Weld Rod 1287685 Multicolor 1290329 49 Beige WB *

The Solid and Multicolor Weld Rods listed are coordinating recommendations. Other color weld rods can be used for a variety of visual effects.

* Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.



TVOC ≤ 10 µg/m3 FloorScore® certified and

0......

428 Acorn WB

130 Sisal *

382 Yoga CG

Multicolor 1290028

38 Pewter CG *

408 Wintercrest

591 Sleet x

Solid Weld Rod 1287678

Multicolor 1290321

Solid Weld Rod 1287407

Multicolor 1290023

floor meets CA 01350 CERTIFIED riterational desp riterational asthma &

allergy friendly™ certified

14

372 Grand Canyon WB

286 Fortune Cookie WB *

Multicolor 1290031

Solid Weld Rod 1292372

409 Camellia WB

461 Wicker WB *

Multicolor 1290330



NSF-332

certified gold (UL)

Phthalate free, except

for recycled materials

404 Glendale CG Solid Weld Rod 1287617 Solid Weld Rod 1287686 Multicolor 1290214 TB3 Dover Grev CG >

749 Catalina

Solid Weld Rod 1287509

Multicolor 1290107

192 Tidewater

423 Semolian

473 Bu

Solid Weld Rod 1287249

Multicolor 1290056



iQ Surface Restoration

-

460 Slate Rock CG Solid Weld Rod 1287446 Multicolor 1290151



A part of **ReStart®** program

Recycled Content

Pre-consumer 25%



TA5 Colonial Grev CG *



roll width = 6'6" nominal (2m)

roll length = 82'7" nominal (25 m) thickness = see individual patterns for availability

tile sizes = 12" x 12" nominal (305 mm x 305 mm) 24" x 24" nominal (610 mm x 610 mm) 12"x 24" nominal (305 mm x 610 mm)



464 Creaton

Solid Weld Rod 1287673

Multicolor 1290314

147 South Seas

414 Filbert CB

107 Neutrali

350 Sylar CG

38 Pewter CG

356 Tusk WB

11 Canvas WB *

Solid Weld Rod 1287697

Solid Weld Rod 1287691

Multicolor 1290317

Solid Weld Rod 1287675



411 Prim Rose Solid Weld Rod 1287687 Solid Weld Rod 1287674 Multicolor 1290315 Multicolor 1290331 294 Bigtop >



141

Multicolor 1290039

Solid Weld Rod 1291772

286 Fortune Cookie WB *

772 Sea Stone

782 Mystic Grey CG Solid Weld Rod 1294680 Multicolor 1290043 TB3 Dover Grev CG 🕇

449 Mercury CB

Multicolor 1290144

Solid Weld Rod 1287537

TA8 Welsh Castle CB *





446 Taft WG Solid Weld Rod 1292811 Solid Weld Rod 1287290 Multicolor 1290185 32 Pebble WG *

432 Pixie

139 Glacier

751 Freesia

Solid Weld Rod 1287370

Multicolor 1290052



461 Nightshade CG Solid Weld Rod 1287606 Multicolor 1290168 469 Mystify CG *

14

777 Blue Veranda

139 Glacier a

417 Dahlia

TB5 Sur

Solid Weld Rod 1287682

Multicolor 1290325

Multicolor 1290038

Solid Weld Rod 1291210



383 Homing Pigeon CG Solid Weld Rod 1292383 Multicolor 1290021 TA5 Colonial Grev CG *



447 Huntoon WG Solid Weld Rod 1287170 Multicolor 1290086 32 Pebble WG *









418 Arancia Solid Weld Rod 1287683 Multicolor 1290326 273 Copper Penny *



467 Arugula *



420 Stone Harbor WG Solid Weld Rod 1287333 Multicolor 1290050 32 Pebble WG *

450 Azalea

163 Salsa d

iq granıt[™] micro



351 Tempest CG Solid Weld Rod 1287692 TA5 C



Multicolor 1290320

48 Grev WG *

352 Pebblebrook WG Solid Weld Rod 1287693 32 Pebble WG



weld rods can be used for a variety of visual effects.

357 Concord WB

05 Stone WB

Solid Weld Rod 1287698



358 Checotah WB Solid Weld Rod 1287699 12 Hard Rock WB *

The Solid and Multicolor Weld Rods listed are coordinating recommendations. Other color



Solid Weld Rod 1287677

Multicolor 1290319

448 Sawyer

72 Harbour

375 Hot Chocolate Solid Weld Rod 1292375 Multicolor 1290046 111 Hone

TARKETTNA.COM



407 Aloe Multicolor 1290322 289 Jaded 3



778 Nautical Mile

465 Seafarer

Solid Weld Rod 1287681

Multicolor 1290324

Solid Weld Rod 1287679



Solid Weld Rod 1287036

285 Morning Light WB *

Multicolor 1290070

750 Bexley Solid Weld Rod 1287518 Multicolor 1290116 475 Marsh



Solid Weld Rod 1287676



426 Acadia Solid Weld Rod 1287332 Multicolor 1290059 289 Jaded *





405 Vine Solid Weld Rod 1287588 Multicolor 1290328



Coordinating Granit Safe-T available.

Coordinating iQ Granit SD or iQ Toro SC available. 🐐 iQ toro sc pg. 156 🐐 iQ granit sd pg. 157 adhesives pg. 196







415 Woodruff CB Solid Weld Rod 1287680 Multicolor 1290323 283 Toast 3



451 Noble Solid Weld Rod 1287645 Multicolor 1290316 162 Sovereign



14,

462 Midnight Storm WG Solid Weld Rod 1287491

435 Eclipse CG Solid Weld Rod 1288327 Multicolor 1290027

48 Grev WG *



431 Mystic CG Solid Weld Rod 1287322 Multicolor 1290083 38 Pewter CG *



384 After Midnight B Solid Weld Rod 1292384 Multicolor 1290035 40 Black B *



353 Utonia CG Solid Weld Rod 1287694 TA5 Colo



354 Guster CB Solid Weld Rod 1287695 TA3 Casta



355 Spano CB Solid Weld Rod 1287696 80 Fawn CB



359 Lantana WB Solid Weld Rod 1287700 461 Wicker WB 🛪



360 Meadows Solid Weld Rod 1287701 289 Jaded *



361 Scholti Solid Weld Rod 1287702 192 Tidewater

* Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.

TVOC ≤ 10 µg/m3

floor

Outrian

iQ[™] Natural

HOMOGENEOUS SHEET FLOORING

FloorScore® certified and meets CA 01350





Pre-consumer 25%

OTarkett





roll width = 6'6" nominal (2m) roll length = 82'7" nominal (25 m)





282 Sesame Seed WB Solid Weld Rod 1296012 Multicolor 1297012 49 Beige WB *

283 Sand Dunes Solid Weld Rod 1296013 Multicolor 1297013 130 Sisal *







276 Waterfall WB Solid Weld Rod 1296006 Multicolor 1297006 22 Pearl CB *

280 Pelican WG Solid Weld Rod 1296010 Multicolor 1297010 24 Grev Haze WG

288 Marshland WB Solid Weld Rod 1296018 Multicolor 1297018 129 Silk WB 🕇





291 Ivy Solid Weld Rod 1296021 Multicolor 1297021 460 Cotton :



Multicolor 1297002

460 Cotton W *



273 Nimbus CG Solid Weld Rod 1296001 Multicolor 1297001 38 Pewter CG *

The Solid and Multicolor Weld Rods listed are coordinating recommendations. Other color weld rods can be used for a variety of visual effects.


Unify.

We think you'll agree, the more you can achieve with a single product, the better. So we combined the durability of iQ construction with the beauty of Melodia[™] 2.0 to create iQ Natural. With a revolutionary plasticizer made from 75% natural and 16% renewable resources, it's a natural choice for more earthfriendly design—without compromising style and strength.

289 Canopy Solid Weld Rod 1296019 Multicolor 1297019 151 Iguana

Solid Weld Rod 1296020 Multicolor 1297020 TH1 Gle

290 Prairie







286 Orange Peel Solid Weld Rod 1296016 Multicolor 1297016 TG Snc W



284 Light Molasses Solid Weld Rod 1296014 Multicolor 1297014 113 Chestnutty



285 Poppy Solid Weld Rod 1296015 Multicolor 1297015 TB6 Flame >



281 Rye Seed WB Solid Weld Rod 1296011 Multicolor 1297011 461 Wicker WB



277 Natural Terrain WB Solid Weld Rod 1296007 Multicolor 1297007 49 Beige WB *



278 Sea Otter CB Solid Weld Rod 1296008 Multicolor 1297008 283 Toast *



292 Bayside Solid Weld Rod 1296022 Multicolor 1297022 58 Windsor Blue



293 Open Seas Solid Weld Rod 1296023 Multicolor 1297023 58 Windsor Blue



294 Fresh Blueberry Solid Weld Rod 1296024 Multicolor 1297024 84 Blue Jeans >



274 Shadow CG Solid Weld Rod 1296004 Multicolor 1297004 71 Storm Cloud CG

offering, reference color guide in back.



279 Bayou Solid Weld Rod 1296009 Multicolor 1297009 47 Brown >

* Suggested Tarkett colors for finishing borders (wall base). For our complete color



275 Nocturnal B Solid Weld Rod 1296005 Multicolor 1297005 40 Black B *

floor score FloorScore® certified Q-SWSparso and meets CA 01350

NSF-332 certified gold (\mbox{UL})



Ex10 pp/m² ther Indoor

TVOC ≤ 10 µg/m3


Phthalate free, except for

recycled content **Recycled Content** Pre-consumer 25%

roll width = 6'6" nominal (2m)

roll length = 75' 9" nominal (25 m)

tile sizes = 12" x 12" nominal (305 mm x 305 mm) 24"x 24" nominal (610 mm x 610 mm) 12"x 24" nominal (305 mm x 610 mm)



rey CG *

Multicolor 1290167 TA5 Colonia



970 Annapolis WB Multicolor 1290200 05 Stone WB *





976 Aloe Plant Multicolor 1190177 TH1 Glenha

701 Dove Grey CG Multicolor 1290356 21 Platinum CG *



717 Flint Grey Multicolor 1290170

38 Pewter CG *

773 Rock Pool

08 Icicle W 🕇



720 Riverbank Clay Multicolor 1290392

283 Toast *

974 Rye Bread WB

Multicolor 1290175

49 Beige WB *

Multicolor 1290203

55 Silver Grey WG *

725 Expresso Bean Brown Multicolor 1290309 47 Brown 🕇





774 Swimming Pool Blue Multicolor 1290397 Multicolor 1290398 58 Windsor Blue 🕇






Multicolor 1290405 34 Almond W *



786 Palomino

* Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.





972 Beachside WB Multicolor 1290128 TA3 Castaway CB *



460 Cotton W *

969 Quartz WB Multicolor 1290172



967 Nimbus CG Multicolor 1190237 38 Pewter CG *

964 Silver Lining CG Multicolor 1290167 TA5 Col ial Grev CG *



963 Ermine CG Multicolor 1290214 TB3 Dover CG *



11 Canvas WB *

The Solid Weld Rods listed are coordinating recommendations. Other color weld rods can be used for a variety of visual effects.





968 Anchor CG Multicolor 1290171 TA6 Bedrock CG



979 Mariblue Multicolor 1290205 106 Skinny Dip *



975 Sage Green CB Multicolor 1290176 TH1 Glenha en CB *



707 Black Ice B Multicolor 1190390 40 Black B *



708 Volcanic Ash Multicolor 1290391 TA4 Gateway WG



709 Grey Cashmere Multicolor 1290122 469 Mystify CG *



Multicolor 1290393 461 Wicker WB >



768 Terra Cotta Multicolor 1290394 113 Che



769 Green Olive Multicolor 1290395 151 Iguana *



776 Fuschia Multicolor 1290400 68 White Sand W



783 Red Clay Multicolor 1290402 TG8 Spicy Chip *



784 Orange Marigold Multicolor 1290403 68 White Sand W *

floor score FloorScore® certified Q 55 Williams and meets CA 01350

HOMOGENEOUS SHEET AND TILE FLOORING

O

6

Coordinate

your

efforts.

Aria[™] 2.0. is formulated with the same balance of performance, aesthetics

Melodia[™] 2.0, but offers something more. Available in 24 colorways designed

and economics as

NSF-332 certified gold (\mbox{UL})



program

TVOC ≤ 10 µg/m3



Recycled Content Pre-consumer 25% roll width = 6'6" nominal (2m)

roll length = 75' 9" nominal (25 m)

tile sizes =

12" x 12" nominal (305 mm x 305 mm) 24"x 24" nominal (610 mm x 610 mm) 12"x 24" nominal (305 mm x 610 mm)




Multicolor 1290159

11 Canvas WB *



673 Urban Legend Multicolor 1290225 38 Pewter CG 🕇





672 Diorite CG Multicolor 1290220 TB3 Dover CG *

675 Quartzite WB 640 Light Green Quartz Multicolor 1290229 460 Cotton W * Multicolor 1290383 460 Cotton W *





TA3 Castaway CG *



065 Fazed Grey Solid Weld Rod 1287880 23 Vapor Grey CG *





The Solid Weld Rods listed are coordinating recommendations.

066 Bird Egg Beige Solid Weld Rod 1287459




Multicolor 1290158

05 Stone WB *

064 Beach Stone Solid Weld Rod 1287459 38 Pewter CG *

DTarkett





655 Gypsy Moth CB Multicolor 1290156 121 Cement CB *



652 Gravel CG Multicolor 1290153 TA5 Colonial Grey CG *



659 Brown Sugar WB Multicolor 1290160 49 Beige WB *



600 Silver Fox Multicolor 1290377 55 Silver Grev WG *



068 Limestone Solid Weld Rod 1292393 05 Stone WB *

From flooring to bases to transitions, these options were designed to coordinate perfectly. Eliminating guesswork and allowing you to design with ease.

> COORDINATING MELODIA2.0 980 Blueberry

ARIA 2.0 665 Blue Iris COORDINATING WALLBASE 70 Bluest

* Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.

FloorScore[®] certified and meets CA 01350



TVOC ≤ 10 µg/m3

Phthalate free, except for

recycled content

Recycled Content Pre-consumer 25.5% **tile sizes** 12"x12" (305mm x 305 mm) 12"x24" (305 mm x 610 mm)

24"x24" (610 mm x 610 mm)

roll = 6' 6" x 75' 9" thickness = .080" (2 mm) adhesives pg. 196



482 Brown Velvet CB TA8 Welsh Castle CB * Weld Rod 1287373

485 Funnel Cake 129 Silk WB * Weld Rod 1287439




498 Cobblestone CG TA5 Colonial Grey CG * Weld Rod 1287027



912 Sandlot 22 Pearl CB * Weld Rod 1287334

913 Ginger Root WB **49** Beige WB ***** Weld Rod 1287098



73 Palm Leaf ***** Weld Rod 1287450



924 Moonscape CG TB3 Dover Grey CG * Weld Rod 1287446



HOMOGENEOUS VINYL SHEET FLOORING

Gentle design. Tough construction.

With the gently striated appearance of soft linen, Standard Plus offers a beautiful tone-on-tone palette in 14 colorways, all carefully selected to coordinate with the entire Tarkett portfolio. From education to workplace and beyond, Standard Plus combines durable performance with competitive pricing, all while delivering great design. Choose between homogeneous tile and sheet formats-both are phthalate free, FloorScore® Certified, and made with 25% preconsumer recycled content.

O Tarkett





492 Surf 84 Blue Jeans ***** Weld Rod 1291210



497 Light Grey W 50 White **W *** Weld Rod 1287338



910 Seahaze CB 31 Zephyr CB * Weld Rod 1292319



911 Morning Dove 80 Fawn **WB *** Weld Rod 1287291



914 Offshore WB 45 Sandalwood WB * Weld Rod 1287597



915 Sherwood WB 107 Neutrality WB * Weld Rod 1287380

FloorScore[®] certified and meets CA 01350

A part of **ReStart®** program

e tart

TVOC ≤ 100 μg/m3

Phthalate free, except for

recycled content



roll width = 6'6" nominal (2m) roll length = 76' nominal (23 m) thickness = .080" (2 mm)

Acczent[®] Flourish

HETEROGENEOUS SHEET FLOORING

Weave it all together.

Get the hygienic performance and low maintenance of heterogeneous vinyl sheet-but with the look and feel of LVT. Acczent Flourish is a collection of three textile-inspired designs, each with the feel of a softly woven linen. The three patterns are designed to coordinate and work together to add warmth and dimension to the space. Its 32mil wear layer remains tough under heavy traffic, and our UV-cured polyurethane reduces the need for polish and spray buffing.





Acczent Flourish. Weave it all together.

THRIVE

Start with this foundational pattern, typically seen in main walkways and corridors. Thrive delivers the soft look of a nonlinear weave, reminiscent of hand-fashioned textiles, and sets a soothing tone throughout the space.



INSPIRE

Building on the Thrive pattern, Inspire adds a subtle crisscrossing wave element that fades in and out of sight, hinting at an embellishment or an embroidered stitch. This added texture creates visual interest in highlighted spaces, such as room transitions or seating areas.

PROSPER

Using Thrive again as the base pattern, Prosper adds strands of rich color and a more heavily defined linear texture. By placing more visual weight on each stitch, Prosper carries greater depth and dimension, making it ideal for areas where more color contrast is desired. THRIVE

score FloorScore® certified Q 27 422 and meets CA 01350

A part of **ReStart®** program

TVOC ≤ 100 µg/m3

Phthalate free, except

INSPIRE

for recycled content



Recycled Content Pre-consumer 23% roll width = 6'6" nominal (2m) roll length = 76' nominal (23 m) thickness = .080" (2 mm)

401 Solstice WB Solid Weld Rod 1294728 TA1 Tannery WB *

409 Enrich CB Solid Weld Rod 1287713

403 Kindred WG Solid Weld Rod 1287290 24 Grey Haze WG *

406 Stability CG Solid Weld Rod 1287454 TA6 Bedrock CG *

405 Serenade WG

Solid Weld Rod 1287382 32 Pebble WG *

280 Sł

PROSPER





302 Tranquility **CB** Solid Weld Rod 1291839 TA3 Casta



307 Connection WG Solid Weld Rod 1291215 27 Mist WG *



304 Essence CB Solid Weld Rod 1287497 80 Fawn CB *



308 Reflection CG Solid Weld Rod 1287278 TA5 C rev CG

Color Foundations" is our commitment to always have representation across six key neutral palettes. We've identified Color Foundations neutrals in the following way: WB (warm beige), CB (cool beige), WG (warm grey), CG (cool grey), B (black), W (white).

208 Reflection CG Solid Weld Rod 1287374 TA5 Colonial Grey CG *

204 Essence Cl

* Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.



Solid Weld Rod 1287457 32 Pebble WG *



408 Reflection CG Solid Weld Rod 1287374 TA5 Colonial Grey CG *



ssence CB /eld Rod 1287284 n CB *







Acczent® HETEROGENEOUS SHEET FLOORIN

Overachieve.

Smarter is always better, so we're sending the Acczent® Collection to the head of the class. The look of sophisticated hardwoods, stylish concrete and elegant tissé patterns, in easy-tomaintain vinyl. Now that's brilliant. With a durable UV-cured, factory applied polyurethane wear layer, the Acczent Collection is as tough as it is beautiful.





score[®] certified Q 27 422 and meets CA 01350



TVOC ≤ 10 µg/m3

recycled content

Phthalate free, except for

Recycled Content Pre-consumer 30% roll width = 6'6" nominal (2 m) roll length = 76' nominal (23 m) thickness = .080" nominal (2 mm) adhesives pg. 196

ACCZENT[®] WOODS



29013 Allover Wood Black CG | Solid Weld Rod 1287548 TA6 Bedrock CG *



29011 Allover Wood Grege WB | Solid Weld Rod 1287437 49 Beige WB *



29012 Allover Wood Brown WB | Solid Weld Rod 1287492 45 Sandalwood WB *



29005 Long Modern Oak White W | Solid Weld Rod 1289538 TA3 Castaway CB *



29010 Long Modern Oak Natural WG | Solid Weld Rod 1287153 130 Sisal 3

Color Foundations" is our commitment to always have representation across six key neutral palettes. We've identified Color Foundations neutrals in the following way: WB (warm beige), CB (cool beige), WG (warm grey), CG (cool grey), B (black), W (white).



29006 Long Modern Oak Black B | Solid Weld Rod 1287576 44 Dark Brown B *



29007 Long Modern Oak Brown | Solid Weld Rod 1287013 TB1 Pep orn 🗙






TA7 Rusty Nail *

TA7 Rusty Nail *







29009 Long Modern Oak Natural Brown | Solid Weld Rod 1287664 TA2 Saddlebrook WB *



30008 Walnut Dark | Solid Weld Rod 1287663 47 Brown *



30000 Cabreuva Red WB | Solid Weld Rod 1287050 TA7 Rusty Nail 3



TA7 Rusty Nail *




81029 Light Cherry WB | Solid Weld Rod 1287050 TA7 Rusty Nail

The Solid Weld Rods listed are coordinating recommendations. Other color weld rods can be used for a variety of visual effects. * Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.

TARKETTNA.COM





a start A part of **ReStart®** program

ACCZENT®WOODS (CONT.)



81031 Brazilian Cherry | Solid Weld Rod 1287360 113 Chestnutty *



81100 French Oak White W | Solid Weld Rod 1287178 TA3 Castaway CB *



81001 French Oak Medium Grey CB | Solid Weld Rod 1287373 TA8 Welsh Castle CB *



81000 French Oak Dark Grey WG | Solid Weld Rod 1287537 29 Moon Rock WG *



30026 Brushed Oak Medium WG | Solid Weld Rod 1287546 TA4 Gateway WG *







Recycled Content

Pre-consumer 30%

TVOC ≤ 10 µg/m3

recycled content

Phthalate free, except for

25003 Grey Beige CB | Solid Weld Rod 1291839 TA3 Castaway CB *



25002 Chalk WG | Solid Weld Rod 1291214 27 Mist WG *




25000 Cool Grey CG | Solid Weld Rod 1287254 TA5 Colonial Grey CG *



25004 Warm Grey CB | Solid Weld Rod 1287537 80 Fawn CB *



25005 Dark Brown | Solid Weld Rod 1287660 TB1 Pepperc



ACCZENT® CONCRETE (CONT.)



25001 Dark Grey CG | Solid Weld Rod 1297647 TA4 Gateway WG

ACCZENT® ZEN



TA1 Tannery WB *



82022 Grey CG | Solid Weld Rod 1287457 TA5 Colonial Grey CG *



82014 Brown CB | Solid Weld Rod 1287373 TA8 Welsh Castle CB *



82003 Warm Grey WG | Solid Weld Rod 1287308 32 Pebble WG *

ACCZENT® TISSE



TA1 Tannery CG *



TA8 Welsh Castle CB *





32 Pebble WG

The Solid Weld Rods listed are coordinating recommendations. Other color weld rods can be used for a variety of visual effects.

* Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back. floor score FloorScore® certified Q-SWSparso and meets CA 01350

NSF-332 certified gold (\mbox{UL})



€-10_{ppin}/

A part of ReStart® program

TVOC ≤ 10 µg/m3



Recycled Content

Pre-consumer 25%

roll width = 6'6" nominal (2m)

roll length = 75' 9" nominal (25 m)

tile sizes =

12" x 12" nominal (305 mm x 305 mm) 24"x 24" nominal (610 mm x 610 mm) 12"x 24" nominal (305 mm x 610 mm)



Blanco W 50 White W *



55023 Rubberwood Beechwood WG 55 Silv WG *





55024 Rubberwood Myrtle CB 80 Fawn CB *

55002 Mission Oak 55004 Mission Oak Golden Glaze WB Laurel CB TA1 Tannery WB * 79 Bone White W *





55005 Mission Oak Antique Oak CB 283 Toast *

55003 Mission Oak Seasoned Oak WB 284 Gana

Prima CG


Grey CG *

23 Vap



Letterwood CB

47 Brown



The Solid Weld Rods listed are coordinating recommendations. * Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.

Performa HETEROGENEOUS SHEET FLOORING

No compromise.

ful in

Performa[™] delivers all the style and strength you need, at a price your project can afford. With contemporary visuals, polyurethane coating and 25 mil wear layer, these stylish designs help you create warm, inviting spaces on time and on budget. Choose between 6 or 12-foot rolls for added speed and flexibility during installation. Each Performa design features the look of natural wood or stone-combining beauty, strength and value in one comprehensive solution.





55011 Urban Ash New Maple WB 461 Wicker WB *



55014 Urban Ash Blanco W **101** S



55013 Urban Ash Magnolia **WB** TA7 Rusty Nail *



55021 Urban Ash Paela **WB** 45 Sa od WB *



55015 Urban Ash Ironwood CG 168 Thunder



55016 Urban Ash Aspen W 460 Cotton W *



55031 Stonework Dover 32 Pebble WG *



55033 Stonework Grey Sand TA5 Colonial Grey CG *



55032 Stonework Castlerock 55 Silver Grey WG *

We've identified Color Foundations" neutrals in the following way: WB (Warm Beige), CB (Cool Beige), WG (Warm Grey), CG (Cool Grey), B (Black), W (White)

.


TARKETTNA.COM

floor score FloorScore® certified 0000 and meets CA 01350

TVOC ≤ 10 µg/m3

Phthalate free

A part of **ReStart**® program







CG501 Half-n-Half W 68 White Sand W *

CG503 Ginger Ale WB



CG504 Smooth Sand WB

11 Canvas WB *

1 -

CG512 Warm Day CB 80 Fawn CB 3



CG405 Cinder White CG

23 Vapor Grey CG *

CG410 Camel

adhesives pg. 196

CG402 Black & White W 08 Icicle W 🕏

CG508 Cooler CG CG511 Cool Crete CG 23 Vapor Grey CG * 38 Pewter CG 🕏







CG518 Tide Bubbles 92 Blue Ladoon

CG505 On The Green 151 Iduana



CG516 SeaSun

CG515 Phlox 41 Sea Breeze *

CG526 Penny

TA7 Rusty Nail >



CG517 Hedgey

CG523 Bluebells

CG528 Pom Poms

113 (

84 Blue Jeans

190 Greege



282 Vaporize

CG520 Blossom TB2 Boxwood *



CG531 Sunny Day

TG1



CG532 Racer



Recycled Content

Post-consumer 5%



CG506 Sponge Beige WB 129 Silk WB



CG404 Pumice WG 24 Grey Haze WG 🛪



CG409 Ginger WB



CG507 Sweet Pea TH1 Glenhaver



CG524 Crocus 23 Vapor Grey CG *



CG529 Speedy 163 Salsa CG



CG533 Queen Anne B wn R 🖈



CG412 Heather WG list WG 🛪



CG509 Campy WG 29 Moon Rock WG *



CG527 Golden



CG514 Violet Fields WG TG6 Mink WG *



CG403 Loam WG 20 Charcoal WG *



CG534 Blanket Brown 284



CG522 Spring Leaf



CG502 Picnic Basket CB 31 Zephyr CB *



CG510 Grille Grey WG 32 Pebble WG >



CG513 Splash CG 38 Pewter CG *



CG521 Beckon Blue 58 Windsor Blue >



CG519 Peabody 73 Palm Leaf >



CG401 Onyx B 40 Black B *



CG525 Aster



Karim Kolors and Shapes. Go boldly.

Designed exclusively by Karim Rashid, Karim Kolors and Shapes boldly transform a space and infuse it with creative energy. Karim Kolors are available in 16" x 16" square tiles, as well as four unique geometric shapes to push the design envelope even further.

Karim Shapes are available for all Cortina Grande® Solid Vinyl Tile SKUs.







CG489 Khite W 08 Icicle W *

CG482 Koise 192 Tidewater * CG486 Kink 08 Icicle W *










CG485 Kurp 162 Sovereign *

CG487 Krose 01 Snow White W *

CG484 Klue 106 Skinny Dip *

FOUR UNIQUE SHAPES IN ADDITION TO 16" x 16" SQUARES









CG488 Korange 62 Tangerine Tango *



CG483 Klime 50 White W *



*Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.

score FloorScore® certified Q STATE and meets CA 01350




Color Essence

TVOC ≤ 10 µg/m3 Phthalate free, except

for recycled materials

Recycled Content Pre-consumer 23% Post-consumer 6% **tile size** = 12" x 12" (305 mm x 305 mm) thickness = 1/8" (3.2 mm) Slip-resistant options available.



27 Mist WG *



CE103 White Chocolate W 68 White Sand W *






X

CE108 Hopscotch WB

Silk WB *

50 White W *



CE107 Champagne WB 11 Canvas WB

CE109 Lakefront CG 262 Drizzle CG *



129 3

CE114 Haze 199 Dockside *

CE115 Ginger WB 49 Beige WB *



CE113 T-Leaf

151 Iguana *







CE124 Meadow ather Green 🛪







CE126 Coast /indsor Blue 🗶

CE127 Pretty Putty CB 121 Cement CB

X








CE131 Thunderstruck WG 199 Dockside WG *

CE132 Maple Syrup 132 Espresso >

CE133 Amaized 130 Sisal *



VE

VINYL ENHANCED T

With 51 color choices and endless combinations of pattern and design, it's easy to create inviting spaces that motivate and inspire. Color Essence[™] VET is a costeffective solution with a factoryapplied surface treatment that keeps high-traffic areas flowing and maintenance costs low. And with pre- and postconsumer recycled content and coordinating accessories, it's easy to achieve satisfaction all the way around.



O Tarkett



CE122 Blue Bayou







CE104 Warm & Fuzzy CB 31 Zephyr CB *



CE110 Misty Mountain 282



CE116 Peanut Butter 33 Adobe Peach *



CE105 Hub Cap CG 23 Vapor Grey CG *



CE111 Misterious 282



CE117 Just Offshore TB3 Dover CG *



awn CB 🖌



CE121 Tranquility 23 Vapor Grey CO



CE119 Julep

TH1

CE128 Axel WG 29 Moon Rock WG *




CE143 Grape 162 Sovereign *



CE129 Wild Blue Yonder 84 Blue Jeans *



CE144 Uniformity 106 Skinny Dip 🕯



CE130 Blue 4 U 84 Blue Jeans



CE146 Fizz TG8 Spicy Chip *



CE106 Cool Idea CG 21 Platinum CG *



CE112 Ale WB 09 Clay WB *



CE118 Fender CG 38 Pewter CG *



CE120 Snuggle Up CB

score FloorScore® certified and meets CA 01350 Q 27 122

A part of **ReStart®** program

a start

TVOC ≤ 10 µg/m3

Phthalate free, except

for recycled materials

Recycled Content Pre-consumer 23% Post-consumer 6% tile size = 12" x 12" (305 mm x 305 mm) thickness = 1/8" (3.2 mm) Slip-resistant options available.

CE134 Canyon 113 Chestnutty *



CE135 Color of Money 190 Greege *

CE136 Breakwater 41 Sea Breeze *







CE138 Sleepy CG CE139 Wink Storm Cloud CG * 14 Tropical Storm *




CE140 Mariner 84 Blue Jeans *




71

CE141 Candy Corn TG7 Canary *

CE142 Red Hot TB6 Flame *



* Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.



CE147 Cut Grass 86 Hunter Green 🛪



CE150 Forever Green 86 Hunter Green *



CE148 Velvet Underground 14



CE151 Late Night 18 Navy Blue *



CE149 Chocolatier 284 Ganache *



CE152 Lights Out B 40 Black B *

score FloorScore® certified Q STATE and meets CA 01350



TVOC ≤ 10 µg/m3 Phthalate free, except

1.1.1.1

for recycled materials

Recycled Content Pre-consumer 23% Post-consumer 6% tile size = 12" x 12" (305 mm x 305 mm) thickness = 1/8" (3.2 mm) adhesives pg. 196



24 Grey Haze WG *



AT103 Warm Sand WB 31 Zephyr CB *





11 Canvas WB *

AT109 Oxide CB


ent CB *

121

AT104 Gray Rock WG WG

AT118 Rose Quartz CB 22 Pearl CB 🛪





AT123 Adelite CB TB3 Dover CG *

AT110 Assuro CG 71 Storm Cloud CG *



TB1 Peppe



AT108 Copper WB 09 Clay WB *

AT121 Humite AT122 Barite CG 27 Mist WG *

AT124 Cobaltite CG 38 Pewter CG *




AT125 Amethyst CB

AT126 Pyrite WG 27 Mist WG *



AT111 Cassel B 40 Black B *







irev CG 🛪

AT114 Black Earth B 40 Black B 🛪

* Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.

Make your masterpiece.

Azterra VINYL ENHANCED TILE

Azterra[™] VET achieves the look of marble infused with granite-like particles to create a chic, terrazzoinspired floor tile. Its UV-cured, factory-applied polyurethane surface treatment stands up to heavy traffic and requires less maintenance from the start. Available in 23 colors, Azterra is ideal for areas that receive less routine maintenance, keeping ROI up and life-cycle costs down.





AT105 Perla CB 27 Mist WG *



AT119 Amber WB TA1 Tannery WB *




AT107 Mineral CG 38 Pewter CG *



AT112 Ferrous



AT120 Moonstone CB TA8 Welsh Castle CB *



FloorScore[®] certified and meets CA 01350



TVOC ≤ 10 µg/m3

Phthalate free, except

for recycled materials

O Tarkett

Recycled Content Pre-consumer 15% Post-consumer 1.9% **tile size** = 12" x 12" (305 mm x 305 mm) **thickness** = 1/8" (3.2 mm) adhesives pg. 196



Classic essentials.

Tarkett VCT brings great design and outstanding value together in a long-trusted solution for education and retail environments. This efficient color palette offers 29 of our most popular colorways, including contemporary neutrals and pops of color for branding accents. Constructed with 85% limestone, this hardworking staple is phthalatefree, FloorScore® certified, and 100% post-consumer recyclable right back into VCT.





1367 Sierra Beige 49 Beige WB *



1862 Cane 50 White W *

 1365 Dark Taupe
 1314 White Grey

 TG6 Mink WG *
 50 White W *





1364 Dark Gray1310 White BlueTG3 Iron Mountain CG *50 White W *

1374 Charcoal TG4 Black Magic B *



1379 Red

15 Cabernet >





1278 Merlot 85 Burgundy *

1786 Cloudy Day 262 Drizzle CG *







1320 Refined White Multi 50 White W *

1240 Limeaid 73 Palm Leaf * 1298 Clover 59 Heather Green *



1789 Sugar Cane 08 Icicle W *



1324 Cool Gray TG2 Shark Fin CG *



1328 Black White 40 Black B *



1824 Sand Castle 31 Zephyr CB *



1318 White Black TB3 Dover CG *



1336 Yellow TG1 Snowbound W *



1345 Beige Taupe 195 Ash WG *



650441531 Cooler Gray TB3 Dover CG *



1608 Orange Crush 62 Tangerine Tango *



1350 Blue Lagoon 84 Blue Jeans *



VS300 Black 50 White W *




1370 Hudson Blue 18 Navy Blue *

VS304 White

TG4 Black Magic B *



1238 Ocean Tide 92 Blue Lagoon



Multi-Functional/Sports Flooring

Meet our MVP lineup. With heroic strength and all-star comfort, these flooring surfaces are built for long-distance performance.


130 Triumph and Inertia®

138 Training®

136

140 Slidelock®

MULTI-FUNCTIONAL/ SPORTS FLOORING









Bronze certified

Cradle to Cradle

6/10/422

textures pg. 29 adhesives pg. 196

TRIUMPH / INERTIA® - STANDARD SPECKLED





LD7 Lunar Explorer WG

29 Moon Rock WG *


LB4 Mottled Egg WG 24 Grev Haze WG *

LB2 Great Plains WB 49 Beige WB *



LE4 Log Cabin CB 80 Fawn CB *

KJ6 Grey Area CG 23 Vapor Grey CG * 38 Pewter CG *




LB9 Rainstorm WG 20 Charcoal WG *

LC7 Best Seller CG

KK3 Tea Leaves 59 Heather Green 🚽 KJ9 Forestation 86 Hunter Green 🕏







KL3 Bright Sun TG1 W - KL2 Passion TB6 Ela





r Blue ★

KJ2 Tidal

KN6 Plainer WB

49 Beige WB *

KJ8 Strong Blue

KJ1 Marino 18 Navy Blue *

TRIUMPH / INERTIA® - STANDARD MESTO







KN5 Lucky WB od WB * KN2 Expedition WG 29 M Rock WG *



It's all about teamwork.

For optimal coordination, Triumph and Inertia[®] are available in identical colorways. Choose from 20 Standard Speckled and 6 Mesto[®] colorways, all in our Hammered texture. Solid colors available by special request.







It's all about teamwork. For optimal coordination, Triumph and Inertia® are available in identical colorways. Choose from 20 Standard Speckled and 6 Mesto® colorways, all in our hammered texture. Solid colors are also available by special request.



KK6 Fortunate WB 130 Sisal *



KJ4 Cocolite 149 Milk Chocolate *



KJ3 Brownout 47



KJ5 Browns Town

KN1 Rainy Day WG

WG 🚽

20 C



LB8 Vortex B



KN3 Bluer 70 Bluest 🕇



KN4 Tree Top Green 🛪

134 MULTI-FUNCTIONAL/SPORTS

Triumph Standard Speckled

Never hurts to start off a few steps ahead. And that's what you get with Triumph flooring. Tough, flexible and performance-ready, this floor is engineered to hold up under constant traffic, sports activities and heavy sporting equipment. Made of 3/8" rubber, Triumph absorbs noise and resists impact, shock, spikes and skates. It's ideal for any high-energy application. And with a wide range of solid and patterned colors, everybody wins.

dressing rooms²

- locker rooms²

- pro shops²

ASTM D 2047 slip resistance

Cradle to Cradle

Bronze certified

Recycled Content

Pre-consumer 53%

3/8"

APPLICATIONS

fitness centers

TRIUMPH

- workout rooms
- ski lodges
- ice rinks 1
- weight rooms - golf course

indoor facilities1

- indoor stadium tunnels² - physical therapy rooms³ - retail, office and public areas

TRIUMPH WITH HAMMERED TEXTURE	Thickness	Speckled	Mesto [⊗]	Prima® Marbleized [™] and Olio®	Solid Colors
Square Edge Tile 24" x 24"	3/8"	20 colorways available	6 colorways available	SO	SO
Interlocking Tile 24"x 24" (23"x 23" net)	3/8"	20 colorways available	6 colorways available	SO	SO
SlideLock® Tile 24*x 24* net (studded back)	3/8"	20 colorways available	6 colorways available	SO	SO

Matching accessories available in solid colors (not skate and spike resistant).

- For more detailed information regarding product features, installation, maintenance, specifications and case study installations, visit tarkettna.com.
- Interlocking tiles may be used where lightweight rolling loads are present.

Rolling traffic is not permitted over SlideLock tile.

SO = Special Order

- ¹ Specify Square Edge or Interlocking only
- ² Specify Square Edge or Interlocking for ice skate blade and spike traffic
- ³ Specify Square Edge or Interlocking for wet areas
- ⁴ Specify Square Edge only
- ⁵ Triumph is not oil and grease resistant
- Note: SlideLock requires different maintenance than Square Edge and Interlocking profiles.

performance areas. Now that's an accomplishment you simply can't beat.

APPLICATIONS

- fitness centers
- workout rooms

dressing rooms¹

locker rooms¹

- ski lodges
- Square Edge Tile 24" x 24" 20 colorways 6 colorways 1/4" SO available available (smooth back) SlideLock® Tile 24" x 24" net (studded back) 20 colorways 6 colorways 1/4" SO available available SlideLock Tile 24" x 24" net 3/8" SO SO SO (studded back)

Matching accessories available in solid colors	SO = Special Order
(not skate and spike resistant).	¹ Specify Triumph Square Edge and I
For more detailed information regarding product	for ice skate blade and spike traffic
features, installation, maintenance, specifications and case study installations, visit tarkettna.com.	² Specify Square Edge and Interlockir for wet areas
Interlocking tiles may be used where lightweight rolling loads are present.	³ Inertia is not oil and grease resistan
Rolling traffic is not permitted over SlideLock tile.	Note: SlideLock requires different ma Square Edge and Interlocking profiles

extreme activity. Identical to Triumph aesthetically, Inertia also blends with it seamlessly. This allows you to achieve various levels of functionality within high-

INERTIA®



ASTM D 3389 abrasion: <1.0 gram/1,000 cycles

ASTM DIN 18035 basketball recovery test value at 99%

textures pg. 29

adhesives pg. 196

Phthalate free, except

for recycled materials

ASTM E 662/NFPA 258, 450 or less smoke rating

ASTM F 970 static load limit: 0.0% residual indentation at 250-lb load

ASTM D 2240 hardness: 70 SHORE A

ASTM E 648/NFPA 253 Class 1

floor score

0.000

FloorScore® certified

and meets CA 01350

A part of ReStart® program

- - - retail, office and

pro shops¹



indoor stadium tunnels¹



Let's end the rival between price and performance. This 1/4" rubber floor provides

a more affordable alternative to Triumph, for applications that don't involve such


Casto

Cradle to Cradle

Bronze certified

textures pg. 29

adhesives pg. 196





A part of ReStart® program

- correctional facilities⁴

production areas⁵

- daycare centers

- assembly and

score

000000

Recycled Content

1/4" profiles pre-consumer 53% 1/4" profiles pre-consumer 53%

Phthalate free, except for recycled materials

1/4"

Rapidly Renewable Resources			
1/4	1" profiles 5%		
3/8	3" profiles 7%		
AS	TM D 2047 slip resistance		
AS	TM D 2240 hardness: ≥ 85 SHORE A		
AS	TM D 3389 abrasion:		
<1.	0 gram/1,000 cycles		
AS	TM E 648/NFPA 253 Class 1		
AS	TM E 662/NFPA 258, 450 or less smoke rating		

 correctional facilities daycare centers

 assembly and production areas³

۰ď	Solid Colors
:u ©	Solid Colors
	SO
	SO
	SO

Interlocking

king

ant

naintenance than es



floor FloorScore® certified Q 20100 and meets CA 01350

A part of **ReStart**® program

a the second


Recycled Content Post-consumer 92%

textures pg. 29 adhesives pg. 196

O Tarkett

Rapidly Renewable Resources All profiles 7%

ADA slip-resistance recommendations of 0.6 for flat surfaces and 0.8 for ramps ASTM D 2047 slip resistance ASTM D 2240 hardness: 65 SHORE A ASTM F 970 static load limit: 0.0% residual indentation at 250-lb load







RA2 Infrared TB6 Flame a



40 Black B *



TG7 Canary >

520 Sandusky B 22 Pearl CB

RA6 Mantis 474 Zen 🛪

* Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.

84

RA5 Bluestone



INTERLOCKING TRANSITION FOR REPLAY


Replay is available in Interlocking tiles for loose-lay applications, square tiles for permanent placement or sheet for more seamless installations. Complete installation of Interlocking tile edges with our transition that creates a safe passage to the new floor.

Replay MULTI-FUNCTIONAL AND SPORTS FLOORING


Game on.

Replay[®] knows all about performance enhancement. Made from recycled rubber tires, this floor is remarkably resistant to the impact of golf spikes, ice skate blades, cleats, barbells and heavy rolling equipment. It also absorbs shock to athletes' backs and joints, as well as noise from foot traffic. Easy to install, maintain and afford, Replay comes in 12 colorways—in tiles or by the roll-making it the perfect, sustainable choice for a range of high-energy environments.

TARKETTNA.COM



517 Cloud 9 B 32 Pebble WG *



523 Sky B



RA3 Biscuit o 09 Clay WB *



524 Chromatic B 22 Pearl CB *



RA4 Gala 40 Black B *



525 Stony B 12 Hard Rock WB *

APPLICATIONS

- ice rinks
- weight rooms
- fitness centers
- workout rooms
- · golf course facilities
- ski lodges
- · dressing and locker rooms

- pro shops
- indoor stadium tunnels
- physical therapy rooms
- retail, office and other public areas
- correctional facilities¹
- · assembly and production areas²

R E P L A Y [⊗]	1/4" Thickness	3/8" Thickness	1/2" Thickness
Square Edge Tile 24" × 24"	SO	STD	N/A
Interlocking Tile 25" x 25" (24" x 24" net)	SO	STD	SO
Roll 48" wide	STD 75'	STD 50'	SO 50'

Please note: Specify 3/8" or 1/2" Replay for skate blades, shoe spikes and free weight areas

Standard Replay is made from 92% post-consumer recycled tires. Recognizable visual differences can occur from roll to roll or tile to tile. This does not detract from the performance of the product and is considered part of the manufacturing process.

For best appearance, follow Tarkett's installation and maintenance instructions.


For more detailed information regarding product features, installation, maintenance, specifications and case study installations, visit tarkettna.com.

- ¹- Specify Square Edge or Roll only
- 2- Replay is not oil and grease resistant





Recycled Content Pre-consumer 22% roll width = 6'6" nominal (2 m) roll length = 67' nominal (20 m) thickness = .197" nominal (5 mm)



8009 Grey CG Weld Rod 1287183 28 Medium Grey CG * 8016 Royal Blue Weld Rod 1291367 70 Bluest *



8014 Forest Green Weld Rod 1287316 59 Heather Green

Cover your bases.

Ideal for sports floor installations, Vent Cove Base provides a heavy duty, corner-moulded design that will perform for years with minimal maintenance. The vented design permits air circulation for suspended floors and has a 3" wide toe to cover expansion voids.


APPLICATIONS

•	gymnasiums
•	health clubs
•	basketball courts


- table tennis rooms
- racquetball courts
- volleyball courts exercise rooms

 badminton courts gymnastics rooms aerobic areas cafeterias

The Solid Weld Rods listed are coordinating recommendations. Other color weld rods can be used for a variety of visual effects.



a polyurethane reinforced (PUR) wear layer for added durability, so this floor is performance-ready and easy to maintain. Training resists abrasions, scuffs and tearing, plus cushions noise and impact. It's available in eight solid colors and two wood tones-all of which can be painted to designate foul lines and other regulation markings—so it's an ideal team player for a variety of courts and athletic areas.




8017 Sky Blue Weld Rod 1287172 70 Bluest *



8015 Teal Weld Rod 1287317 147 South Seas *



8012 Orange Weld Rod 1287139 62 Tangerine Tango *



8011 Red Weld Rod 1291808 TB6 Flame *




9002 Golden Maple WB Weld Rod 1291368 130 Sisal 🛪

9001 Beech WB Weld Rod 1291363 129 Silk WB *


floor) FloorScore® certified 0.000 and meets CA 01350

A part of ReStart® program





Recycled Content Pre-consumer 34%



Tile Sizes = 12"x12" (305mm x 305mm) 12"x24" (305 x 610 mm), 24"x24 (610 x 610 mm)

adhesives pg. 196 thickness = .1/4" (2.3 mm)

Cover your bases.

New marbleized colorways in the SlideLock Configurations line emulate the look and feel of stones and woods. Colorways blend in to any environment, while helping to hide subfloor irregularities with the thick ¼" gauge. SlideLock is available in three different sizes to provide unmatched design flexibility. Choose from 12" x 12", 12" x 24" or 24" x 24" tiles to fill the space, or create a unique design using a combination of



SJ3 Macro W 27 Mist WG *



SJ4 Megabyte CB 27 Mist WG *




SH9 Data CG 23 Vapor Grey CG *



SJ7 Syntax CB 283 Toast *



SJ1 Gigabyte CG TA5 Colonial Grey CG *



Slidelock[®]

MULTI-FUNCTIONAL AND SPORTS FLOORING

SlideLock rubber tile is a glueless floating system, and works beautifully as a permanent installation or temporary flooring solution. With a patented hidden locking system and no need for adhesive, SlideLock improves the speed and flexibility of project installations, while maintaining access to mechanicals below the subfloor. The tiles are locked together using a seam roller, and individual tiles can easily be removed and replaced, without use of special tools. For a variety of applications where comfort underfoot, slip-resistance and sound absorption are must-haves, SlideLock is a perfect solution.

OTarkett

all three. Tiles can be installed in a traditional corner-to-corner pattern, or offset to create interesting visuals.

The swatches shown are created from a combination of four each 12" x 24" tiles to illustrate the random marbleization.



SH7 Access WG 24 Grev Haze WG *



SH8 Bandwidth W TB3 Dover Grey WG *



SJ5 Memory WB 09 Clay WB *





SJ2 Kilobyte WG TA4 Gateway WG *



Specialty Applications

When the space you're designing serves an especially unique purpose, the flooring you choose has to keep up. From recording studio acoustics to static control in the lab, these specialty floors are ready to perform.

144 iQ™ Optima® Acoustiflor®

149 iQ™ Granit™ SD

146 Acczent® Wood Acoustiflor® **150** Granit[™] Safe-1

147 Veneto Acoustiflor® **152** Defiant[™] Oil and Grease Resistent Rubber Tile and Stair Treads

148 iQ™ Toro SC

153 Terra-Turf® Recycled Tile Clean Path Entrance Barrier Modular Tile SPECIALTY APPLICATIONS

154 Safe-T-First®





/L TILE

Helping

you tread

Go ahead and get loud. Our high-performance

iQ[™] Optima[®] Acoustiflor[®]

will absorb that noise

and then some. It'll add comfort to that quiet, courtesy of a foam

underlayer that reduces noise transmission and

absorbs impact as wellrelieving strain on joints and backs. Plus, with 12

colorways and advanced

construction, there's no

wax or finish for life.

softly.

floor FloorScore® certified OSTA

TVOC ≤ 10 µg/m3

a

and meets CA 01350



for recycled materials Recycled Content Pre-consumer 25%

OTarkett

Phthalate free, except



roll width = 6'5" nominal (1.95 m)

roll length = 82'7" nominal (25 m)

thickness = .146" nominal (3.7 mm)

adhesives pg. 196

Multicolor 1290159

31 Zephyr CB *



862 Raw Ivory W Solid Weld Rod 1291862


Multicolor 1290025

22 Pearl CB *



821 Frothy Latte CB Solid Weld Rod 1291821 860 Malt WB Solid Weld Rod 1287039 Multicolor 1290066 280 Shoreline >





857 Popiu Bay Solid Weld Rod 1287841 Multicolor 1290336 70 Bluest :

853 Thunderhead CG Solid Weld Rod 1292388 Multicolor 1290022 38 Pewter CG *

Solid Weld Rod 1287842 Multicolor 1290026 38 Pewter CG *

866 Sidewalk CG



861 Clover Leaf

475 Marshland



820 Coffee Shoppe WB Solid Weld Rod 1287592 Solid Weld Rod 1287005 Multicolor 1290337 Multicolor 1290099 49 Beige WB *

80 Fawn *



873 Koala Bear CG Solid Weld Rod 1287524 Multicolor 1290122 469 Mystify CG *

Solid Weld Rod 1287412 Multicolor 1290028





247 Almond Cream WB Solid Weld Rod 1291615

Solid Weld Rod 1287840 Multicolor 1290338 20 Charcoal WG *













Solid Weld Rod 1287447 Multicolor 1290088



864 Concrete Slab CG 21 Platinum CG *













825 Caramel Infusion WB Solid Weld Rod 1291203 Multicolor 1290024 11 Canvas WB *



824 Yellow Mustard Solid Weld Rod 1287827 Multicolor 1290334 TG7 Canary *



856 Morning Sky Solid Weld Rod 1288905 Multicolor 1290051 84 Blue Jeans *



845 Stroke of Midnight Solid Weld Rod 1291845 Multicolor 1290034 40 Black B 🛪



257 Tiger Glow Solid Weld Rod 1287834 Multicolor 1290352 273 Copper Penny *



246 Egyptian Scrolls Solid Weld Rod 1292319 Multicolor 1290290 280 Shoreline CB *



IQ OPTIMA 16.0 IQ OPTIMA ACOUSTIFLOR ACCZENT® WOOD ACCZENT[®] WOOD ACOUSTIFLOR VENETO VENETO ACOUSTIFLOR 20 30 40 50 60 10 0 IIC RATINGS

ACOUSTIFLOR VS. STANDARD PRODUCT

Floor coverings with an IIC rating above 45 dB are used to help reduce impact sound transmissions to lower levels, thus reducing or eliminating noises. Visit tarkettna.com for our latest IIC ratings.

The Solid and Multicolor Weld Rods listed are coordinating recommendations. Other color weld rods can be used for a variety of visual effects.

* Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.

TARKETTNA.COM

score	FloorScore® certified and meets CA 01350	Better Snider Anther Snider Anther Snider Anther Snider	TVOC ≤ 10 µg/m3
a start	A part of ReStart® program	"Phthalate Free* "Sourt regited azortals	Phthalate free, except for recycled materials

Acoustic | Sound Absorption



roll length = 75'9" thickness = .136" nominal (23 m) nominal (3.45 mm)

adhesives pg. 196

Recycled Content

Pre-consumer 30%

roll width = 6'6"

nominal (2 m)

floor)

Q 10 10 10 1000

FloorScore® certified

and meets CA 01350

TVOC ≤ 10 µg/m3

roll length = 88'7" nominal (27 m)

thickness = .150" nominal (3.8 mm)


Recycled Content

Pre-consumer 40%

Rapidly Renewable 16%

Veneto Acoustiflor®. Listen closely.

Fill your ears with peace and quiet. This linoleum super floor has a 1.3 mm polyurethane foam underlayer that reduces noise and adds thermal insulation and comfort. With timeless style, Veneto is available in six neutral colorways. And to top it all off, our proprietary xf2[™] finish provides superior surface protection and easy maintenance. So every detail makes Veneto Acoustiflor® sound like a perfect choice.







601 Cloud Nine W Solid Weld Rod 1751601 79 Bone White W *

625 Arizona Tan WB Solid Weld Rod 1751313 Solid Weld Rod 1751625 49 Beige WB *

* Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.

611 Moonstone WB

461 Wicker WB *

Acczent® Wood Acoustiflor®. Get tranquil.

Get the warmth and beauty of a wood floor without the hollow echo. With this soundand impact-absorbing vinyl sheet, you'll find that guiet and comfort come in four lovely colorways. Add the substantial 28 mil wear layer, and you'll also get resistance to indentation, abrasion and tearing. Which means outstanding performance and the design-friendly look of wood. So go ahead and jump for joy. Acczent® is ready for action.





002 Light Beech WB Solid Weld Rod 1294316 130 Sisal *

003 Medium Beech WB Solid Weld Rod 1291205 TA7 Rusty Nail *





011 Cabreuva Solid Weld Rod 1292207 TA7 Ru

024 Wenge Solid Weld Rod 1287344 WEN Wend

* Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.

The Solid and Multicolor Weld Rods listed are coordinating recommendations. Other color weld rods can be used for a variety of visual effects.



adhesives pg. 196

Acoustic | Sound Absorption



673 Comet WG Solid Weld Rod 1751673 71 Storm Cloud CG *



684 Cascade CG Solid Weld Rod 1751684 38 Pewter CG *



604 Carlsbad WG Solid Weld Rod 1751604 29 Moon Rock WG *

The Solid and Multicolor Weld Rods listed are coordinating recommendations. Other color weld rods can be used for a variety of visual effects.

148 SPECIALTY APPLICATIONS iQ [™] Toro SC	FloorScore® certified and meets CA 01350 A part of ReStart ® program	TVOC ≤ 10 µg/m3 Phthalate free, except for recycled materials	Recycled Content Pre-consumer 25%	FloorScore® certified and meets CA 01350 A part of ReStart® program
Electrostatic Conductive Flooring	tile size = 24″x 24″ (610 mm x 610 mm nominal) roll width = 6′6″ nominal (2 m)	roll length = 76' nominal (23 m) thickness = .080" nominal (2 mm)	adhesives pg. 196	tile size = 24"x 24" (610 mm x 610 mm nominal) roll width = 6'6" nominal (2 m)

iQ[™] Toro SC. Gain control.

Concerned about conductivity? We've got you covered. iQ™ Toro SC has a low electrical resistance (104 to 106 ohms), protecting environments from damage by controlling and conducting static electricity. For a telecommunications center, operating room or explosives manufacturer, iQ Toro SC is a smart, safe choice with plenty of style. Select from 12 color options, by the roll or in 24" x 24" tiles.





Solid Weld Rod 1287531

103 Blackjack B

Multicolor 1290035

40 Black B *

Solid Weld Rod 1292384

100 Tundra WG Solid Weld Rod 1287322 Multicolor 1290054 27 Mist WG *



572 Tapestry Solid Weld Rod 1287438 Multicolor 1290039 146 But1





574 Flannel Blanket CB Solid Weld Rod 1287379 Multicolor 1290088 80 Fawn CB



575 Old Bark

Solid Weld Rod 1287456








104 Abalone WB Solid Weld Rod 1288255 Multicolor 1290036 12 Hard Rock WB *

576 Turf

190 Greege 🕇

Solid Weld Rod 1287309

Multicolor 1290078



578 Sidewalk Solid Weld Rod 1291216 Multicolor 1290026 38 Pewter CG *

105 Amber Wave

Multicolor 1290031

130 Sisal 3

Solid Weld Rod 1292372

The Solid and Multicolor Weld Rods listed are coordinating recommendations. Other color weld rods can be used for a variety of visual effects.

573 Hot Ginger

130 Sisal :

Solid Weld Rod 1287059

Multicolor 1290042



107 Blue Belle Solid Weld Rod 1291210 Multicolor 1290038 84 Blue Jeans *



* Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.





TVOC ≤ 10 µg/m3

Phthalate free, except

for recycled materials

roll length = 76' nominal (23 m)

thickness = .080" nominal (2 mm)

adhesives pg. 196




Electrostatic | Static Dissipative

iQ[™] Granit[™] SD. Keep control.

Keeping static away from people and equipment is a priority that we take seriously. So we engineered a homogeneous resilient flooring that's permanently static dissipative. iQ™ Granit™ SD provides low electrical resistance (106 to 109 ohms) that lasts a lifetime. And by balancing function with the aesthetic of 12 varied colorways, this flooring can maintain safety, increase productivity, and best of all-provide peace of mind for all involved.



710 Full Moon WG Solid Weld Rod 1287411 Multicolor 1290054 195 Ash WG



713 Kettle Black B Solid Weld Rod 1287414 Multicolor 1290035 40 Black B >



721 Hot Ginger Solid Weld Rod 1287431 Multicolor 1290042 130 Sisal



723 Old Bark Solid Weld Rod 1287456 Multicolor 1290089 47 Broy



719 Raw Ivory WB Solid Weld Rod 1287256 Multicolor 1290025 11 Canvas WB



714 Misty WB Solid Weld Rod 1287415 Multicolor 1290036 12 Hard Rock WB



718 Cool Breeze Solid Weld Rod 1287419 Multicolor 1290038



724 Turf Solid Weld Rod 1287499 Multicolor 1290078 190 Greege




715 Tapestry Solid Weld Rod 1287416 Multicolor 1290039 34 Alm



716 Kahlua Solid Weld Rod 1287417 Multicolor 1290031 130 Sisal *



722 Flannel Blanket CB Solid Weld Rod 1287379 Multicolor 1290088 80 Fawn CB 🕇



726 Sidewalk CG Solid Weld Rod 1287394 Multicolor 1290026 38 Pewter CG *

The Solid and Multicolor Weld Rods listed are coordinating recommendations. Other color weld rods can be used for a variety of visual effects.



Granit[™] Safe-T. Enjoy the journey.

One fall on a slippery, wet floor is one too many. So we developed Granit Safe-T. With aluminum granules dispersed throughout its construction, Granit[™] Safe-T provides a lifetime of superior slip resistance, helping to keep both physical and financial costs down. And safe and sound passages nowhere but up.









697 Yoga CG Solid Weld Rod 1291811 Multicolor 1290028 38 Pewter CG *

691 Soft Fleece WB Solid Weld Rod 1288255 Multicolor 1290036 49 Beige WB *

698 Homing Pigeon **CG** Solid Weld Rod 1292383 Multicolor 1290021 23 Vapor Grey CG *





695 Blue Veranda Solid Weld Rod 1291210 Multicolor 1290038 106 Skinny Dip *

696 Full Sail Solid Weld Rod 1292379 Multicolor 1290041 84 Blue Jeans *

694 Acadia Solid Weld Rod 1287332 Multicolor 1290059 TH1 Glenha

* Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.

Recycled Content Pre-consumer 25%

adhesives pg. 196









690 Semolina Solid Weld Rod 1287249 Multicolor 1290056 130 Sisal *



693 Hot Chocolate Solid Weld Rod 1292375 Multicolor 1290046 33 Adobe Peach *



699 Eclipse CG Solid Weld Rod 1288327 Multicolor 1290027 71 Storm Cloud CG *



700 After Midnight B Solid Weld Rod 1292384 Multicolor 1290035 40 Black B *

Defiant Solids and speckled tile size = 24" x 24" (610 mm x 610 mm nominal) Marbleized" tile size = 12" x 12" (305 mm x 305 mm nominal)

thickness = 1/8" (3.175 mm) textures pg.29 adhesives pg. 196 chip details pg.209

Phthalate free

Defiant[™] Oil- and Grease-Resistant Rubber Tile and Stair Treads. Stand tough.

Engineered to work most anywhere petroleum products, animal fats or vegetable oils are present, Defiant™ defends. It meets ASTM specs for oil and grease resistance, providing your space with the best protection available. Plus, you'll get the performance, longevity and slip-resistance of rubber. With Defiant, balancing safety and efficiency is simple. Allowing you to create a more productive environment.

STANDARD SPECKLED COLORWAYS

STANDARD MARBLEIZED® COLORWAYS

296 Misty WG

al WG *

* Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back.











729 Thickett CB 80 Fawn CB 🕇

295 Hazy

732 Tundra WG 20 Charcoal WG >

733 Molten B 40 Black B 🕇

297 Blackout B

ack B *

40

277 Cold Front CG Grev WG *

298 Vague B


40 Black B *

278 Dress Blues 279 Dew Point

SOLID COLOR TILES



20 Charcoal WG



AVAILABLE TEXTURES





ASTM D hardness > 85 ASTM D 471 oil and grease resistance ASTM D 2047 slip resistance > 0.8 ASTM D 3389 abrasion resistance

Meets or exceeds the following tests:

ASTM E 648 - class 1 ASTM E 662 smok e < 450; passes ASTM F 970 static load < 0.005" ASTM F 1344 rubber floor tile ASTM F 1514 resistance to heat ASTM F 2199 dimensional stability


TERRA-TURF

A part of **ReStart**® program

tile size = 12" x 12" (305 mm x 305 mm nominal) roll width = 12" nominal (305 mm)

Terra-Turf[®] Recycled Tile. Take charge.

Rough and rugged Terra-Turf® is made from post-consumer recycled tires, with the traction and grip that's required on ramps and entryways-both inside and out. With lasting performance and sustainability, Terra-Turf® won't shrink or delaminate.



CLEAN PATH




A part of × **ReStart**[®] program

tile size = 24" x 24" (610 mm x 610 mm nominal)

Clean Path Entrance Barrier Modular Tile. Endure.

Walk all over it. That's what Clean Path is counting on. Offering advanced technology disguised as carpet, Clean Path is available in two standard colors to hide dirt and debris. This walk-off modular tile stands its ground to protect all kinds of entryways. From hospitals to schools and office buildings to restaurants, Clean Path traps dirt and moisture to protect your other floors-and the people who walk on them.



QA1 Black

OA2 Brown

* Suggested Tarkett colors for finishing borders (wall base). For our complete color offering, reference color guide in back **Recycled Content** Pre-consumer 90% adhesives pg. 196

Available in Natural Black/Brown

pile height = .187" (4.8 mm)

Recycled Content Pre-consumer 30.8% adhesives pg. 196







Safe-T-First[®]

EMERGENCY EGRESS ROUTING SYSTEM

Find your way.

In critical moments when every second counts, safe evacuation is top priority. With our patented photoluminescent technology, the Safe-T-First® System is made with non-toxic, inorganic, strontium-aluminate crystals. They absorb and store light energy, then release it in darkness—without depending on electricity or batteries. The system's bright, long-lasting pigments are incorporated into stair treads, wall base and other accessories, helping light the way through power failures and other emergency situations.

Safe-T-First[®] Photoluminescent Egress Routing System. Lead the way.


Hero training starts here. Help individuals find their way out of a building in total darkness—and emergency personnel find their way in. The Safe-T-First® System protects from injury, disorientation and panic, and may ultimately save lives. The patented luminescence technology provides a lighted path low to the ground. Meet the challenges of safety and welfare head-on with the innovative Safe-T-First System.

An innovative concept in safety


Safe-T-First's photoluminescence is the result of a patented technology that incorporates bright, long-lasting pigments into Tarkett stair treads, traditional wall base and other items. This unique technology utilizes photoluminescent crystals that are inert, nontoxic and free of radioactivity.



Carpet Cove Cap



1" Feature Strip | Stair Nosing



Feature Strip

O Tarkett

APPLICATIONS

- commercial
- institutional
- governmental
- theaters

FLOORING SYSTEMS

- rubber and vinyl stair treads
- vinyl stair nosings
- traditional wall base
- tactile warning system
- handrail covers
- corner bumper guards

ADA COMPLIANT MARKING INDICATORS


- tape
- guidance strips



Hand Rail Cover



Corner Bumper Guide | Wall Base



Tactile Warning Strip



Safe-T-First[®] Recommended Color Palette

These colors are a balanced palette of neutrals, which work well with the green cast of the extruded photoluminescent striping, as well as the traditional yellow tape. This carefully selected palette balances superior performance with superior looks.

Other Standard Colors Available with Safe-T-First®

The remaining ColorMatch® colors are also available as standard colors, in Safe-T-First.




All colors shown on this page, including chips and photographs, approximate the actual flooring colors as accurately as possible.










* These colors can be used in Safe-T-First Rubber Treads

+ These colors can be used in Safe-T-First Vinyl Treads & Nosings for Visually Impaired (VI) installations.





Safe-T-First[®] System

STF integrates photoluminescent technology into color- and design-coordinated resilient flooring products, allowing the space to look well-designed, in addition to providing safe passage. Available in 36 ColorMatch® colors that coordinate through all Tarkett flooring solutions, STF features low maintenance, highly durable surface finishes that diminish the use of water, chemicals and energy. The system's long life cycle and low maintenance requirements combine industry-leading safety, durability and aesthetic features.

* Note: For the Safe-T-First products which have the "green" photoluminescent striping, there may be slight variations in the green

color from batch to batch, due to the inherent variation in the natural photoluminescent mineral (non-toxic strontium aluminate).

LISTED

Rubber Stair Treads



PVIRH-XX-RD | Round Pattern - Square Nose PVIRH-XX-SQ | Square Pattern - Square Nose PVIRTR-XX-RD | Rubber Tread & Riser - Round Pattern - Square Nose PVIRTR-XX-SQ | Rubber Tread & Riser - Square Pattern - Square Nose PVIHTR-XX | Rubber Tread & Riser - Hammered Pattern - Square Nose

Vinyl Stair Nosings




PVITSNN-XX | Top Set Stair Nosing PVIRCNN-XX-A | Undercut Carpet PVIRCNN-XX-B | Heavy Duty Overlap Lip PVIRCN-XX-B2 | Heavy Duty Overlap Lip with 2" Tape PVIVCDN-XX | Double Undercut Nosing



PVIHDN-XX-SQ | Coextruded 2" Strip - Square Nose

Tactile Warning Strip



PTWN-XX



Wall Base | 4", 6"

PDCN-XX-6"x4' | with 1" PL Strip PDCN-XX-6"x100' | with 1" PL Strip



PVBGN-XX-D-4' | lengths PVBGN-XX-D-8' | lengths

Signage

Tapes





P43867F Man Right Sign - Self-adhesive P42945F Man Left Sign - Self-adhesive P60204

Door Handle Backing Sticker -Self-adhesive

1" Plain Tape P44151 1" Warning Tape with Black **Diagonal Stripe**

TARKETTNA.COM





PVFSN-99-1" | 1" Feature Strip

Like all Tarkett products, Safe-T-First is designed to respect natural resources, contribute to people-friendly spaces, and build a circular economy that creates a healthier, more prosperous future for all.

Safe-T-First is developed to meet sustainability objectives through better raw materials, resource stewardship, developing people friendly spaces and recycling/reusing.

For additional samples or information on Tarkett's full line of flooring and finishing accessories, please visit tarkettna.com or contact the sample department at 800.899.8916.




Stairwell Management

The right stairwell management system improves both the safety and appearance of these critical spaces, helping reduce risk and improve mobility from top to bottom.

162 Stairwell Design **165** Striping Solutions for the Visually Impaired

164 Rubber Stair Treads with Integrated Riser **166** Standard Rubber Sta **167** Vinyl Stair Treads

168 Stairwell Accessories



True flooring solutions improve every aspect of the experience, from aesthetics to safety and installation to maintenance. So Tarkett has made significant improvements to the design of its rubber stair treads that will minimize the time and cost of installation. Our new Angle Fit[™] angled noses are available on all rubber treads—with or without risers—making every installation faster, easier and safer.



Well-rounded solutions.

STAIR NOSE

New angled stair nose returns to the step, allowing it to overlap the riser and eliminate time-consuming cuts.

NO CAULK

If stairs are in good condition, no nose caulk is required.


adhesive in most cases.

EASY RISER

The riser's thickness is reduced at the top, allowing it to slip easily below the stair nose.

SAFETY


Slip-resistant rubber treads are available in a variety of colors, textures and safety inserts for the visually impaired.



overlapping stair noses

One step at a time

The right stairwell management system improves both the safety and appearance of these critical spaces, helping reduce risk and improve mobility from top to bottom. With thousands of possible combinations, Tarkett's comprehensive stairwell management system provides no shortage of options. Choose between rubber and vinyl constructions to balance the needs of every project.



TARKETTNA.COM

Grit Tape Color

Angle Fit Rubber Stair Treads

Visually Impaired Color Solutions 🕇

lack

Browr

Grey

Tan

Yellow

White



29, 31, 32, 38, 41, 48, 55, 58, 59, 62, 71, 84, 106, 121, 129, 150, 151, 163, 190, 192, 280, 281, 282, 293, AGM, BRL, TG6, TG7, TG8, TH1 LH9, TG1, TG4, WGD White Grit Tape available by special order COLOR PALETTE AVAILABILITY S = Available in Solid Color Palette = MicroTone[™] Speckled colorways \mathbf{M} = Can be ordered in Metallurgy colorways ▲ = Can be special ordered in Prima® Marbleized and Prima Olio® colorways. Visit tarkettna.com. Minimums may apply \star = Can be special ordered in Speckled colorways. ∆ Denotes special order

Angle Fit Rubber Stair Treads Textures




40 Black: Insert 28, 29, 31, 32, 38
129, 134, 150, 1

BRM, CGL, CGM, CPM, WGL, WGM, LA2, LA3, LA5, LA6 LA8, LB4, LB6, LC8, LC1, LC2, LC3, LC4, LC5, LC6, LC7, LD1, LD2, LD4, LD5, LD7, LE1, LE3, LE7, LF2, LF6, LF8, LF9, LG1, LG3, LG8, LH3, LH7, LJ1, LJ2, LJ3, LJ5, LJ7, LJ8, LJ9, LK1, TB6, TG2, TG3, TG5, TG6, TG7, TG8, TH1 Brown: 09, 11, 22, 33, 34, 42, 45, 49, 68, 80, 130, 469, LA1, LA9, LB2, LB3, LC9, LD8, LD9, LE2, LE4, LE5, LE8, LE9, LF1, LF3, LF4, LG4, LG7, LG9, LH2, LH4 Grey: 15, 18, 20, 40, 72, 73, 85, 86, 92, 162, 168, CGD, LB5, LB8, LB9, LD3, LE6, LF5, LG2, LG6, LH7, LH9, TG1, TG4, WGD

Tan: 47, 63, 76, 101, 113, 132, 149, 167, 284, 548, 725, BRD, CPD, LA7, LB1, LD6, TG9, TH2, TH3 Yellow: 70, LB7, LF7, LJ4

Photoluminescent Tape available




tloor score

SCS Global Service

Diamond

Smooth

Angle Fit[™] Rubber Stair Treads with Integrated Riser





Landing Tile All tiles available in 24" x 24". Smooth is also available in 12" x 12"



All tile textures can be used as landing tile.



S Diamond (CN)

contrasts with colors 01, 12, 21, 24, 27, 18, 41, 48, 55, 58, 59, 62, 71, 84, 106, 121, 51, 163, 190, 192, 280, 281, 282, 293, 86, AGM, BRL, BRM, CGL, CGM, CPM, WGL, WGM, LA2, LA3, LA5, LA6, LA8, LB4, LB6, LC8, LC1, LC2, LC3, LC4, LC5, LC6, LC7, LD1, LD2, LD4, LD5, LD7, LE1, LE3, LE7, LF2, LF6, LF8, LF9, LG1, LG3, LG8, LH3, LH7, LJ1, LJ2, LJ3, LJ5, LJ7, LJ8, LJ9, LK1, TB6, TG2, TG3, TG5

47 Brown: 09, 11, 22, 33, 34, 42, 45, 49, 68, 80, 130, 469, LA1, LA9, LB2, LB3, LC9, LD8, LD9, LE2, LE4, LE5, LE8, LE9, LF1, LF3, LF4, LG4, LG7, LG9, LH2, LH4

55 Silver Grey: 15, 18, 20, 40, 72, 73, 85, 86, 92, 162, 168, CGD, LB5, LB8, LB9, LD3, LE6, LF5, LG2, LG6, LH7,

49 Beige: 47, 63, 76, 101, 113, 132, 149, 167, 284, 548, 725, BRD, CPD, LA7, LB1, LD6, TG9, TH2, TH3

Stair Tread Insert Color Combinations

See chart above for recommended contrasting color combinations.

Y = 3[']_△, 3.5[']_△, 4['], 4.5['], 5['], 6['], 7['], 8[']

Z = 3[']^(A), 3.5[']^(A), 4['], 4.5['], 5['], 6['], 7['], 8['], 9[']

Indoor Air Quality Low Emitting materials EQ 4.3 FloorScore[™] certified and meets CA 01350




Cubis




Angle Fit[™] Rubber Stair Treads without Integrated Riser



Standard Rubber Stair Treads for the Visually Impaired



Vinyl Stair Treads



Visually Impaired Color Solutions



Black Grit Tape contrasts with colors 01, 21, 24, 28, 29, 31, 32, 38, 48, 55, 58, 71, 129, 150 Brown Grit Tape contrasts with colors 09, 11, 22, 34, 42, 45, 49, 80, 130 Grey Grit Tape contrasts with colors 18, 20, 40, 85, 86, 92 Tan Grit Tape contrasts with colors 44, 47, 63, 76, 132, 167, 283 Yellow Grit Tape available by special order White Grit Tape available by special order

Rubber Landing Tile for Use with Vinyl Stair Treads



All tile textures can be used as landing tile.



floor

G SCS Global Service

How to Order: Product Code - Color Number - Length - Nose Type (Example: VIHD - 18 - 4' SQ Navy Blue)(Example: S/B VIHD - 18 - 4' SQ)



Safe-T-Rib® (HT)

Vinyl Treads for the Visually Impaired

Heavy Duty Square Nose Visually Impaired (VIHD)

C 🗶 🖤

Safe-T-Rib Square Nose Visually Impaired (VIHT)



Safe-T-Rib Round Nose Visually Impaired (VIHT)



Safe-T-Grip Square Nose Visually Impaired (VIVG)





Heavy Duty (HD)




Service Weight (ST)

Co-Extruded Vinyl insert 🗶

40 Black
47 Brown
49 Beige
55 Silver Grey

40 Black Insert contrasts with colors 01, 21, 24, 28, 29, 31, 32, 38, 48, 55, 58, 59, 71, 129, 150 47 Brown Insert contrasts with colors 09, 11, 22, 34, 42, 45, 49, 80, 130 49 Beige Insert contrasts with colors 44, 47, 63, 76, 132, 167, 283 55 Silver Grey Insert contrasts with colors 18, 20, 40, 85, 86, 92





score) FloorScore® certified Q 11 311 and meets CA 01350*



A part of **ReStart**® program

Recycled Content Pre-consumer 14%

TVOC ≤ 100 µg/m3

Phthalate free, except

for recycled materials

Stairwell Accessories

Move up.

Proper stairwell design is crucial to the safety and functionality of any space. That's why all our stairwell componentsfrom nosings to treads to striping solutions-are designed to reduce slip/ fall accidents and work seamlessly with the other elements in the space, giving upward mobility a whole new meaning.

Tarkett

Color Palette Availability

- C = ColorMatch Reference color guide in back.
- D = Availablie in Metallic Colors
- Reference color guide in back.
- ▲ = Can be specially ordered in Prima® Marbleized[™] and Prima[®] Olio[®] colorways. Visit tarkettna.com. See page 49 for details. Minimums may apply.
- ★ = Also available in 50 White.
- Available without contrasting strip.
- + = See chart on page 167 for contrasting Grit Tape colors.
- ***** = See chart on page 156 for contrasting solid insert colors.

adhesives pg. 196

RUBBER STRINGERS AND RISERS						
ITEM	SIZE	GAUGE				
Stringers Solid Color Stringers Marbleized	10" x 6' 10" x 6'	.080" 1/8"				
Risers	6" x 4' 6" x 100'** 7" x 4' 7" x 5' 7" x 6'	1/8" 1/8" 1/8" 1/8" 1/8"				

7" x 6'

Stringers and risers are available in solid colors. Speckled, Prima[®] Marbleized[™] and Olio[®] are available by special order.

ITEM

Stringers

Risers

С

ColorMatch®.

also be ordered.

truded visually	impaired strip.
	truded visually impaired strip
and riser. 2" co-e:	

VIRCN-XX-B

or 3/16" w/o lip.

2" co-extruded visually impaired

C * **/** X

VIRCN-XX-B2

2" visually impaired Grit Tape insert.

1/8" material.

VITSN-XX

Top set with

2" co-extruded visually impaired strip. CX

VIRCN-XX-A

1/4" or 5/16"

impaired strip.

C ★ **√ X**

material. 2"

6+

strip.

1/8" material w/lip

SLN-XX-A 1/4" material on step to 1/4" material on riser.

C D

SLN-XX-B 7/32" material on step to 1/4" material

on riser. C D

SLN-XX-C 3/8" material

on step to 3/8" materia on riser. C D

FLEXIBLE VINYL STAIR NOSINGS

Take steps to protect flooring materials from wear in stair and landing applications. Choose from 16 popular nosing profiles in the ColorMatch system or we can custom-match colors for your project. Slim line stair nosings are also available in metallic colors. To meet stringent accessibility requirements, choose profiles with contrasting color inserts for the Visually Impaired.



** Not available in Speckled or Marbleized.

VINYL STRINGERS AND RISERS

SIZE

10" x 50'

б" х 4'

6" x 120' 7" x 4'

7" x 50'

Vinyl stringers and risers are available to

choice of more than 30 colors including

TACTILE WARNING SURFACE

Reduce potential accidents by alerting the Visually

Impaired that they're approaching hazardous areas. Detectable tactile warning surface meets ANSI A117.1-1986 design requirements and is

available in more than 30 attractive solid colors.

Permanently co-extruded contrasting striping can

coordinate with vinyl or rubber treads in your


GAUGE

.080"


.080"

.080" .080"

.080"



169



Finishing Borders

With the most comprehensive collection of finishing borders in the industry, we're covering all the details that make a space complete.

172 Millwork® Wall Finishing System

178 Millwork® Masquerade® Wall Base


176 Perceptions® Designer Wall Base

180 Decorative Wall Base

182 Traditional Vinyl + Rubber Wall Base

TightLock® Wall Base

183 Thermoset Rubber Wall Base



Millwork® WALL FINISHING SYSTEM

Be exceptional.

With the look of finely milled wood, the Millwork[®] Wall Finishing System adds rich architectural detail—at roughly half the installed cost of wood trim and half the installation time. And since it will never require touch-up or repainting, Millwork continues to save time and money throughout its lifetime.

Luxury, simplified.

Installing wood trim takes several labor-intensive steps. From measuring each cut and mitering corners, to nailing, filling, painting and finishing. The work continues each time a section is chipped or scratched. Instead, we bring you the same rich look and longer-lasting performance in half the time and cost. The Millwork Wall Finishing System installs easily-even around corners, curves and irregular surfaces-with flexible 8-foot lengths and one-piece corner guards that adhere directly to the wall. Unlike real wood, it won't splinter, chip or absorb moisture and humidity. But with its glossy finish and crisp edges, no one will ever know the difference.

WOOD

COST

MILLWORK

CTarkett

INSTALLATION STEPS: REAL WOOD VS. MILLWORK®



score FloorScore® certified 00000 and meets CA 01350*



Phthalate free, except for recycled materials

TVOC ≤ 100 µg/m3

Recycled Content Pre-consumer 14% adhesives pg. 196


color palette availability

Millwork is available in all solid colors plus unfinished. M = Available in Masquerade Palette w = Available in Wall Art Palette

All covered.

The Millwork® Wall Finishing System eliminates concerns of mismatched wood or color variation. With more than 20 coordinating elements, Tarkett can help you cover your bases completely and

consistently from batch to batch and year to year. Choose from contoured wall base profiles, a chair rail profiles, a corner guard, self-stick quarter round and shoe moulding.



All Millwork profiles in wall base, chair rails and corner guard are available in standard 8' lengths.

MILLWORK[®] CHAIR RAIL



Rampart® CHR-XX-C Recommended Millwork Masquerade[™] profile

MILLWORK ACCESSORIES

W

.5

|.5"|

.75"



Quarter Round QTR-XX-A QTR-XX-D





Shoe Moulding SHU-XX-A W

25

MILLWORK CORNER GUARD



Millwork Corner Guard VBG-XX-C



| 1.250" |

1.250"



Diplomat® MW-XX-A



Outline® MW-XX-D

Ambassador MW-XX-K

W



Oblique MW-XX-N Recommended Millwork Masquerade" profile Mandalay 4.5" MW-XX-H 2.5" MW-XX-H25 3" MW-XX-H3 6" MW-XX-H6



Monument® 2.5" MW-XX-S25 4" MW-XX-S4

Color Foundations" is our commitment to always have representation across 6 key neutral palettes. For our complete color offering, reference color guide in back.





Delineate MW-XX-T



MW-XX-J





Inflection MW-XX-G



Equinox MW-XX-R





Reveal® 4.25" MW-XX-F 6" MW-XX-F6 8" MW-XX-F8 Recommended Millwork Masquerade profile



Monarch 6" MW-XX-M

FloorScore® certified and meets CA 01350*



TVOC ≤ 100 µg/m3 Phthalate free, except

for recycled materials


Recycled Content Pre-consumer 14% adhesives pg. 196


Unique visuals with a standard budget 4.25" height helps hide paint lines Installs like traditional wall base

Manufactured inside and outside corners available Available in Duracove Rubber (type TP) 120' coils 4' sections by special order

Perceptions[®] Designer Wall Base.


Achieve the look of Millwork® with a cost similar to standard wall base. Perceptions offers more than 150 colors and five standard profiles designed to coordinate with our Millwork Wall Finishing System. So adding architectural flair has never been easier (or more cost-effective).







Recess®



Flex



Available in All Standard Colors.









From standard to signature.

The standard Masquerade line offers 10 natural-looking finishes and two profiles: Classic and Reveal. To create a fully customized wall base for your signature design, speak to your Tarkett representative to get started.



ME3 SEASONED OAK Scout



MF4 WHITE OAK Espresso



MK6 CONCRETE Fallow CB



MF6 NATIVE PINE Blanched Grey




MM2 TEXGRAIN Charcoal B


Milwork® Masquerade FINISHING BORDERS

We're printing possibilities.

Our advanced highdefinition digital printing technology creates crisp, natural-looking visuals in this unique line of Millwork® Wall Finishing Systemsfrom exotic wood grains to textured stones to intricate abstracts. Choose from 10 standard finishes, or create an entirely customized look without high minimums or long lead times. Digital printing allows us to recreate any digital image flawlessly, and provide exceptional service with quick delivery.









ME4 SEASONED OAK Falcon



ME5 SEASONED OAK Peppercorn



MK3 METASTONE Ferro





MN3 TEXMODE Charcoal B





180 FINISHING BORDERS Wall Art



Phthalate free, except for recycled materials

Recycled Content Pre-consumer 14% adhesives pg. 196

Wall Art[™] Decorative Wall Base. Beyond basic.

With the look of luxurious woods, Wall Art elegantly finishes any space. These highperformance patterns are available in multiple profiles, coordinate easily with your flooring selections, and come with a lower price tag than other wall base options.








REVEAL[®]



OBLIQUE




SHOE MOULDING



QUARTER ROUND









BWG Balsa



LOK Light Oak WB



ACH Amber Cherry



WAL Walnut



MBE Medium Beech

DOK Dark Oak



CRW Mission



WEN Wenge Wood

182 FINISHING BORDERS

Traditional Wall Base and TightLock® Wall Base Systems



Traditional Vinyl + Rubber Wall Base. Keep it simple.

We know there's a time and a place for straightforward, no-nonsense options. That's why our Traditional Wall Base is basic, but better. With durable construction and multiple options for height and color, our Traditional Wall Base has everything you need. And nothing you don't.

TRADITIONAL




TightLock[®] Wall Base System. U.S. Patent No. 5,212,923 Lock it up.


When we say TightLock® Carpet Base comes first, it really does. Its notched design allows it to be installed before the carpeting and carpet tile, and remain in place when changing out the flooring too. This saves time and money on re-installation and wall repairs. Plus, this durable, high-performance base can stay in place longer, making it a more sustainable choice. Also available in a Resilient Base, TightLock provides a cove base look with a more subtle radius. With a unique tapered design, the resilient base accommodates any commercial flooring and delivers a tight, clean, finished appearance year after year.

| | .25"

TIGHTLOCK CARPET







3 standard heights: 2.5" (64 mm), 4" (102 mm), 6" (153 mm)or 4.5" (114 mm) inDC only

Available in Duracove Rubber (type TP) 1/8" (3.175 mm) and vinyl (type TV) .080" (2 mm) or 1/8" (3.175 mm)

Standard heights available in toe or toeless

4' sections and coils available Manufactured inside and outside corners available 4.5", 8", 9" and 10" heights are special order; call for details 4.5" in Duracove only



See Color Guide for Availability

4' sections or 75' coils

Manufactured outside corners available Clean, toeless look

TightLock for carpet

3.25" (83 mm), 3" (76 mm) face 4.5" (114 mm), 4.25" (108 mm) face 6.5" (165 mm), 6.25" (159 mm) face TightLock

More resistant to damage and distortion from maintenance equipment and chairs

TightLock for resilient flooring 3.125" (79 mm)


4.375" (111 mm) 6.375" (162 mm)

A part of ReStart ® program	TVOC ≤ 10 μg/m3
Cradle to Cradle certified	Rapidly Renewable Resources All profiles 2.3%
3 standard heights: 2.5" (64 mm),	Standard heights available in to
4" (102 mm) or 6"(153 mm)	4' sections and coils available

Thermoset rubber (type TS) 1/8" (3.175 mm)

BaseWorks® Thermoset Rubber Wall Base.

A natural fusion of aesthetics, performance and sustainability, BaseWorks® rubber wall base delivers pure, uniform color and an attractive matte finish. Its flexibility makes installation guick, easy and inexpensive. Plus, it won't fade, crack or separate from the wall.



Tarkett Wall Bases. Tie it together.


The connecting space between wall and floor presents an opportunity to add color, pattern, clean lines, lasting protection-or all of the above. With the most comprehensive collection of wall borders in the country, we make it easy to unify your space with the perfect finishing touch.

urces

- available in toe or toeless
- Manufactured inside and outside corners available

y		TV Thermoplastic Vinyl*	TP Thermoplastic Rubber	TS Thermoset Rubber*
9	Phthalate Free	~	~	1
g	Bio-Based Content			1
	100% Recyclable	~	~	1
	10%+ Recycled Content	\checkmark	\checkmark	
	Material Assessment Cradle to Cradle Certified ^{c™} V.3 Silver			1
	ColorMatch®	1	1	1
	No Dye Lots	1	1	1

*Not available in Metallics



Finishing Accessories

The project isn't complete until every seam is flawlessly concealed. Let us help you cross that finish line.

186 Floor Finishing Accessories

189 Wheeled Traffic Transitions

188 T-Mouldings and Track Reducers

Adaptors

190 Thresholds Cove Filler Strips

191

Flexible Corner Guards Edge Guards Feature Strips Tub Mouldings

192 SubFloor Leveler System® **193** Tarkolay Underlayment SureStart[®] Underlayment





FloorScore® certified and meets CA 01350* floor score



TVOC ≤ 100 µg/m3

Phthalate free, except

for recycled materials

Recycled Content Pre-consumer 14% adhesives pg. 196

We've identified Color Foundations neutrals in the following way: WB (warm beige), CB (cool beige), WG (warm grey), CG (cool grey), B (black), W (white).

ColorMatch:

For available colors, reference ColorMatch, in color guide.

Floor Finishing Accessories.

Tarkett's broad selection of transition accessories helps you glide through a space without interference. Find each of your surface thicknesses in the rows and columns below, then trace down and

TRANSITION SELECTOR CHART BY DIMENSION

Gauge	Subfloor	1/16"	.080"	1/8"	3/16"	1/4"	5/16"	3/8"	1/2"
Subfloor		SSR-XX-B	RRS-XX-B SSR-XX-B SLT-XX-J SLTC-XX-J	SSR-XX-B RRS-XX-C RRS-XX-D SLT-XX-J SLTC-XX-J	EG-XX-J EG-XX-K	CRS-XX-A EG-XX-H CTA-XX-J CTA-XX-JL SLT-XX-L SLTC-XX-L	EG-XX-G EG-XX-L	CRS-XX-B EG-XX-W CTA-XX-P CTA-XX-PL	CRS-XX-D CTA-XX-Q
1/16"	SSR-XX-B						CTA-XX-D		
.080"	RRS-XX-B SSR-XX-B SLT-XX-J SLTC-XX-J		СТА-ХХ-Ү	SLT-XX-B SLTC-XX-B CTA-XX-X SSR-XX-D		SLT-XX-C SLTC-XX-C CTA-XX-HT SLT-XX-H SLTC-XX-H	СТА-ХХ-D	CTA-XX-Z	
1/8"	SSR-XX-B RRS-XX-C RRS-XX-D SLT-XX-J SLTC-XX-J		SLT-XX-B SLTC-XX-B CTA-XX-X SSR-XX-D	CTA-XX-N FS-XX-DW3		SLT-XX-A SLTC-XX-A CTA-XX-H CTA-XX-H CTA-XX-A CTA-XX-C CE-XX-A	CTA-XX-D CE-XX-A	ста-хх-к	CD-XX-B
3/16"	EG-XX-J EG-XX-K								
1/4"	CRS-XX-A EG-XX-H CTA-XX-J CTA-XX-JL SLT-XX-L SLTC-XX-L		SLT-XX-C SLTC-XX-C CTA-XX-HT SLT-XX-H SLTC-XX-H	SLT-XX-A SLTC-XX-A CTA-XX-H CTA-XX-HL CTA-XX-A CTA-XX-C CE-XX-A		CTA-XX-M CD-XX CD-XX-C CD-XX-W	CD-XX CD-XX-C CD-XX-W	CTA-XX-L SLT-XX-F SLTC- XX-F	CE-XX-C SLT-XX-G SLTC- XX-G
5/16"	EG-XX-G EG-XX-L	CTA-XX-D	CTA-XX-D	CTA-XX-D CE-XX-A		CD-XX CD-XX-C CD-XX-W	CD-XX CD-XX-C CD-XX-W	CCA-XX	CWA-XX
3/8"	CRS-XX-B EG-XX-W CTA-XX-P CTA-XX-PL		CTA-XX-Z	СТА-ХХ-К		CTA-XX-L SLT-XX-F SLTC- XX-F	CCA-XX		CE-XX-C
1/2"	CRS-XX-D CTA-XX-Q			CD-XX-B		CE-XX-C SLT-XX-G SLTC- XX-G	CWA-XX	CE-XX-C	CD-XX-A

DIMENSIONS BY COLOR **0** = 0" 1. Identify thickness of materials to be .080 = .080" transitioned. 3/16 = 3/16" 2. Find the corresponding color to match the thicknesses. 5/16 = 5/16" 3. Find your colors together on the chart. 1/2 = 1/2"

Can't find a transition to meet your needs? Call your Tarkett representative and ask about getting a custom floor finishing accessory made for you. New accessories are added periodically, please visit tarkettna.com for the latest additions.

Floor Finishing

ACCESSORIES


Move right along.

No one has time for roadblocks. That's why our wide range of smooth, safe and seamless Floor Finishing Accessories helps you easily transition from one flooring to another with fewer trips and stumbles.

O Tarkett

across to see where they meet in the middle. There, you'll find the solutions that will help you transition from one surface to another. Smooth. Safe. Seamless.

1/16 = 1/16" 1/8 = 1/8" 1/4 = 1/4" 3/8 = 3/8"



score FloorScore® certified Q STATE and meets CA 01350*

e tart A part of **ReStart®** program TVOC ≤ 100 µg/m3

Phthalate free, except

for recycled materials

Recycled Content Pre-consumer 14% adhesives pg. 196

We've identified Color Foundations neutrals in the following way: WB (warm beige), CB (cool beige), WG (warm grey), CG (cool grey), B (black), W (white).

ColorMatch: For available colors, reference ColorMatch, in color guide.

CTA-XX-M

1/4" to 1/4"

CTA-XX-N

1/8" to 1/8"

material.

CTA-XX-P

3/8" material

to subfloor.

CTA-XX-PL

to subfloor.

CTA-XX-Q

1/2" material

to subfloor.

CTA-XX-X

1/8" to .080"

material.

3/8" material


material.

1/8

1/8

0

0



1/2" to 1/4" and 3/8" material. 1/2" leg.

1/2 CD-XX 1/4" and 5/16" to





of same height. 1/2" leg. 1/2 CD-XX-B⁺



CD-XX-C 1/4" and 5/16"



same height. 1/4" leg.

5/16 CD-XX-W 1/4" and 5/16" to material of 1/4 same height. 1/4" leg.

1/2

1/4


5/16



T

T

21/64"



MTC-00-A

Aluminum contour track for adhesive installations. 6' minimum radius.

MT-00-B



MTC-00-B

Aluminum pin type contour track for stretch-in installations. 6' minimum radius.



CWA-XX

material.

5/16" to 1/2"


ColorMatch:

located in the Color Guide.

5/16


For available colors, reference ColorMatch,

1/2



*Slim line transitions also available in metallic colors. See Color Guide for Availability.


†Non ADA Compliant




CTA-XX-Y .080" to .080" material.

CTA-XX-Z 3/8" to .080" material. 1/4

†Non ADA Compliant





score FloorScore® certified and meets CA 01350* Q STATE



TVOC ≤ 100 µg/m3 Phthalate free, except

for recycled materials

Recycled Content Pre-consumer 14% adhesives pg. 196


We've identified Color Foundations neutrals in the following way: WB (warm beige), CB (cool beige), WG (warm grey), CG (cool grey), B (black), W (white).


ColorMatch:

For available colors, reference ColorMatch, in color guide.


FLEXIBLE CORNER GUARDS

See Color Guide for availability





**Also available in metallic colors. See color guide for availability.



Due to the use of pre-consumer recycled content, color of cove filler strips will vary.



17

VBG-XX-B-48 VBG-XX-B-96


4' or 8' pieces


Corner guard.

3/4" returns.

Tapered ends.

1/8" thick.






Tarkett's corner guards will not only complement the interior space, but also work to protect your finished design.

• Will not shrink, crack or chip


• Four return sizes: 2-3/8", 1-1/2", 3/4" and 1-1/4"



*The LS-40, LS-40-D and LS-40-E Leveler System Components can be cut at specially premarked scoring lines to create lower transitions for 1/8", 3/16", 1/4" or 3/8" gauge heights if needed, or can be cut to create job-specific heights. All SubFloor Leveler System® Components are 4' long or can be special ordered in other lengths.

SubFloor Leveler System[®]. U.S. Patent No. 7,174,682 Quick Fix.

We've practically eliminated the need for traditional floor levelers—and the labor and curing time they require. Our patented SubFloor Leveler System® provides a gradual ramp between different flooring elevations, creating a smooth transition and fewer trips and falls. With easy installation and the ability to lay flooring immediately over top, it keeps everything moving swiftly—from your project to your foot traffic.




SureStart[®] Acoustic Underlayment Quiet is beautiful.

This cutting-edge underlayment for resilient flooring solves a variety of installation issues for almost any subfloor, whether it's on, above or below grade. Made of highdensity synthetic rubber, SureStart provides superior moisture mitigation from concrete slabs, delivers unmatched support under interlocking vinyl flooring, and improves acoustics. By absorbing the sound of foot traffic, SureStart dramatically reduces noise levels in both the room where it's installed, and the floor below-making it an ideal choice for a variety of commercial settings. With easy installation and the ability to conceal minor surface imperfections, SureStart is sure to save significant time and labor costs on your next project.

Tarkolay Underlayment. Breathe easy.

Say goodbye to subpar subfloors. Tarkolay is a thin underlayment that installs immediately over areas where moisture, abatement or other problems exist—protecting the flooring and the indoor air quality. Tarkolay can resist moisture levels as high as 96% RH and provides a natural ventilation between flooring and subfloor. So the floor breathes easier, along with the people working, playing, living and learning within the space.







References


We realize the details can make or break a project timeline. From having the right adhesives to knowing the ins and outs of your warranty coverage, get all the answers you need, in one convenient location.

196 Adhesives

201 Color Guide

198 Warranty

REFERENCES



DHESIVES					.ve		Mi								.0.		e	e	
				-6 P	dhest	ent Flor	JI.	s ine	, adr	esive	we amp	ouno Adt	lesive	A	nesive	A	inesin A	dhesiv-	, dhesiv
RECOMMENDED ADHESIVE		Coldweld	Liquid Thi	n Spread	dhesive Nomart Re No Adresiv av Adresiv 005	Releasable 900	e Adhesi	e Adhesive Resilient Fl	Viny Floor	Ing Adhu	king comp king comp Premium C 950	ontactin	esive dhesive dhesive dhesive dhesive dhesive dhesive dhesive	d Plank Add	Adhesing a	nd Tread Ar	nethane	Adhesive Adhesive Two Part	Lony Adhesives
APPLICATION	W	Cold V.	Clear	mart spra	NS Adhe	Release	Conduct	Resilien	VINVIFIC	EPOTAL NOT	Premiur	inoleur.	iny The OV	Nall Bass	Flooring	Two Par	renation	TWO PO	Adhesives
CHART			<i>4</i> 0.	90.24	-00 ⁻	- 00°	94	gr.				0,2,	9/0-	9/0-		90	95		
Adhesives	CWL	100			905	906		926	930	946	950	959	960	965	975	986	996	C-TR	No Adhesives
Acczent	х		X	X			X								X				
Acczent Wood Acoustiflor				X			X								X				
Acczent Wood Safe-T			X	X			X								X				
Aria Sheet	х		X	X			X								X				
Aria Tile								X							X				
Tarkett VCT		X		X											X				
Tarkett VCT Basketball Kits		x		x											x				
Azterra				x								х			x				
BaseWorks Thermoset Rubber Wall Base										x			x						
Circulinity							x						~	x	x		х		
Clean Path Entrance Modular Tile														~			~	x	
Color Essence				x								х			x				
Color Essence SR				x								x			x				
Contract Plus Sheet	х														x				
Contract Plus Tile																			
CorkTones														x	x		х		
Corner Guards – Vinyl										x									
Cortina Grande				x								х			x				
Cortina Grande SR				x								х			x				
Defiant Tile							x							x	x		х		
Defiant Tread							x		x	x				x	x		х		
Eco-Naturals														х	х		х		
Eco-Shell with Cork														х	х		х		
Feature Strips VCT		x													x				
Feature Strips – Vinyl							X	х						х	x		х		
iQ Granit Acoustiflor								х							x				
iQ Granit Sheet	х		X	X			X								x				
iQ Granit Tile								X							X				
iQ Granit SD Sheet	х					X	X								X				
iQ Granit SD Tile						X													
Granit Safe-T			X	X			X								X				
Harmonium xf ² Sheet											X				Х				
I.D. Freedom – Luxury Tiles and Planks			x									х			х				
I.D. Inspiration 70 and 55 - Luxury Tile			x									x			x				
Inertia					X1		x					~		х	x		х		
Interlocking Tiles																			x
Karim Shapes and Kolors				x								х							
Marbled Safe-T			x				x	x							x				
Melodia Sheet	х		x	x			x					х			x				

CHL Cold Weld Liquid 100 Clear Thins ADHESIVE RollSmart SpraySt 905 Relea APPLICATION 00 Ň CHART Adhesives Melodia 2.0 Tile Mesto Configurations Х Metallurgy MicroTone Speckled Rubber Tile х Millwork Chair Rail Millwork Wall Base Millwork Masquerade Minerality Rubber Tiles and Planks Х Mouldings - Vinyl х х х х iO Natural Sheet х х х х iQ Optima Sheet iQ Optima Til х iQ Optima Acoustiflor Perceptions Wall Base X1 Prima Marbleized Prima Olio X1 Replay Shee х Replay Tile Resilient Wall Base Risers-Rubbe Risers- Vinyl Rubber Floor Tile X1 SlideLock Tile Space Modular Tile х Standard Plus Sheet Х Standard Plus Tile Stair Nosings - Vinyl Stair Treads - Rubbe Stair Treads - Viny Stringers - Rubbe Stringers - Vinyl SubFloor Leveler System х х Tactile Warning Strips Tarkola Terra-Tur TightLock Wall Base iQ Toro SC Sheet х Х х iQ Toro SC Tile Х Training х Triumph X1 UnderLock Tile Veneto Acoustiflor Vent Cove Wall Base

RECOMMENDED

Note: This chart is only a guide. Please refer to the product installation instructions or contact Tarkett for specific adhesive recommendations. For the most current adhesive information please visit tarkettna.com. Note: x1 only recommended for releasable applications.

ADHESIVES 197

									ADHESIVES						
	este nt Footng Adressie of Low Footng of God Adressie of Low Footng of Control of Control of the state of Low Footng of Control of Control of the state of Low Footng of Control of Co				esive	ADHESIVES									
e sive	e Adh	e ⁵ the ^{sit}	ve comp	Pot Adr	е	A AN	,ive	ad A	In re A	In- cive	Adhesi				
Adher	ooring	ING ACT. II	ting c	ontact	ahest	d Plat.	dhest,	dTree	rethan.	Adhes. F	20XY'				
ilient F	, Flool	, A Can	muml	deum r	Tilean	d Plank Add	ating a	Part	, aTur	Part	Adhesives No Adhe	sive			
Rest	VINY. OF	(ROL. 16	rel' col	ino. cov	inn or	Nall 5	f100. 15	TW0 - 96	rerr	(WO TR	AOI. Adhe	,			
	05	9 ¹	0,5	9,5	90	90	9,	90	9,7	C,	4-				
926	930	946	950	959	960	965	975	986	996	C-TR	No Adhesives				
x							х								
						х	х		х			1			
						Х	Х		х						
						Х	х		х						
		x													
		x			х										
		x			х										
		×			X										
						Х	х		х						
		х				х	Х		х						
							х								
							х								
X							х								
							Х								
		x			х										
						х	х		х						
						х	х		х						
							x								
						Х									
						х	Х								
		x			х										
		x													
		x													
						x	х		x						
						^	^		^						
											х				
х															
x															
	x	v				Y	х		х						
		X				Х									
	X	x				х	х		х						
	x	x				х	х		х						
		x													
		x													
x						х									
Â															
						х	х		х						
											Х				
								x							
		x			х							1			
x							х								
^							λ								
х							х								
1						х	х								
											х				
			x												
		X			Х										

198 REFERENCES - LIMITED WARRANTY

TARKETT WARRANTY OVERVIEW

Tarkett is pleased to offer the world's most-integrated high-performance flooring system, bringing together design, function and life-safety, leading to enhanced productivity in high-performance environments. All Tarkett products are warranted against manufacturers' defects to ensure high standards of quality, performance and aesthetics.

Limited Warranty Information Section 1: Compression Molded Rubber Tile

Limited 5-Year Commercial Warranty for Manufacturing Defects: Tarkett warrants from the date of purchase for a period of five (5) years of Commercial use that molded rubber tile flooring products conform to written specifications and are free of manufacturing defects, subject to the terms and conditions specified herein

The customer must notify Tarkett of any obvious visual defects prior to installation; otherwise this warranty wil not apply. If the defect is found and Tarkett is notified in writing prior to installation, Tarkett will replace any defective product, at no charge. If the customer believes the product to be defective after installation, the customer must promptly notify Tarkett and permit an inspection of the product. If, upon inspection, Tarkett determines that the product is defective Tarkett will replace or repair the defective product at its own cost, subject to the limitations in this warranty, and prorated as follows: Material and 100% Reasonable Labor Costs (Year 1): Material and 50% Reasonable Labor Costs (Year 2); and Material Only (Years 3-5).

Tarkett warrants that the products will not wear through for the warranty period of five (5) years of Commercial use. For claims based on wear-through, the customer must notify Tarkett and permit an inspection of the flooring. If Tarkett determines that the original flooring is worn through, Tarkett will replace or repair the worn flooring at its own cost; however, labor costs will be the customer's responsibility except as provided on the prorated basis described in the prior paragraph

Section 2: Rubber or Vinyl Stair Treads

Limited 5-Year Commercial Warranty for Manufacturing Defects: Tarkett warrants from the date of purchase for a period of five (5) years of Commercial use that rubber or vinyl stair tread products conform to written specifications and are free of manufacturing defects, subject to the terms and conditions specified herei

The customer must notify Tarkett of any obvious visual defects prior to installation; otherwise this warranty will not apply. If the defect is found and Tarkett is notified in writing prior to installation. Tarkett will replace any defective product, at no charge. If the customer believes the product to be defective after installation, the customer must promptly notify Tarkett and permit an inspection of the product. If, upon inspection, Tarkett determines that the product is defective, Tarkett will replace or repair the defective product at its own cost, subject to the limitations in this warranty, and prorated as follows: Material and 100% Reasonable Labor Costs (Year 1); Material and 50% Reasonable Labor Costs (Year 2); and Material Only (Years 3-5).

Section 3: Finishing Borders (Wall Base and Accessories

Limited 2-Year Commercial Warranty for Manufacturing Defects: Tarkett warrants from the date of purchase for a period of two (2) years of Commercial use that rubber or vinyl wall base and/or accessory products conform to written specifications and are free of manufacturing defects, subject to the terms and conditions specified herein

The customer must notify Tarkett of any obvious visual defects prior to installation; otherwise this warranty will not apply. If the defect is found and Tarkett is notified in writing prior to installation, Tarkett will replace any defective product, at no charge. If the customer believes the product to be defective after installation, the customer must promptly notify Tarkett and permit an inspection of the product. If, upon inspection, Tarkett determines that the product is defective, Tarkett will replace or repair the defective product at its own cost, subject to the limitations in this warranty, and prorated as follows: Material and 100% Reasonable Labor Costs (Year 1); Material and 50% Reasonable Labor Costs (Year 2).

Section 4: Vinyl Sheet and Tile Flooring

Limited 10-Year Commercial Warranty for Manufacturing Defects: Tarkett warrants from the date of purchase for a period of ten (10) years of Commercial use that vinyl sheet and tile flooring products conform to written specifications and are free of manufacturing defects, subject to the terms and conditions specified herein.

The customer must notify Tarkett of any obvious visual defects prior to installation; otherwise this warranty will not apply. If the defect is found and Tarkett is notified in writing prior to installation, Tarkett will replace any defective product, at no charge. If the customer believes the product to defective after installation, the customer must promptly

SECTION	PRODUCT TYPE	TARKETT BRAND PRODUCT LINES							
1	Compression Molded Rubber Tile	Circulinity [™] ; CorkTones [™] ; Defiant [™] ; Eco-Shell [™] with Cork; Folio [™] ; MicroTone [™] ; Mesto Configurations [™] ; Metallurgy [™] ; Minerality [™] ;Prima [®] Olio [®] and Marbleized; Replay [®] Tiles; Safe Sense [™] Solid Color Rubber Tile; Tactile Walking Surface Indicators; Terra-Turf [®] ; Triumph and Inertia [™]							
2	Rubber or Vinyl Stair Treads	Safe Sense [™] Tactile Warning Surface; Safe-T-First®							
3	Finishing Borders (Wall Base)	BaseWorks [™] ; Masquerade [™] ; Millwork [®] ; Perceptions [™] ; TightLock [®] ; Wall Art [™] ; Traditional							
	Finishing Accessories	Millwork®; Masquerade®; Wall Art ⁻ ; BaseWorks®; Traditional; Perceptions®; TightLock®; rePLACE®; Finishing Accessories							
4	Vinyl Sheet and Tile Flooring	Acczent [®] ; Acczent [®] Flourish; Acczent [®] Wood Acoustiflor [®] ; Acczent [®] Wood Safe-T; Aria [™] 2.0; iQ [™] Granit [™] / iQ [™] Granit [™] Micro; iQ [™] Granit [™] SD; iQ [™] Natural; iQ [™] Optima [®] ; iQ [™] Optima [®] Acoustiflor [®] ; iQ [™] Toro SC; Granit [™] Safe-T; Marbled Safe-T; Melodia [™] 2.0; Standard Plus; Training [®]							
5	Vinyl Composition Tile and Plank	A: Vinyl Composition Tile (VCT): Azrock [®] ; Azrock [®] TexTile [™] B: Vinyl Enhanced Tile (VET): Azterra [™] ; Color Essence [™] Solid Vinyl Tile (SVT): Cortina Grande [™] ; GemStone [™]							
6	Linoleum Sheet Flooring	Harmonium xf2™; Veneto Acoustiflor®							
7	Luxury Tile and Plank	A: I.D. Freedom [™] ; Transcend [™] SureSet [™] ; I.D. Inspiration [™] 55 B: I.D. Inspiration [™] 70							
8	Luxury Tile and Plank (Light Commercial)	A: Aloft™ Click; Aloft™ Glue Down B: Transcend™ Click							
9	Underlayment	SureStart™ Underlayment; Tarkolay Underlayment							

notify Tarkett and permit an inspection of the product. If, upon inspection, Tarkett determines that the product is defective. Tarkett will replace or repair the defective product at its own cost, subject to the limitations in this warranty, and prorated as follows: Material and 100% Reasonable Labor Costs (Year 1); Material and 50% Reasonable Labor Costs (Year 2); and Material Only (Years 3-10).

Tarkett warrants that the products will not wear through for the warranty period of ten (10) years of Commercial use. For claims based on wear-through, the customer must notify Tarkett and permit an inspection of the flooring. If Tarkett determines that the original flooring is worn through, Tarkett will replace or repair the worn flooring at its own cost; however, labor costs will be the customer's responsibility except as provided on the prorated basis described in the prior paragraph

Section 5A: Vinyl Composition Tile and Plank

Limited 10-Year Commercial Warranty for Manufacturing Defects: Tarkett warrants from the date of purchase for a period of ten (10) years of Commercial use that vinyl composition tile and plank flooring products conform to written specifications and are free of manufacturing defects, subject to the terms and conditions specified herein

The customer must notify Tarkett of any obvious visual defects prior to installation; otherwise this warranty will not apply. If the defect is found and Tarkett is notified in writing prior to installation. Tarkett will replace any defective product, at no charge. If the customer believes the product to be defective after installation, the customer must promptly notify Tarkett and permit an inspection of the product. If. upon inspection, Tarkett determines that the product is defective, Tarkett will replace or repair the defective product at its own cost, subject to the limitations in this warranty, and prorated as follows: Material and 100% Reasonable Labor Costs (Year 1); Material and 50% Reasonable Labor Costs (Year 2); and Material Only (Years 3-10).

Tarkett warrants that the products will not wear through for the warranty period of ten (10) years of Commercial use For claims based on wear-through, the customer must notify Tarkett and permit an inspection of the flooring. If Tarkett determines that the original flooring is worn through, Tarkett will replace or repair the worn flooring at its own cost: however, labor costs will be the customer's responsibility except as provided on the prorated basis described in the prior paragraph.

Section 5B: Vinyl Tile Flooring

Limited 10-Year Commercial Warranty for Manufacturing Defects: Tarkett warrants from the date of purchase for a period of ten (10) years of Commercial use that vinyl tile flooring products conform to written specifications and are free of manufacturing defects, subject to the terms and conditions specified herein

The customer must notify Tarkett of any obvious visual defects prior to installation: otherwise this warranty will not apply. If the defect is found and Tarkett is notified in

writing prior to installation, Tarkett will replace any defective product, at no charge. If the customer believes the product to be defective after installation, the customer must promptly notify Tarkett and permit an inspection of the product. If, upon inspection, Tarkett determines that the product is defective. Tarkett will replace or repair the defective product at its own cost, subject to the limitations in this warranty, and prorated as follows: Material and 100% Reasonable Labor Costs (Year 1): Material and 50% Reasonable Labor Costs (Year 2); and Material Only (Years 3-10).

Tarkett warrants that the products will not wear through for the warranty period of ten (10) years of Commercial use. For claims based on wear-through, the customer must notify Tarkett and permit an inspection of the flooring. If Tarkett determines that the original flooring is worn through, Tarkett will replace or repair the worn flooring at its own cost; however, labor costs will be the customer's responsibility except as provided on the prorated basis described in the prior paragraph.

Section 6: Linoleum Sheet Flooring

Limited 5-Year Commercial Warranty for Manufacturing Defects: Tarkett warrants from the date of purchase for a period of five (5) years of Commercial use that linoleum sheet flooring products conform to written specifications and are free of manufacturing defects, subject to the terms and conditions specified herein.

The customer must notify Tarkett of any obvious visual defects prior to installation; otherwise this warranty will not apply. If the defect is found and Tarkett is notified in writing prior toinstallation, Tarkett will replace any defective product, at no charge. If the customer believes the product to be defective after installation, the customer must promptly notify Tarkett and permit an inspection of the product. I upon inspection, Tarkett determines that the product is defective. Tarkett will replace or repair the defective product at its own cost, subject to the limitations in this warranty, and prorated as follows: Material and 100% Reasonable Labor Costs (Year 1); Material and 50% Reasonable Labor Costs (Year 2); and Material Only (Years 3-5).

Tarkett warrants that the products will not wear through for the warranty period of five (5) years of Commercial use. For claims based on wear-through, the customer must notify Tarkett and permit an inspection of the flooring. If Tarkett determines that the original flooring is worn through, Tarkett will replace or repair the worn flooring at its own cost; however, labor costs will be the customer's responsibility except as provided on the prorated basis described in the prior paragraph

Section 7A: Luxury Tiles and Plank

Limited 10-Year Commercial Warranty for Manufacturing Defects: Tarkett warrants from the date of purchase for a period of ten (10) years of Commercial use that luxury tile and plank flooring products conform to written specifications and are free of manufacturing defects, subject to the terms and conditions specified herein

The customer must notify Tarkett of any obvious visual defects prior to installation; otherwise this warranty will not apply. If the defect is found and Tarkett is notified in writing prior to installation, Tarkett will replace any defective product, at no charge. If the customer believes the product to be defective after installation, the customer must promptly notify Tarkett and permit an inspection of the product. If, upon inspection, Tarkett determines that the product is defective. Tarkett will replace or repair the defective product at its own cost, subject to the limitations in this warranty, and prorated as follows: Material and 100% Reasonable Labor Costs (Year 1); Material and 50% Reasonable Labor Costs (Year 2); and Material Only (Years 3-10).

Tarkett warrants that the products will not wear through for the warranty period of five (5) years of Commercial use. For claims based on wear-through, the customer must notify Tarkett and permit an inspection of the flooring. If Tarkett determines that the original flooring is worn through, Tarkett will replace or repair the worn flooring at its own cost; however, labor costs will be the customer's responsibility except as provided on the prorated basis described in the prior paragraph.

Section 7B: Luxury Tiles and Plank

Limited 20-Year Commercial Warranty for Manufacturing Defects: Tarkett warrants from the date of purchase for a period of twenty (20) years of Commercial use that luxury tile and plank flooring products conform to written specifications and are free of manufacturing defects, subject to the terms and conditions specified herein

The customer must notify Tarkett of any obvious visual defects prior to installation; otherwise this warranty will not apply. If the defect is found and Tarkett is notified in writing prior to installation. Tarkett will replace any defective product, at no charge. If the customer believes the product to be defective after installation, the customer must promptly notify Tarkett and permit an inspection of the product. If, upon inspection, Tarkett determines that the product is defective. Tarkett will replace or repair the defective product at its own cost, subject to the limitations in this warranty, and prorated as follows: Material and 100% Reasonable Labor Costs (Year 1): Material and 50% Reasonable Labor Costs (Year 2); Material Only (Years 3-10); 50% Material Only (Years 11-15); and 25% Material Only (Years 16-20).

Tarkett warrants that the products will not wear through for the warranty period of five (5) years of Commercial use. For claims based on wear-through, the customer must notify Tarkett and permit an inspection of the flooring. If Tarkett determines that the original flooring is worn through, Tarkett will replace or repair the worn flooring at its own cost; however, labor costs will be the customer's responsibility except as provided on the prorated basis described in the prior paragraph

Section 8A: Luxury Tiles and Plank (Light Commercial)

Light Commercial Warranty for Manufacturing Defects: Tarkett warrants from the date of purchase for a period of seven (7) years of Light Commercial use that luxury tile and plank flooring products conform to written specifications and are free of manufacturing defects, subject to the terms and conditions specified herein. Light Commercial applications are defined as foot-traffic only (no rolling loads).

The customer must notify Tarkett of any obvious visual defects prior to installation; otherwise this warranty will not apply. If the defect is found and Tarkett is notified in writing prior to installation. Tarkett will replace any defective product, at no charge. If the customer believes the product to be defective after installation, the customer must promptly notify Tarkett and permit an inspection of the product. If, upon inspection, Tarkett determines that the product is defective, Tarkett will replace or repair the defective product at its own cost, subject to the limitations in this warranty, and prorated as follows: Material and 100% Reasonable Labor Costs (Year 1): Material and 50% Reasonable Labor Costs (Year 2); Material Only (Years 3-5); and 50% Material Only (Years 6-7).

Tarkett warrants that the products will not wear through for the warranty period of seven (7) years of Light Commercial use. For claims based on wear- through, the customer must notify Tarkett and permit an inspection of the flooring. If Tarkett determines that the original flooring is worn through, Tarkett will replace or repair the worn flooring at its own cost; however, labor costs will be the customer's responsibility except as provided on the prorated basis described in the prior paragraph

Section 8B: Luxury Tiles and Plank (Light Commercial)

Light Commercial Warranty for Manufacturing Defects: Tarkett warrants from the date of purchase for a period of ten (10) years of Light Commercial use that luxury tile and plank flooring products conform to written specifications and are free of manufacturing defects, subject to the terms and conditions specified herein. Light Commercial applications

(Years 6-10).

prior paragraph.

Section 9: Underlayment

terms and conditions specified herein.

The customer must notify Tarkett of any obvious visual will not apply.

Material Only (Years 3-10).

All Tarkett Commercial Products: This Limited Warranty applies only for products

Warranty Claim Procedure

To be eligible for replacement under this warranty, the Notice shall be given to Tarkett at its corporate address of 30000 Aurora Road, Solon, Ohio 44139. Phone: (800) 899-8916; Fax: (440) 543-5774

of material purchase.

Warranty Exclusions

The Tarkett Limited Warranty does not apply to:

- Any promise made by any salesperson or representative. unless such promise is express and made in a written form · Tears, burns, cuts or damage due to improper installation or
- use or improper cleaning agents and maintenance methods · Labor costs outside of prorated schedule defined in the
- warranty
- materials are sold "as is."

those recommended by Tarkett

be made available to Tarkett upon request.

- Subfloor contamination or markings that bleed through the flooring material causing discoloration or staining
- or instructions

TARKETTNA.COM

are defined as foot-traffic only (no rolling loads).

- The customer must notify Tarkett of any obvious visual defects prior to installation: otherwise this warranty will not apply. If the defect is found and Tarkett is notified in writing prior to installation, Tarkett will replace any defective product, at no charge. If the customer believes the product to be defective after installation, the customer must promptly notify Tarkett and permit an inspection of the product. If, upon inspection. Tarkett determines that the product is defective, Tarkett will replace or repair the defective product at its own cost, subject to the limitations in this warranty, and prorated as follows: Material and 100% Reasonable Labor Costs (Year 1); Material and 50% Reasonable Labor Costs (Year 2); Material Only (Years 3-5); and 50% Material Only
- Tarkett warrants that the products will not wear through for the warranty period of ten (10) years of Light Commercial use. For claims based on wear-through, the customer must notify Tarkett and permit an inspection of the flooring. If Tarkett determines that the original flooring is worn through Tarkett will replace or repair the worn flooring at its own cost: however, labor costs will be the customer's responsibility except as provided on the prorated basis described in the

- Limited 10-Year Light Commercial Warranty for Manufacturing Defects: Tarkett warrants from the date of purchase for a period of ten (10) years of Light Commercial use of SureStart[™] underlayment with approved Tarkett LVT products, subject to subfloors being prepared & meeting Tarkett Installation Instruction guidelines and subject to the
- defects or concerns prior to install; otherwise this warranty
- If the defect is found and Tarkett is notified in writing prior to installation, Tarkett will replace any defective product, at no charge. If the customer believes the product to be defective after installation, the customer must promptly notify Tarkett and permit an inspection of the product. If, upon inspection, Tarkett determines that the product is defective, Tarkett will replace or repair the defective product at its own cost. subject to the limitations in this warranty, and prorated as follows: Material and 100% Reasonable Labor Costs (Year 1): Material and 50% Reasonable Labor Costs (Year 2): and

installed, used and maintained according to the written recommendations and specifications provided by at the time

- customer must file a claim by giving Tarkett written notice of the defect. This notice must be filed immediately, but in no event more than 10 days following discovery of the defect.
- If defective product has been discontinued or is otherwise unavailable, Tarkett reserves the right to select and supply the customer with Tarkett replacement flooring similar in guality and guantity to the material claimed to be defective.
- The exact matching of shade, color or mottling
- Sales of non-first guality materials, i.e., "seconds," "off goods" or other irregular flooring. Such non-first quality
- · Issues associated with the use of adhesives other than
- Issues caused by moisture or alkali in the subfloor. Preinstallation moisture and alkali testing is required and must
- Problems caused by installation, uses and maintenance that are contrary to Tarkett's specifications, recommendation

- · Material installed with obvious defects not notified to Tarkett prior to installation
- Exterior installations Tarkett products are designed for interior applications only
- · Fading and/or discoloration resulting from heavy sunlight penetration and ultraviolet ray exposure from direct or glass-filtered sunlight
- Damage to flooring products caused by high or spiked heels, improper protectors/casters or furniture rests. Some rolling-type casters on furniture or appliances may damage resilient flooring. Warranty as to the suitability of the factory-installed casters rests with the furniture or appliance manufacturers. Casters must be suitable for use on resilient flooring to avoid warranty exclusions.
- · Damage to flooring products from pallet jack and towmotor traffic
- · Premature wear or deterioration from spikes and skate blade exposure
- · Variations in color or embossing between products. photography or printed color illustration
- Installation of Tarkett flooring in work or commercial areas exposed to oil and grease, such as commercial kitchens or butcher shops. Defiant Oil and Grease-Resistant Rubber tiles are recommended in such situations
- Additional expense associated with overtime, replacing or moving appliances or furniture, business interruptions, loss of use or other related costs associated with the replacement of the flooring

Warranty Disclaimer

Tarkett MAKES NO WARRANTIES WHATSOEVER, EXPRESS OR IMPLIED WITH RESPECT THERETO, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

These warranties are in lieu of any other warranty expressed or implied. Tarkett shall not be liable for any incidental or consequential damages which may result from a defect or whether based on breach of express or implied warranty, negligence, strict liability or any other legal theory, except where the exclusion or limitation of incidental or consequential damages is prohibited by state law. These warranties provide specific legal rights; these and other rights may vary from state to state. To learn the legal rights in a specific state, consult the local or state Consumer Affairs Office or the State Attorney General.

All of the above is for reference only - for the latest product-specific information regarding warranties, installation and maintenance, please visit tarkettna.com

200 REFERENCES - CHIP DETAILS

MICROTONE" SPECKLED RUBBER TILE thickness = 1/8" (3.2 mm), .080" (2 mm) as seen on pages 37-39

LA1 Peanut Brittle • Field: 286 Fortune Cookie; Speckles: 21 Platinum, 09 Clay, 22 Pearl LA2 Wedgewood • Field: 465 Seafarer; Speckles: 32 Pebble 38 Pewter, 24 Grev Haze LA3 Seaspray • Field: 27 Mist; Speckles: 21 Platinum, 09 Clay, 194 Antique White LA4 Hudson Valley • Field: 601 Asparagus; Speckles: 48 Grey, 608 Mountain Laurel 34 Almond LA5 Chesapeake Bay • Field: 291 Laguna; Speckles: 71 Storm Cloud, 50 White, 21 Platinum LA6 Antique Ivory • Field: 27 Mist; Speckles: 38 Pewter, 09 Clay, 08 Icicle LA7 Dark Roast • Field: 284 Ganache; Speckles: 33 Adobe Peach. 55 Silver Grey, 49 Beige LA8 Banana Republic • Field: 604 Rubber Ducky; Speckles: 71 Storm Cloud. 01 Snow White. 38 Pewter LA9 Ceramic Glaze • Field: 09 Clay; Speckles: 40 Black, 29 Moon Rock, 50 White LB1 Vanilla Bean • Field: 47 Brown; Speckles: 29 Moon Rock, 45 Sandalwood, 09 Clay LB2 Great Plains • Field: 49 Beige; Speckles: 32 Pebble, 22 Pearl. 50 White LB3 Sepia Tone • Field: 11 Canvas; Speckles: 50 White, 28 Medium Grey, 80 Fawn LB4 Mottled Egg • Field: 24 Grey Haze; Speckles: 29 Moon Rock, 55 Silver Grev. 50 White LB5 Nightfall • Field: 92 Blue Lagoon; Speckles: 40 Black, 71 Storm Cloud, 38 Pewter LB6 Quenched • Field: 84 Blue Jeans; Speckles: 30 Ink, 144 Blueprint, 139 Glacier LB7 Go Blue • Field: 70 Bluest; Speckles: 470 Cerulean, 106 Skinny Dip, 50 White LB8 Vortex • Field: 40 Black; Speckles: 48 Grey, 38 Pewter, 21 Platinum LB9 Rainstorm • Field: 20 Charcoal; Speckles: 40 Black, 28 Medium Grev. 21 Platinum LC1 Smokiness • Field: 71 Storm Cloud; Speckles: 40 Black, 28 Medium Grey, 21 Platinum LC2 City Block · Field: 28 Medium Grey; Speckles: 71 Storm Cloud, 38 Pewter, 21 Platinum LC3 The Times • Field: 21 Platinum; Speckles: 40 Black, 48 Grey, 50 White LC4 Mountaineer • Field: 48 Grey; Speckles: 40 Black, 55 Silver Grev. 50 White LC5 Riverbed • Field: 32 Pebble; Speckles: 63 Burnt Umber, 29 Moon Rock, 12 Hard Rock LC6 Nightowl • Field: 55 Silver Grey; Speckles: 71 Storm Cloud, 28 Medium Grey, 50 White LC7 Best Seller • Field: 23 Vapor Grey; Speckles: 71 Storm Cloud, 28 Medium Grev. 50 White LC8 Melody • Field: 468 Gulfstream; Speckles: 28 Medium Grey, 38 Pewter, 50 White LC9 Dino · Field: 608 Mountain Laurel; Speckles: 190 Greege, 289 Jaded 27 Mist LD1 Rainshower • Field: 591 Sleet: Speckles: 28 Medium Grev.

38 Pewter, 460 Cotton 137 Veiled Violet, 121 Cement LD2 Backwoods • Field: 41 Sea Breeze; Speckles: 86 Hunter Green, 622 Silver Thyme, 24 Grey Haze LD3 Indigo Dye • Field: 18 Navy Blue; Speckles: 71 Storm Cloud, 32 Pebble, 24 Grev Haze LD4 Rain Puddle • Field: 58 Windsor Blue; Speckles: 18 Navy Blue, 590 Denim, 38 Pewter LD5 Williamsburg • Field: 38 Pewter; Speckles: 28 Medium Grey, 24 Grey Haze, 34 Almond LD6 Cosmology • Field: 63 Burnt Umber; Speckles: 29 Moon Rock, 49 Beige, 32 Pebble LD7 Lunar Explorer • Field: 29 Moon Rock; Speckles: 63 Burnt Umber, 55 Silver Grey, 24 Grey Haze LD8 Crumbcake • Field: 130 Sisal; Speckles: 80 Fawn, 19 Desert Camel, 34 Almond LD9 Peacock Plume • Field: 609 Cozumel; Speckles: 72 Harbour, 27 Mist. 590 Denim LE2 Chocolate Cream • Field: 45 Sandalwood; Speckles: 47 Brown, 09 Clay 22 Pearl LE3 Silkworm • Field: 129 Silk; Speckles: 32 Pebble, 130 Sisal, 194 Antique White LE4 Log Cabin • Field: 80 Fawn; Speckles: 48 Grey, 49 Beige, 12 Hard Rock LE5 El Giza · Field: 22 Pearl; Speckles: 29 Moon Rock, 05 Stone, 195 Antique White LE6 Emerald City • Field: 471 Bok Choy; Speckles: 135 Chinese Jade, 21 Platinum, 460 Cotton LE7 Cameleon • Field: 138 Celery; Speckles: 55 Silver Grey, 130 Sisal. 01 Snow White LE8 French Toast • Field: 136 Beachy; Speckles: 121 Cement, 286 Fortune Cookie, 01 Snow White LE9 Tropical Smoothie • Field: 473 Butterscotch; Speckles: 644 Inca Trail, 76 Cinnamon, 194 Antique White LF1 Cape May • Field: 79 Bone White; Speckles: 80 Fawn, 09 Clay, 08 Icicle LF2 Wedding Cake • Field: 01 Snow White; Speckles: 80 Fawn, 09 Clay, 21 Platinum LF3 Dragonwyck • Field: 621 Tupelo; Speckles: 665 Sawgrass, 150 Wetlands, 01 Snow White LF4 Cedar Grove • Field: 622 Silver Thyme; Speckles: 29 Moon 21 Platinum, 01 Snow White LF5 Irish Meadow • Field: 467 Arugula; Speckles: 135 Chinese 21 Platinum 01 Snow White LF6 Sherwood Forest • Field: 135 Chinese Jade; Speckles: 38 Pewter, 22 Pearl, 01 Snow White LF7 Blueberry Pie • Field: 630 Blue Chip; Speckles: 18 Navy Blue, 55 Silver Grey, 21 Platinum LF8 High Seas • Field: 470 Cerulean; Speckles: 92 Blue Lagoon, 465 Seafarer, 08 Icicle LF9 Caribbean Cruise • Field: 631 Montego Bay; Speckles: 58 Windsor Blue, 21 Platinum, 50 White LG1 Freshaire • Field: 590 Denim; Speckles: 71 Storm Cloud, 21 Platinum 08 Icicle LG2 Wizardry • Field: 162 Sovereign; Speckles: 40 Black,

LG3 Grape Tart • Field: 472 Imperial; Speckles: 92 Blue Lagoon, 21 Platinum, 08 Icicle LG4 Crunchbar • Field: 42 Sable: Speckles: 76 Cinnamon. 33 Adobe Peach, 12 Hard Rock LG5 Georgian Clay • Field: 287 Rustic; Speckles: 76 Cinnamon, 55 Silver Grey, 09 Clay LG6 Wine Cellar • Field: 85 Burgundy; Speckles: 48 Grey, 38 Pewter, 55 Silver Grey LG7 Mystique • Field: 469 Mystify; Speckles: 38 Pewter, 12 Hard Rock, 01 Snow White LG8 Tuscan Olive • Field: 190 Greege; Speckles: 20 Charcoal, 09 Clav. 27 Mist LG9 Unfettered • Field: 474 Zen; Speckles: 135 Chinese Jade, 130 Sisal, 27 Mist LH1 Herbal Remedy • Field: 632 Cilantro; Speckles: 86 Hunter Green, 608 Mountain Laurel, 27 Mist LH2 Savannah • Field: 475 Marshland; Speckles: 474 Zen 138 Celery 01 Snow White LH3 Harmony • Field: 476 Parkway; Speckles: 28 Medium Grey, 24 Grey Haze, 01 Snow White LH4 Penny Arcade • Field: 644 Inca Trail; Speckles: 29 Moon Rock, 09 Clay, 22 Pearl LH5 Red River Valley • Field: 646 Mesquite: Speckles: 38 Pewter, 09 Clay, 22 Pearl LH6 Coffee Bean • Field: 76 Cinnamon; Speckles: 121 Cement, 24 Grey Haze, 12 Hard Rock LH7 Sizzling • Field: 664 Tarjay; Speckles: 23 Vapor Grey, 32 Pebble, 469 Mystify LH8 Toscana • Field: 665 Sawgrass; Speckles: 48 Grey, 190 Greege, 194 Antique White LH9 Alpine • Field: 86 Hunter Green; Speckles: 48 Grey, 38 Pewter, 24 Grey Haze LJ1 Glazed Icing • Field: 68 White Sand; Speckles: 21 Platinum, 129 Silk, 79 Bone White LJ2 Spring Valley • Field: 593 Duckweed; Speckles: 21 Platinum, 59 Heather Green, 194 Antique White LJ3 Reflecting Pool • Field: 667 Nice Teal; Speckles: 21 Platinum, 24 Grey Haze, 27 Mist LJ4 Sugar Plum • Field: 670 Clematis; Speckles: 18 Navy Blue, 38 Pewter, 11 Canvas LJ5 Glacier Lake • Field: 106 Skinny Dip; Speckles: 40 Black, 192 Tidewater, 24 Grev Haze LJ6 Cinnamon Toast • Field: 149 Milk Chocolate; Speckles: 80 Fawn, 130 Sisal, 22 Pearl LJ7 Wayne Manor • Field: 24 Grey Haze; Speckles: 28 Medium Grey, 55 Silver Grey, 194 Antique White LJ8 Summerset • Field: 677 Sharp Cheddar: Speckles: 09 Clay. 286 Fortune Cookie, 01 Snow White LJ9 High Energy • Field: 670 Clematis; Speckles: 38 Pewter, 29 Moon Rock, 31 Zephyr LE1 Sandbox • Field: 31 Zephyr; Speckles: 32 Pebble, 27 Mist, 01 Snow White LK1 Red Caboose • Field: 163 Salsa; Speckles: 284 Ganache, 28 Medium Grey, 24 Grey Haze

TRIUMPH AND INERTIA MULTI-FUNCTIONAL AND SPORTS FLOORING thickness = 3/8" (9.5 mm) as seen on page 142-143

KJ1 Marino • Field: 18 Navy; Speckles: 467 Arugula, 590 Denim, 58 Windsor Blue KJ2 Tidal • Field: 58 Windsor Blue; Speckles: 590 Denim, 18 Navy Blue, 476 Parkway KJ3 Brownout • Field: 47 Brown: Speckles: 281 Grizzly. 45 Sandalwood, 199 Dockside KJ4 Cocolite • Field: 149 Milk Chocolate; Speckles: 286 Fortune Cookie, 47 Brown, 49 Beige KJ5 Browns Town • Field: 63 Burnt Umber: Speckles 48 Grev. 05 Stone, 38 Pewter LB9 Rainstorm • Field: 20 Charcoal; Speckles 40 Black, 21 Platinum, 28 Medium Grey LD7 Lunar Explorer • Field: 29 Moon Rock; Speckles: 63 Burnt Umber, 55 Silver Grey, 24 Grey Haze

48 Grev. 21 Platinum LB8 Vortex • Field: 40 Black; Speckles: 48 Grey, 38 Pewter, 21 Platinum LE4 Log Cabin • Field: 80 Fawn; Speckles: 48 Grey, 49 Beige, 12 Hard Rock KJ7 Burged • Field: 85 Burgundy; Speckles: 646 Mesquite, 199 Dockside, 45 Sandalwood KJ8 Strong Blue • Field: 70 Bluest; Speckles: 192 Tidewater, 475 Marshland, 38 Pewter KJ9 Forestation • Field: 86 Hunter Green; Speckles: 474 Zen, 290 Tea Green, 38 Pewter KK3 Tea Leaves • Field: 632 Cilantro; Speckles: 21 Platinum, 86 Hunter Green, 151 Iguana

KJ6 Grey Area • Field: 38 Pewter; Speckles: 24 Grey Haze,

45 Sandalwood, 76 Cinnamon, 129 Silk KL2 Passion • Field: TB6 Flame; Speckles: 130 Sisal, 121 Cement, 644 Inca KL3 Bright Sun • Field: TB5 Sunspot; Speckles: 460 Cotton, 28 Medium Grey, 55 Silver Grey LB2 Great Plains • Field: 49 Beige; Speckles: 32 Pebble, 22 Pearl, 50 White LC7 Best Seller • Field: 23 Vapor Grey; Speckles: 28 Medium Grey, 50 White, 71 Storm Cloud LB4 Mottled Egg • Field: 24 Grey Haze; Speckles: 29 Moon Rock, 50 White, 55 Silver Grey

KK6 Fortunate • Field: 286 Fortune Cookie; Speckles:

DEFIANT OIL AND GREASE RESISTANT RUBBER TILE thickness = 1/8" (3.2 mm) as seen on page 160

277 Cold Front • Field: 48 Grey; Speckles: 38 Pewter, 40 Black 278 Dress Blues • Field: 18 Navy Blue; Speckles: 38 Pewter, 58 Windsor Blue

279 Dew Point • Field: 86 Hunter Green; Speckles: 59 Heather Green, 49 Beige 729 Thickett • Field: 80 Fawn; Speckles: 29 Moon Rock, 49 Beige 732 Tundra • Field: 20 Charcoal: Speckles: 38 Pewter, 40 Black 733 Molten • Field: 40 Black; Speckles: 38 Pewter, 48 Grey

Guide to Color OUR SYSTEM MAKES IT EASY TO COORDINATE ACROSS FLOORING OPTIONS, FINISHING BORDERS AND ACCESSORIES.

Subtle hues to bold statements.



SOLID COLORS

SOLID COLORS





METALLIC COLORS



Color plays a key role in the Tarkett Solution SPECtrum[™]. After all, color has the power to motivate students in the classroom or soothe healing patients. It can stimulate excitement at retail stores or enhance safety by preventing a bad fall. By coordinating all flooring and accessory solutions across a balanced, harmonized palette, you have the freedom to bring your spatial design ideas to life. Express your creativity through the kind of environments where happiness and productivity thrive together.

A New Color Experience:

Our newly refreshed Solid Color Palette includes 115 shades that meet the needs of today's interiors and coordinate with the rest of the Tarkett portfolio. The perfectly balanced palette includes Color Foundations an array of warm and cool greys and beiges— as well as crisp whites, inspired colors and deep neutrals. We've carefully selected each sophisticated hue to provide a broad range of options for today's designs.

Color Foundations:

Color Foundations (CF) are neutral colors designed to coordinate over the entire Tarkett Solution SPECtrum, which includes carpet, rubber, vinyl sheet and tile, composition tile, linoleum, finishing borders (wall base), stair treads and accessories. CF neutrals include: WB (Warm Beige), CB (Cool Beige), WG (Warm Grey), CG (Cool Grey), B (Black), W (White), which let you switch colors within like groups, making it easier and faster to create your signature designs. There are hundreds of choices in six neutral palettes and one guarantee: You'll always have color coordinating options within each palette, now and into the future. Guaranteed.

Customization:

When you don't see the exact color you need, create it. Get started by contacting your local Tarkett representative. We offer customized colors in the quantity you want, when you want it!

ColorMatch®:

ColorMatch is a designer palette of 36 leading colors that offer coordinating colors across multiple products with no dye lots...ever! Our rigorous manufacturing and quality standards enable you to confidently mix and match a color across all Tarkett rubber and vinyl flooring products, finishing borders and finishing accessories.

Metallics:

The updated solid color palette includes eight metallic shades, providing another element of detail and visual interest to finish a space.

All colors shown in this card, including chips and photographs, approximate the actual flooring colors as accurately as possible.

COLOR AVAILABILITY CHART

Chart indicates standard availability across all traditional Tarkett solutions. Don't see the color you want in the product you need? Just ask. Put our customization to the test.

			C O L O R	PALETTES	
	TARKETT SOLUTIONS	SOLID COLOR (Including ColorMatch®)	COLORMATCH ONLY	METALLICS	SPECIAL NOTES
	Duracove and Rubber Wall Base	٠		•	4" Traditional Toe standard in Wall Art.
٨S	Vinyl Wall Base	•			
	Baseworks Thermoset Rubber Wall Base	•			
LUTIO	Perceptions	٠		•	
WALL BASE SOLUTIONS	TightLock	•		•	4.5" TightLock Carpet, 4.25" TightLock Carpet (w/o Spacer), 4.375" TightLock Resilient standard in Wall Art.
WALL	Millwork (including Chair Rail, Corner Guard and Shoe Moulding)	٠		•	
	Millwork Wall Art (including Quarter Round and Shoe Moulding)				Standard in Millwork Profiles Reveal, Silhouette, Outline, and Oblique.
	Millwork Masquerade				Standard in Millwork Profiles Reveal and Classic. Custom Digital Printing.
FINISHING ACCESSORIES	Floor Finishing Accessories		•		
FINIS	Slim Line Transitions		•	۰	
	Rubber Tile (All textures)	•			Prima Marbleized and Prima Olio are special order.
6	MicroTone Speckled Rubber Tile in 1/8" and 0.080" Tiles Triumph and Inertia Rubber				Please refer to Tarkett Product Guide or tarkettna.com for the standard Speckled colorway offerings. Or, expand your options by using the color guide to create your own unique speckled pattern.
RUBBER FLOORING SOLUTIONS	Mesto and Mesto Configurations Rubber Tile				Please refer to Tarkett Product Guide for the standard color offerings for Mesto Configurations rubber flooring. Custom colors by special request.
OORING	Metallurgy Rubber Tile				Please refer to Tarkett Product Guide for the standard colorway offerings for Metallurgy rubber flooring.
BBER FL	Eco-Naturals CorkTones Rubber Tile		•		Custom colors with cork are available by special request.
RU	Eco-Naturals Eco-Shell with Cork Rubber Tile				Please refer to Tarkett Product Guide for the standard color offerings for Eco-Shell with Cork rubber flooring. Custom colors by special request.
	Defiant Oil & Grease Resistant Rubber Tile				Please refer to Tarkett Product Guide for the standard color offerings for Defiant Oil & Grease Resistant rubber flooring.
4s	Rubber Stair Treads	٠			Some profiles available in Speckled tile colorways as standard. Custom colors, Prima Marbleized and Olio patterns and Mesto colorways by special request.
ILUTIO	Rubber Stringers and Risers	•			
STAIRWELL SOLUTIONS	Vinyl Treads, Stringers, Risers & Nosings		•		
STAIR	Slim Line Nosings		•	•	
	Metallurgy Rubber Stair Treads				Please refer to Tarkett Product Guide for the standard colorway offerings for Metallurgy rubber flooring.

to order: Specify Texture Code below Swatch-Color Number-Gauge. For example, to order Rice Paper in color 49 Beige in 1/8" gauge, specify: FRPA - 49 - 1/8".

Tarkett North America

30000 Aurora Rd Solon, OH 44139 800.899.8916

tarkettna.com

29899300032 ©2018 Tarkett North America 11/2018



MIX Paper from responsible sources FSC^e C102271



29899900018 TARKETTNA.COM 800.899.8916