

DESSO

# Futurity

RUGS

The  
power of  
origin



 **Tarkett**

# DESSO® Futurity

Recycle, renew, relove: the DESSO Futurity rug is an ode to our beautiful earth and its precious resources, and an invitation to let the raw materials speak for themselves.

One man's rubbish is another man's inspiration to do better, reach further, think bigger. A single recycled carpet tile is just a small piece of the puzzle, a building block for the future. When pressed together, new patterns, colour combinations and designs emerge and mesmerise. Patterns are random, designs accidental, created by the new natural process of recycling.

An irregular textured aesthetic - raw and untamed - allows for true statement flooring. Its colour comprising a lighter base with darker pattern, reflects the raw, unpolished and unpredictable characteristics of this novel kind of nature. A rough texture perfectly suited to an urban setting, outspoken and loud to make a statement.

Nature fascinates and inspires us, both its beauty and its fragility. The Futurity carpet tile collection is the beginning of a new relationship with the world around us, and lets us take that world inside. Over and over again.

As part of Tarkett's Cradle to Cradle® commitment, Futurity is Cradle to Cradle® Silver Level certified. The product includes our 100% recyclable EcoBase™ backing, containing an average of 80% upcycled chalk\* from the local drinking water industry.

In addition, Futurity is made with ECONYL®, a 100% regenerated nylon yarn made from recovered waste materials such as discarded fishing nets and carpet yarn from our own carpet recycling centre.

The DESSO Futurity carpet tile collection is 100% recyclable in our own carpet recycling centre.

---

\* Lloyd's Register assured as 100% pre-consumer recycled material.




Futurity 9096



## DESSO® Futurity rug

The beautiful, textured design and colour combination of the Futurity rug does not only offer a way to segment spaces in a large area – making them warmer and more intimate in the process – but it also offers a true statement piece for any office environment.

The Futurity rug is available in custom sizes (with maximum width of 400cm), has an anti-slip backing, and comes with an immaculate blind band cotton finishing that is flawless in design and available in five complementary colours. The rug design is exclusively available in one colour option.



1324



## The power of origin

Look around. What do you see? When we take the time to zoom in, to stand still and focus, entire worlds reveal themselves. All of nature right at your feet, ready for you to take that next step.

Our DESSO Human Fascination II collection is the latest addition to the DESSO Carpitecture® Family and an ode to the ingenuity of nature and its wild beauty. We want to know our landscapes, become one with them. Not just what's on the surface, but everything underneath. Look closely, zoom in on the materials, examine our resources. Each is a world on its own, a microcosm that holds everything together. Knowing intimately means caring, and caring means protecting.

We believe in circularity, in using no more than we need, and giving back what we take. Inspiration can be found in the gentle process of rebirth and renewal. Just like flowers bloom each spring, and rain drops cycle from mountains to rivers, oceans and clouds and mountains again, our carpet tiles revive time after time.

Our Futurity and Marvel carpet flooring puts the raw materials and organic shapes of nature on a pedestal. Accidental designs through recycling meet soft textures with a handcrafted feel.


Embrace raw materials, marvel at the friendly side of nature and reflect on what it means to be fully conscious of your surroundings. Let our carpet tiles reveal the beauty underneath.

---

The power of origin



Futurity rug 1324 with cotton blind band B-108, iD Revolution Composite stone grey



Futurity rug 1324 with cotton blind band B-108, iD Revolution Composite stone grey

An ode to our beautiful earth



Futurity rug 1324 with cotton blind band B-114, iD Revolution Composite stone grey



Futurity rug 1324 with cotton blind band B-114, iD Revolution Composite stone grey

# ECONYL®



## 100% ECONYL®

The DESSO Futurity collection contains 100% ECONYL®, a regenerated nylon yarn, made from recovered waste materials such as discarded fishing nets and carpet yarn from our carpet recycling centre.

## 100% ECONYL®

De DESSO Futurity collectie is gemaakt van 100% ECONYL®-garen, een geregenereerd nylongaren van hergebruikt afvalmateriaal zoals afgedankte visnetten en tapijtgarens uit ons eigen tapijtreyclingcentrum.

## 100% ECONYL®

La collection DESSO Futurity contient 100% de fils nylon régénérés ECONYL®, fabriqués à partir de matériaux de récupération comme des filets de pêche usagés et des fibres textiles issues de notre propre centre de recyclage de moquettes.

## 100% ECONYL®

Das Nylongarn der DESSO Futurity Teppichfliesen besteht aus 100% ECONYL®, welches aus wiederverwerteten Abfallmaterialien wie geborgenen Fischernetzen und Garnabfällen aus unserem eigenen Teppich-Recyclingzentrum stammt.



# DESSO ECOBASE®

## DESSO ECOBASE BACKING

DESSO EcoBase is 100% recyclable in our own production process and contains an average of 80% recycled chalk from the local drinking water industry.\* In 2015, the DESSO EcoBase backing achieved Cradle to Cradle® Gold level certification and reached Platinum level for Material Health.

## DESSO ECOBASE TAPIJTRUG

DESSO EcoBase is 100% recyclebaar in ons eigen productieproces en bevat gemiddeld 80% gerecycleerde kalk van de lokale drinkwaterindustrie.\* In 2015 werd aan de DESSO EcoBase-tapijtrug het Cradle to Cradle® Gold-certificaat toegekend en werd hiervoor het Platinum-niveau van het Material Health-certificaat bereikt.

\* Lloyd's Register assured the EcoBase backing as 100% recyclable and the chalk as 100% pre-consumer recycled material.

\* Lloyd's Register heeft verzekerd dat de EcoBase-tapijtrug 100% recyclebaar is en dat de kalk 100% pre-consumer gerecycled materiaal is.

## SOUS-COUCHE DESSO ECOBASE

La sous-couche EcoBase de DESSO est 100 % recyclable dans notre propre procédé de production et contient en moyenne 80 % de craie recyclée provenant de l'industrie locale de l'eau potable.\* En 2015, la sous-couche EcoBase de DESSO a obtenu la certification Or de Cradle to Cradle® et a atteint le niveau Platinum sur le critère « Material Health » (matériaux sains).

## DESSO ECOBASE RÜCKENBESCHICHTUNG

DESSO EcoBase ist in unserem eigenen Herstellungsverfahren zu 100 % recycelbar und enthält durchschnittlich 80 % recycelten Kalk aus der lokalen Trinkwasserindustrie.\* 2015 wurde die EcoBase-Rückenbeschichtung von DESSO mit der Cradle to Cradle® -Gold-Zertifizierung ausgezeichnet und erreichte den Platin-Level für Materialgesundheit.

\* Lloyd's Register a assuré que la sous-couche EcoBase était 100 % recyclable et que la craie provenait à 100 % de matières recyclées avant consommation.

\* Lloyd's Register hat bestätigt, dass die Rückenbeschichtung zu 100% recycelbar ist und dass der Kalk zu 100% aus recyceltem Material ohne vorherigen Gebrauch besteht.



# Futurity rug

Preliminary specification according to EN 14215, Description du produit selon EN 14215, Voorlopige specificatie volgens EN 14215, Produktbeschreibung nach EN 14215

Type of manufacture	ISO 2424	Tufted 1/10" Structured loop pile	Méthode de fabrication	ISO 2424	Touffeté 1/10" Velours bouclé structuré
Pile Fibre	ISO 2424	Solution dyed BCF PA6 ECONYL®**	Velours	ISO 2424	Solution dyed BCF PA6 ECONYL®**
Dimensions	EN ISO 24342	different dimensions in length x max. 400 cm 157.48" in width	Largeur	EN ISO 24342	différentes dimensions en longueur x max. 400 cm en largeur
Primary backing	ISO 2424	Polyester fleece	Premier dossier	ISO 2424	Polyester nappe
Secondary backing	ISO 2424	Felt backing with anti-slip	Envers sous-couche	ISO 2424	Feutre avec antidérapant
Total thickness	ISO 1765	9.9 mm 0.4 inch	Épaisseur totale	ISO 1765	9.9 mm
Total mass	ISO 8543	2650 g/m <sup>2</sup> 78.2 oz/yd <sup>2</sup>	Masse surfacique totale	ISO 8543	2650 g/m <sup>2</sup>
Total pile mass	ISO 2424	860 g/m <sup>2</sup> 25.2 oz/yd <sup>2</sup>	Masse surfacique de velours totale	ISO 2424	860 g/m <sup>2</sup>

**Preliminary specification**  
DESSO Flooring products are to be installed in full accordance with the Tarkett's installation instructions and recognised trade standards. An effective, regular cleaning and maintenance programme is vital for retaining a high appearance level. DESSO Flooring products should only be used as floorcoverings. Note: Tarkett reserves the right to amend this specification without giving prior notice. For the latest versions of the technical specifications, check our internet site: [www.tarkett.com](http://www.tarkett.com)

**Spécification de base**  
Les revêtements de sol doivent être installés dans le respect des instructions de pose Tarkett et en connaissance des conditions générales de vente. Un nettoyage efficace et régulier ainsi qu'un protocole d'entretien sont primordiaux pour conserver un niveau d'aspect élevé. Les revêtements de sol sont conçus pour un usage exclusif au sol. Note: Tarkett se réserve le droit de modifier les caractéristiques techniques de ses produits sans avis préalable. Pour accéder aux dernières caractéristiques techniques, consulter notre site internet: [www.tarkett.com](http://www.tarkett.com)

Fabricagemethode	ISO 2424	Getuft 1/10" Lussenpool, gestructureerd	Art der Herstellung	ISO 2424	Getuftet 1/10" Schlingenpool strukturiert
Poolmateriaal	ISO 2424	Solution dyed BCF PA6 ECONYL®**	Faserzusammensetzung	ISO 2424	Solution dyed BCF PA6 ECONYL®**
Breedte	EN ISO 24342	verschillende maten in lengte x max. 400 cm in breedte	Abmessungen	EN ISO 24342	Unterschiedliche Maße in der Länge x maximal 400 cm in der Breite
Drager	ISO 2424	Polyester vlies	Trägermaterial	ISO 2424	Polyester Vlies
Rug	ISO 2424	Vitrug met anti-slip	Rückenausrüstung	ISO 2424	Antirutsch Filz Rücken
Totale dikte	ISO 1765	9.9 mm	Gesamtdicke	ISO 1765	9.9 mm
Totale massa	ISO 8543	2650 g/m <sup>2</sup>	Gesamtgewicht	ISO 8543	2650 g/m <sup>2</sup>
Poolinzetmassa	ISO 2424	860 g/m <sup>2</sup>	Poleinsatzgewicht	ISO 2424	860 g/m <sup>2</sup>

**Voorlopige specificatie**  
DESSO tapijtproducten moeten worden geïnstalleerd in overeenstemming met Tarkett's leginstructies en erkende standaarden. Een effectief en regelmatig reinigings- en onderhoudsprogramma is van belang voor het behoud van de vloer. DESSO tapijtproducten dienen alleen als vloerbedekking te worden toegepast. Tarkett behoudt zich het recht voor deze specificaties te wijzigen zonder voorafgaande kennisgeving. De laatste versie van de technische specificaties kunt u vinden op onze website: [www.tarkett.com](http://www.tarkett.com)

**Vorläufiges Datenblatt**  
DESSO Teppichböden müssen gemäß der jeweiligen Tarkett Verlegeempfehlung und dem Stand der Technik verlegt werden. Die regelmäßige Unterhaltsreinigung ist entscheidend für die Sauberkeit, Werterhaltung und das gute Aussehen des Bodenbelags. DESSO Teppichböden sollten nur als Bodenbelag verwendet werden. Tarkett behält sich das Recht vor, die technischen Daten zu verändern. Die neueste Version dieser Produktbeschreibung ist auf unserer Internetseite [www.tarkett.com](http://www.tarkett.com) zu finden.



Manufactured by:  
Fabriqué par:  
Geproduceerd door:  
Hergestellt von:

Tarkett BV  
PO BOX 169  
NL - 5140AD Waalwijk

\* ECONYL® is a yarn made from 100% regenerated content. The total % of regenerated content varies per product and per colour. Whether a colour contains ECONYL® and the exact % thereof can be found on our website: [www.tarkett.com](http://www.tarkett.com)



A0AF1CB4

PREFERRED



Manufactured by:  
Fabriqué par:  
Geproduceerd door:  
Hergestellt von:

Tarkett BV  
PO BOX 169  
NL - 5140AD Waalwijk



\* ECONYL® is a yarn made from 100% regenerated content. The total % of regenerated content varies per product and per colour. Whether a colour contains ECONYL® and the exact % thereof can be found on our website: [www.tarkett.com](http://www.tarkett.com)

\*\* DESSO EcoBase® is a polyolefin based backing. Positively defined means: all ingredients have been assessed as either Green (optimal) or Yellow (tolerable) according to the Cradle to Cradle® assessment criteria. As described in Cradle to Cradle® Certified™ Product Standard Version 3.1. The total % of recycled content varies per product and per colour which can be found on our website: [www.tarkett.com](http://www.tarkett.com)





---

**Tarkett B.V.**

Taxandriaweg 15  
5142 PA Waalwijk  
The Netherlands

TEL. +31(0)416 684100  
desso@tarkett.com  
[www.tarkett.com](http://www.tarkett.com)

**About Tarkett**

With a history of 140 years, Tarkett is a worldwide leader in innovative flooring and sports surface solutions, with net sales of €3 billion in 2019. Offering a wide range of products including vinyl, linoleum, rubber, carpet, wood, laminate, artificial turf and athletics tracks, the Group serves customers in over 100 countries across the globe. Tarkett has 12,500 employees and 33 industrial sites, and sells 1.3 million square meters of flooring every day, for hospitals, schools, housing, hotels, offices, stores and sports fields. Committed to change the game with circular economy, the Group has implemented an eco-innovation strategy based on Cradle to Cradle® principles, with the ultimate goal of contributing to people's health and wellbeing, and preserving natural capital. Tarkett is listed on Euronext Paris (compartment B, ISIN: FR0004188670, ticker: TKTT) and is included in the following indices: SBF 120 and CAC Mid 60. [www.tarkett.com](http://www.tarkett.com)

© Tarkett, March 2020

Descriptions, colours and specifications are subject to change without notice. Tarkett is not responsible for typographical/photographical errors. Actual product may differ from illustration. All rights reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent- or other industrial or intellectual property rights. In case of doubt or differences of interpretation, the English version shall prevail over all other language versions.

Photography / post processing: Alexander van Berge

Styling: Bregje Nix

Thanks to:

[www.arco.nl](http://www.arco.nl)

[www.artifort.com](http://www.artifort.com)

[www.palau.nl](http://www.palau.nl)

[www.blastation.com](http://www.blastation.com)

[www.secoff.nl](http://www.secoff.nl)

[www.dirkvanderkooij.com](http://www.dirkvanderkooij.com)

[www.fabriquepublique.nl](http://www.fabriquepublique.nl) Hanneke De Leeuw

Location: des Kunst- und Ausstellungshauses „Langen Foundation“

Photo front page: Futurity 9096