

Laminate flooring

The best
alternative
to wood



The best alternative to wood

Crafted with meticulous attention to detail, our new Laminate flooring collection combines elegance and functionality. Designed in Europe and produced in Germany, Tarkett's Laminate flooring embodies the brand's renowned expertise, guaranteeing unmatched quality and performance.

With 4 new collections, Tarkett's Laminate flooring seamlessly merges durability and design excellence, offering a palette of 35 unique décors and four plank sizes to transform your living and hotel spaces according to your vision. From the timeless charm of herringbone patterns, adding luxury and warmth to your home or hotel rooms, to the contemporary allure of long and wide planks for architectural spaces, our collection caters to every preference and style.

Beyond its aesthetic appeal, our collections boasts remarkable durability. The protective layer ensures high resistance to scuffs, scratches, and stains, maintaining the floor's beauty for years to come. Perfect for family life, our Laminate flooring can withstand the demands of small children, playful pets or heels, making it a wise and enduring investment.

Experience hassle-free installation, thanks to the user-friendly click systems, saving you time and effort.

Embracing sustainability, our PEFC certification underscores our commitment. Responsibly sourced from managed forests and controlled sources, All Laminate collections are sourced from responsibly managed forests and controlled sources, promoting a greener future while preserving the timeless beauty of natural wood in your home.

From entry-level to premium, find your perfect Laminate floor. Your taste, your needs, covered.



Collection overview



Woodstock Sunningdale Oak Nature | 510051017

Tarkett Laminate flooring

With 4 brand new collections offering 35 inspiring décors, your perfect laminate floor awaits. From timeless classics to modern styles, our floors cater to diverse interior preferences. Whether for family homes or cosy hotel rooms, our different plank formats complement any space, fulfilling everyone's interior home-decoration needs. Experience hassle-free installation with the 5G click system. Crafted with a high-density core board, our Laminate endures the rigors of daily life, making it ideal for kitchens and beyond. Unlock the essence of lifelike wood designs, creating a harmonious blend of nature and modernity. Elevate your space with our Laminate flooring.



Woodstock makes you experience nature's allure with lifelike textures, classic designs, and easy 5G click installation.



Woodstock Herringbone offers the timeless elegance of its classic design, bringing a touch of sophistication to any room.



Woodstock Longboards creates an impactful sense of space thanks to two-meter-long planks, evoking the majestic feel of real hardwood floors. Easy to install thanks to 5G click system.




Easy Line 5G is the perfect blend of style and functionality: durable and beautiful.

Woodstock




Pristine Oak Grey | 510038023

Sunningdale Oak Nature | 510051017



Brume Oak Beige | 510051019



Aurora Oak White | 510038015




Brook Oak Brown | 510039024

Woodstock Herringbone



Verona Oak Sand | 510045027

Chester Oak Light | 510045025





Toulouse Oak Brown | 510045026

Woodstock Longboards



Summit Oak Cream | 510046053

Birkdale Oak Bronze | 510046050




Chatillon Oak Sand | 510048048

Easy Line 5G




Kingsley Oak Brown | 510037021

Merion Oak Brown | 510037022



Empire Oak Grey | 510037015



Turnberry Oak Nature | 510037016

Design overview

Woodstock

Usage class 32 | Thickness 8 mm | Dimensions 1380 x 193 mm | Bevel 0V | 4V



Aurora Oak Dawn
510038021



Jura Oak Gold
510038016



Aurora Oak White
510038015



Jura Oak Platin
510038018



Brook Oak Brown
510039024



Pristine Oak Grey
510038023



Brook Oak Nature
510039022



Sunningdale Oak Nature
510051017



Brume Oak Beige
510051019



Swinley Oak Beige
510038020

Woodstock Herringbone

Usage class 32 | Thickness 8 mm | Dimensions 665 x 133 mm | Bevel 4V



Chester Oak Light
510045025



Verona Oak Sand
510045027



Toulouse Oak Brown
510045026

Woodstock Longboards

Usage class 33 | Thickness 10 mm | Dimensions 1845 x 244 mm | Bevel 4V



Birkdale Oak Bronze
510046050



Summit Oak Cream
510046053



Chatillon Oak Brown
510048051



Summit Oak Grey
510046046



Chatillon Oak Sand
510048048



Summit Oak Titan
510046054



Nomad Oak Light
510048052



Summit Oak White
510046047

Easy Line 5G

Usage class 32 | Thickness 8 mm | Dimensions 1380 x 193 mm | Bevel 4V



Aberdeen Oak Brown
510037028



Merion Oak Brown
510037022



Empire Oak Nature
510037018



Reno Oak White
510037025



Empire Oak Grey
510037015



Sierra Oak Beige
510037017



Empire Oak Titan
510037026



Sierra Oak Brown
510037024



Kingsley Oak Beige
510037019



Turnberry Oak Brown
510037023



Kingsley Oak Brown
510037021



Turnberry Oak Nature
510037016



Kingsley Oak Grey
510037020




Turnberry Oak Tan
510037027

Delight in the design details


Finishes & embossing

Indulge in the allure of a sleek and modern matte finish that effortlessly mimics the elegance of real hardwood flooring. With its authentic embossing, laminate flooring brings the timeless charm of hardwood to your space, all while providing durability and easy maintenance for the perfect combination of style and practicality.



Replicate the natural

Direct printing for laminate flooring offers high-definition decorative layers that authentically replicate the look and feel of real wood, providing a natural and convincing appearance.



Digital printing

Discover our advanced digital printing technology, enabling us to reveal the most subtle details of wood décor, each plank boasting a unique grain that covers an impressive 10 m² without repetition.



Attention to detail

Embossing-in-register, featured on most of our designs, enhances laminate flooring with realistic textures, elevating the visual appeal and providing a genuine hardwood experience, making your space truly exceptional.

Bevelling



No bevel

- Seamless appearance: No bevels create a smooth and seamless surface, the room appear more spacious, perfect for smaller areas or open floor plans.
- Easy cleaning: Cleaning becomes hassle-free as dirt has fewer crevices to accumulate.
- Enhanced versatility: Easy transitioning between rooms and a more cohesive design throughout your home



4-sided bevel

- Realistic appearance: 4 bevels create a defined separation, mimicking genuine hardwood flooring.
- Depth and dimension: Bevels add texture and authenticity to the laminate, elevating its look.
- Visual interest: Distinct bevels add character, making it a room focal point

Board formats

With your Tarkett Laminate flooring, get total design flexibility with 3 different plank formats. From creating a timeless herringbone style with small planks to accentuating your room's volume with long and wide planks, discover the perfect fit for your unique style.



1845 x 244 mm
Woodstock Longboards



1380 x 193 mm
Woodstock
Easy Line 5G



665 x 133 mm
Woodstock Herringbone

Laminate

The premium interpretation of realistic wood

Experience the embodiment of durability and natural elegance with Laminate flooring, an inspirational and affordable alternative to traditional hardwood floors. Replicating the textures of wood flooring, it brings the charm of natural materials into any interior space.

From stylish kitchens to spacious living rooms, from airy lofts to rustic dining areas or cosy hotel rooms, Laminate gracefully complements every setting. Its diverse collection of authentic décors, ranging from on-trend solid woods to light Scandinavian designs, ensures a seamless match for your unique space.

Discover our Laminate flooring collections.


The ideal ranges for residential spaces

- Easy Line 5G
- Woodstock
- Woodstock Herringbone

Enhanced durability

- Woodstock Longboards

Explore our premium laminate flooring collection, offering Class 32 for residential spaces, providing elegance and endurance for busy households. And Class 33 for commercial-grade durability ideal for light commercial traffic areas, such as hotel rooms. With various formats, finishes, and bevels, we cater to diverse customer needs, ensuring long-lasting beauty and functionality.



Laminate composition

- ① Highly resistant protective surface**
Innovative surface protection for durability and better cleanability. Embossing to give a more realistic textured surface for a sophisticated decorative effect.
- ② Premium decorative layer**
To allow a wide variety of very detailed designs and beautiful colours and patterns.
- ③ High density core board for better resistance**
High density fiberboard (HDF) produced from more than 80% wood to provide exceptional structural strength, high resistance and stability.
- ④ Highly stable balancing layer**
Protection of the core board from moisture to guarantee better dimensional stability.



Innovative click systems

Our various click systems offer user-friendly advantages, streamlining installation for both end-users and professionals. Their intuitive designs ensure easy and fast assembly, eliminating the need for complex tools. Each collection features a special click system tailored to your needs, ensuring a seamless and efficient flooring upgrade.



5G

The 5G click system provides a fast and easy installation for laminate flooring, ensuring a hassle-free experience.

- Woodstock
- Woodstock Longboards
- Easy Line 5G



Herringbone click

A specific click system for the Woodstock Herringbone collection allows you to create a timeless and elegant finish in your room.

- Woodstock Herringbone



Easy installation

Our laminate flooring requires minimal subfloor preparation, as it can be installed over existing floors, such as wood, concrete, or tile, saving you hassle.


Compatible with underfloor heating systems

All our collections are suitable for installation over an underfloor heating system. Its dense construction allows it to efficiently conduct heat, creating a warm and cosy environment in your home, ensuring your space remains comfortably heated. Enjoy the perfect combination of comfort and style with laminate flooring and underfloor heating, making your home a welcoming oasis in any season.

You can install and start using Tarkett laminate on the same day!


Adapt your laying after the room

Since Laminate flooring is made to imitate real wood flooring, you should lay your Laminate planks in the same way you would real wood planks or boards. If the room is rectangular, you should lay the planks parallel to the longer wall, and if the room is square, you should lay the planks towards the primary source of light. If you're installing Laminate in a corridor, lay the planks along the length of it. Bigger rooms can handle long and wide planks that emphasizes the space.




Choosing your pattern

With our new Tarkett Laminate flooring collections, you have the freedom to choose from various plank formats for your room. Alternatively, opt for classic patterns like Woodstock Herringbone, evoking a timeless feeling of elegance and warmth.



Refer to installation instructions & warranties for detailed information on our website:



<https://eqrcode.co/a/laminate>

Accessories

For an optimal finish, our Laminate range includes skirtings and various other accessories including underlayers which benefit is a significant reduction in floor impact noise, achieving an average acoustic rating of 19 dB.

For more details please contact your local Tarkett representative.



Woodstock Sunningdale Oak Nature | 510051017

Care & maintenance

A hassle-free maintenance

Easy to clean means easy to maintain:

- Hard sealed surface with a stain-resistant overlay making our Laminate floorings very easy to clean: a vacuum and a damp mop with mild detergent are all they need.
- Tight locking system preventing dust and dirt from collecting between the boards.
- Dirt-repellent melamine resin surface as an excellent barrier against the growth or spread of germs, contributing to a healthier home environment in every living space.



Woodstock Herringbone Chester Oak Light | 510045025

When applied regularly, these tips will help keep your floor looking as good as the day you laid it:

- Daily: wipe or vacuum.
- Once a week or more: wipe the floor with a damp mop or a cloth moistened with warm water and a neutral detergent.
- Whenever necessary: remove dust with a broom or vacuum cleaner to avoid dust and dirt build-up.
- It is advisable not to let the water station on the floor for a long time.



Woodstock Herringbone Toulouse Oak Brown | 510045026

Woodstock



Sunningdale Oak Nature | 510051017

Our Woodstock range features advanced embossing techniques, creating remarkably realistic textures that offer an authentic experience akin to natural wood materials. In this collection, you'll discover classic wood designs, boasting both calm and rustic expressions. Moreover, the fast and easy new 5G click system allows you to enjoy your new flooring in just a few simple steps.

Usage class:



Technical informations:



Recommended rooms:




Aurora Oak Dawn
510038021




Aurora Oak White
510038015



Brook Oak Brown
510039024



Brook Oak Nature
510039022




Brume Oak Beige
510051019



Jura Oak Gold
510038016



Jura Oak Platin
510038018




Pristine Oak Grey
510038023




Sunningdale Oak Nature
510051017



Swinley Oak Beige
510038020



Woodstock Longboards



Chatillon Oak Sand | 510048048

Discover the refinement of two-meter-long planks in our Woodstock Longboards range, perfect for large rooms, creating an impactful sense of space. Embrace the architectural beauty as these long planks accentuate your room's volumes, evoking the majestic feel of real hardwood floors. With a robust 10 mm thickness, the click profile ensures durability. Experience hassle-free installation with the fast and easy 5G click system.

Usage class:




Technical informations:



Recommended rooms:



Birkdale Oak Bronze
510046050



Chatillon Oak Brown
510048051



Chatillon Oak Sand
510048048



Nomad Oak Light
510048052



Summit Oak Cream
510046053



Summit Oak Grey
510046046




Summit Oak Titan
510046054



Summit Oak White
510046047



Easy Line 5G



Sierra Oak Beige | 510037017

Explore our Easy Line 5G range. Experience the allure of classic hardwood floor designs, enriched with modern and rustic expressions. With enhanced visual and tactile qualities, it mimics the elegance of natural wood materials. Durable and beautiful, it's the ideal flooring solution. Discover the perfect blend of style and functionality with Easy Line 5G.

Usage class:



Technical informations:



Recommended rooms:



Aberdeen Oak Brown
510037028



Empire Oak Grey
510037015



Empire Oak Nature
510037018



Empire Oak Titan
510037026



Kingsley Oak Beige
510037019



Kingsley Oak Brown
510037021



Kingsley Oak Grey
510037020



Merion Oak Brown
510037022



Reno Oak White
510037025



Sierra Oak Beige
510037017



Sierra Oak Brown
510037024



Turnberry Oak Brown
510037023



Turnberry Oak Nature
510037016



Turnberry Oak Tan
510037027



Woodstock Herringbone



Verona Oak Sand | 510045027

Introducing our inspirational Woodstock Herringbone collection, where luxury and warmth meet in a timeless herringbone pattern. Embrace the timeless elegance of this classic design, bringing a touch of sophistication to any room. Experience the perfect blend of a herringbone floor's classic look with the practicality of laminate flooring using our new laying technique. With no compromise on quality and luxury, transform any room into a contemporary style.

Chester Oak Light
510045025



Toulouse Oak Brown
510045026



Verona Oak Sand
510045027



Usage class:



Recommended rooms:



Technical informations:





Technical information

		Woodstock	Woodstock Herringbone
Classification	Norm		
Product type	EN 13329	Laminate floor covering	Laminate floor covering
Class of Use	EN 13329	23-32	23-32
HDF core board density	EN 323	≥ 800 kg/m³	≥ 800 kg/m³
Locking system		5G	Laying profile
Technical Characteristics			
Format	EN 13329 Annex A	Plank	Herringbone
Dimensions	EN 13329 Annex A	1380 x 193 mm	665 x 133 mm
Complete thickness	EN 13329 Annex A	8 mm	8 mm
Coreboard thickness	EN 13329 Annex A	8 mm	8 mm
Board water resistant	ISO 4760:2022-5	No	No
Click water resistant	ISO 4760:2022-5	No	No
Bevel		4V (No bevels for the 3-strip and 2-strip designs)	4V
Embossing in register		Yes, depending on references	Yes on full range
Performance for CE Marking			
Declaration of Performance	EN 14041	0132-0091-DoP-2023-06	0132-0091-DoP-2023-06
Reaction to fire	EN 14041	Cfl-s1	Cfl-s1
Slip resistance	EN 14041	DS	DS
Thermal resistance (in m².K/W)	EN 14041	0,06 m² K/W	0,05 m² K/W
Content of Pentachlorophenol	EN 14041	< 5 ppm	< 5 ppm
Formaldehyde emission	EN 14041	E1	E1
Technical Performance			
Abrasion resistance	EN 13329, annex E	AC4	AC4
Impact resistance	EN 13329, annex H	Big ball: ≥ 750 mm Small ball: ≥ 35 mm	Big ball: ≥ 750 mm Small ball: ≥ 35 mm
Resistance to staining	EN 438	Group 1 + 2: level 5 Group 3: level 4	Group 1 + 2: level 5 Group 3: level 4
Effect of furniture leg	ISO 16581	No damage	No damage
Effect of castor chair	ISO 4918	No damage after 25000 cycles	No damage after 25000 cycles
Underfloor heating		Maximum 27°C	Maximum 27°C
Thickness swelling	ISO 24336	≤ 18%	≤ 18%
Light fastness	NF EN 20105-A02	≥ 4	≥ 4
Residual indentation	EN ISO 24343-1	≤ 0,05 mm	≤ 0,05 mm
Surface soundness	EN 13329, annex D	> 1,25 N/mm²	> 1,25 N/mm²
Reduction of transmission sound	ISO 10140-3		
Water resistance	ISO 4760:2022-5		
Sustainability, Environment & Indoor Air Quality			
PEFC certification		Yes	Yes
French VOC rating	ISO 16000	A+	A+
TSVOC	ISO 16000	≤ 100 µg/m³ after 28 days	≤ 100 µg/m³ after 28 days
Carb 2 compliance	EN 16516	Yes	Yes
Logistics Information			
Planks/box		8 planks/box	14 planks / box
Sqm/box		2,131 m²/box	1,238 m²/box
Weight/box		15 kg	9 kg

Woodstock Longboards

Easy Line 5G

Laminate floor covering	Laminate floor covering
23-33	23-32
≥ 800 kg/m ³	≥ 870 kg/m ³
5G	5G
Long board	Plank
1845 x 244 mm	1380 x 193 mm
10 mm	8 mm
10 mm	8 mm
No	No
No	No
4V	4V
Yes, depending on references	
0132-0091-DoP-2023-06	0132-0091-DoP-2023-06
Cfl-s1	Cfl-s1
DS	DS
0,08 m ² K/W	0,06 m ² K/W
< 5 ppm	< 5 ppm
E1	E1
AC5	AC4
Big ball: ≥ 1000 mm Small ball: ≥ 70 mm	Big ball: ≥ 750 mm Small ball: ≥ 35 mm
Group 1 + 2: level 5 Group 3: level 4	Group 1 + 2: level 5 Group 3: level 4
No damage	No damage
No damage after 25000 cycles	No damage after 25000 cycles
Maximum 27°C	Maximum 27°C
≤ 15%	≤ 18%
≥ 4	≥ 4
≤ 0,05 mm	≤ 0,05 mm
> 1,25 N/mm ²	> 1,25 N/mm ²
Yes	Yes
A+	A+
≤ 100 µg/m ³ after 28 days	≤ 100 µg/m ³ after 28 days
Yes	Yes
4 planks/box	8 planks/box
1,80 m ² /box	2,131 m ² /box
16 kg	15 kg



■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH – Tel. +43 17 16 440 ■ Belgium: Tarkett Belux Sprl – Tel. +32 16 35 98 80 ■ Denmark: Tarkett A/S – Tel. +45 43 90 60 11 ■ Finland: Tarkett Oy – Tel. +358 9 4257 9000 ■ France: Tarkett SAS – Tel. +33 1 41 20 42 49 ■ Germany: Tarkett Holding GmbH – Tel. +49 621 681 723 00 ■ Greece: Tarkett Monoprosopi Ltd – Tel. +30 210 6745 340 ■ Italy: Tarkett S.p.A. – Tel. +39 0744 7551 ■ Luxembourg: Tarkett GDL SA – Tel. +352 949 211 8804 ■ Netherlands: Tarkett BV – Tel. +31 416 685 491 ■ Norway: Tarkett AS – Tel. +47 32 20 92 00 ■ Portugal: Tarkett SA – Tel. +351 21 427 64 20 ■ Spain: Tarkett Floors S.L. – Tel. +34 91 358 00 35 ■ Sweden: Tarkett Sverige AB – Tel. +46 771 25 19 00 ■ Switzerland: Tarkett Holding GmbH – Tel. +41 432 337 924 ■ Turkey: Tarkett Aspen – Tel. +90 212 213 65 80 ■ United Kingdom: Tarkett Ltd – Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** Baltic Countries: Tarkett Baltics: Tel. +370 37 262 220 ■ Czech Republic: Tarkett org. složka – Tel. +420 271 001 600 ■ Hungary: Tarkett Polska Sp. z o.o. magyarországi fioktelepe – Tel. +36 1 437 8150 ■ Kazakhstan: Astana, Tarkett KAZ – Tel. +77172790099 ■ Poland: Tarkett Polska Sp. z o.o. – Tel. +48 22 16 09 231 ■ Slovakia: Tarkett Polska, organizačná zložka – Tel. +421 2 48291 317 ■ South East Europe: Tarkett SEE – Tel. +381 21 7557 649 (44) 569 12 21 ■ Ukraine: Tarkett UA – Tel. +38 (0) 44 35 45 621 ■ **ASIA AND OCEANIA:** Australia: Tarkett Australia Pty Ltd – Tel. +61 2 88 5312 00 ■ China: Tarkett Floor Covering (Shanghai) Co. Ltd. – Tel. +86 (21) 60 95 68 38 ext 841 ■ North East Asia: Tarkett Hong Kong Limited – Tel. +852 2511 8716 ■ India: Tarkett Flooring India Pvt. Ltd. – Bangalore – Tel. +91 80 4130 3793 – New Delhi – Tel. +91 11 4352 4073 – Mumbai – Tel. +91 22 2648 8750 ■ South East Asia: Tarkett Flooring Singapore Pte. Ltd. – Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International: Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East: Tel. +961 1 51 3363/4 ■ Israel: Tarkett International: Tel. +33 1 41 20 41 01 ■ **NORTH AMERICA:** USA: Tarkett Inc. – Tel. +1 713 869 5811 / Johnsonite – Tel. +1 440 543 8916 ■ Canada: Tarkett Inc. – Tel. +1 450 293 173 ■ **LATIN AMERICA:** Brazil: Tarkett Brasil – Tel. 55 12 3954 7108 ■ Argentina – Chile – Uruguay: Tarkett Mercosur – Tel. +54 11 47 08 07 72 / +54 9 11 44 46 88 82 ■ Bolivia – Colombia – Ecuador – Panama – Paraguay – Peru – Trinidad and Tobago – Venezuela: Tarkett Latam – Tel. +55 11 9 8410 9310 / +55 11 95494 0069 ■ Mexico / Central America: Tarkett Mexico – Tel. +55 11 98410 9310

Designs and photos used in this brochure are for illustration purposes only. Images are not contractual images and do not stand for product recommendation. Due to evolution of standards, characteristics indicated in the text and images are not binding only after confirmation by our departments.

Design: Tarkett Internal Agency / Photos & 3D: EVO - Studio 3D - Getty Images - Shutterstock Images
home.tarkett.com

