

# Nordic Swan Ecolabel Licence



Issued by:

Miljömärkning Sverige AB

Box 38114

SE-100 64 Stockholm

## Details of licensee

<b>Company name and address:</b> Tarkett SpA Via S.Anna, 6 IT-05035 NARNI SCALO (TR)	<b>Organisation number:</b> IT-00777540550 <b>Phone:</b> (incl. country code) +39 0744 755223 <b>EAN:</b> <input checked="" type="checkbox"/> Manufacturer <input type="checkbox"/> Reseller/importer
<b>Contact:</b> Anna-Claudia Ricci	
<b>Manufacturer:</b> Tarkett SpA <b>Place of manufacture:</b> Via S.Anna, 6, IT-05035 NARNI SCALO (TR), Italy	

## Licence details

<b>Licence number:</b> 3029 0008 <b>Licence version:</b> 7.4	<b>Valid thru:</b> December 31, 2028
<b>Criteria document:</b> 029 Floor coverings. 7	<b>Validity:</b> December 04, 2023 - December 31, 2028
<b>Comments:</b> The license is approved with conditions until July 09, 2025, see appendix for conditions.	

## Ecolabelled products:

Designation and specification of the product/service by country:

<b>Norway</b> see appendix	<b>Iceland</b> see appendix
<b>Finland</b> see appendix	<b>Sweden</b> see appendix
<b>Denmark</b> see appendix	<b>Outside the Nordic</b> see appendix

**This licence is pan-Nordic and is valid in all Nordic countries.**

The ecolabelling organisation hereby grants the above licensee the right to use the Nordic Ecolabel in accordance with the terms of the licence on or in conjunction with products that conform to the provisions of the relevant ecolabelling criteria or in conjunction with the marketing of products. The use of the ecolabel in other Nordic countries is included by this licence without separate registration. The turnover of the specified products shall once a year, on request, be reported to the ecolabelling organisation by 1 April at the latest. Turnover shall be broken down by Nordic country.

The ecolabelling organisation undertakes to inform licensees if any amendment is made to the criteria document.

The licence will be revoked with immediate effect if the "Regulations for Nordic Ecolabelling of products" or the ecolabelling criteria for the product group are disregarded. If the licensee causes the ecolabelling organisation direct or indirect costs as a result of this or if damage is caused by a product manufactured/sold by the licensee, the licensee shall indemnify the ecolabelling organisation in full.

The ecolabelling licence is valid up to the specified date unless written notice of cancellation is issued by the licensee or the ecolabelling organisation at least three months in advance. The licence is non-transferable unless an application for transfer is submitted.

Stockholm, May 07, 2025

Miljömärkning Sverige AB

.....  
Anna Linusson  
Managing Director

# Nordic Ecolabelling Licence

## Appendix 1 for Licence number 3029 0008



### Approved with conditions

A factory audit shall be done no later than 2025-07-10.

### Trade names Norway

Tarkett Acoustic Cork Essenza+ 15 dB, 4.4 mm

Tarkett Acoustic Cork xf2 15 dB, 4.4 mm

Tarkett Allegro Essenza+, 2.5 mm

Tarkett Allegro xf2, 2.5 mm

Tarkett Elafono (underlayer), 2.0 mm

Tarkett Essenza+, 2.0 mm

Tarkett Essenza+, 2.5 mm

Tarkett Essenza+, 3,2 mm

Tarkett Etrusco xf2, 2.0 mm

Tarkett Etrusco xf2, 2.5 mm

Tarkett Etrusco xf2, 3.2 mm

Tarkett Lino Loose-Lay, 4.3 mm

Tarkett Lino Materiale xf2, 2.5 mm

Tarkett Linoleum Acoustic xf2 19 dB, 3.8 mm

Tarkett Linoleum Bfl xf2, 2.5 mm

Tarkett Linoleum Bfl xf2, 3.2 mm

Tarkett Originale Essenza+, 2.5 mm

Tarkett LinoMarine xf2, 2,5 mm

Tarkett LinoRail HL3 xf2 R10, 2.5 mm

Tarkett Linosport Classic, 4.0 mm

Tarkett Linosport xf2, 2.5 mm

Tarkett Linosport xf2, 3.2 mm

Tarkett Linosport xf2, 4.0 mm

Tarkett Narnidur 4.0 mm

Tarkett Originale Essenza+, 2.0 mm

Tarkett Originale Essenza+, 3.2 mm

Tarkett Originale xf2, 2.0 mm

Tarkett Originale xf2, 2.5 mm

Tarkett Originale xf2, 3.2 mm

Tarkett Sicuro xf2 R10, 2.0 mm

Tarkett Sicuro xf2 R10, 2.5 mm

Tarkett Sicuro xf2 R10, 3.2 mm

Tarkett Style Elle xf2, 2.0 mm

Tarkett Style Elle xf2, 2.5 mm

Tarkett Style Elle xf2, 3.2 mm

Tarkett Style Emme xf2, 2.0 mm

Tarkett Style Emme xf2, 2.5 mm

Tarkett Style Emme xf2, 3.2 mm

Tarkett Trentino xf2, 2.0 mm

Tarkett Trentino xf2, 2.5 mm  
Tarkett Trentino xf2, 3.2 mm  
Tarkett Veneto xf2, 2.0 mm  
Tarkett Veneto xf2, 2.5 mm  
Tarkett Veneto xf2, 3.2mm

## **Trade names Finland**

Tarkett Acoustic Cork Essenza+ 15 dB, 4.4 mm  
Tarkett Acoustic Cork xf2 15 dB, 4.4 mm  
Tarkett Allegro Essenza+, 2.5 mm  
Tarkett Allegro xf2, 2.5 mm  
Tarkett Elafono (underlayer), 2.0 mm  
Tarkett Essenza+, 2.0 mm  
Tarkett Essenza+, 2.5 mm  
Tarkett Essenza+, 3,2 mm  
Tarkett Etrusco xf2, 2.0 mm  
Tarkett Etrusco xf2, 2.5 mm  
Tarkett Etrusco xf2, 3.2 mm  
Tarkett Lino Loose-Lay, 4.3 mm  
Tarkett Lino Materiale xf2, 2.5 mm  
Tarkett Linoleum Acoustic xf2 19 dB, 3.8 mm  
Tarkett Linoleum Bfl xf2, 2.5 mm  
Tarkett Linoleum Bfl xf2, 3.2 mm  
Tarkett Originale Essenza+, 2.5 mm  
Tarkett LinoMarine xf2, 2,5 mm  
Tarkett LinoRail HL3 xf2 R10, 2.5 mm  
Tarkett Linosport Classic, 4.0 mm  
Tarkett Linosport xf2, 2.5 mm  
Tarkett Linosport xf2, 3.2 mm  
Tarkett Linosport xf2, 4.0 mm  
Tarkett Narnidur 4.0 mm  
Tarkett Originale Essenza+, 2.0 mm  
Tarkett Originale Essenza+, 3.2 mm  
Tarkett Originale xf2, 2.0 mm  
Tarkett Originale xf2, 2.5 mm  
Tarkett Originale xf2, 3.2 mm  
Tarkett Sicuro xf2 R10, 2.0 mm  
Tarkett Sicuro xf2 R10, 2.5 mm  
Tarkett Sicuro xf2 R10, 3.2 mm  
Tarkett Style Elle xf2, 2.0 mm  
Tarkett Style Elle xf2, 2.5 mm  
Tarkett Style Elle xf2, 3.2 mm  
Tarkett Style Emme xf2, 2.0 mm  
Tarkett Style Emme xf2, 2.5 mm  
Tarkett Style Emme xf2, 3.2 mm  
Tarkett Trentino xf2, 2.0 mm  
Tarkett Trentino xf2, 2.5 mm  
Tarkett Trentino xf2, 3.2 mm  
Tarkett Veneto xf2, 2.0 mm

Tarkett Veneto xf2, 2.5 mm

Tarkett Veneto xf2, 3.2mm

## Trade names Denmark

Tarkett Acoustic Cork Essenza+ 15 dB, 4.4 mm

Tarkett Acoustic Cork xf2 15 dB, 4.4 mm

Tarkett Allegro Essenza+, 2.5 mm

Tarkett Allegro xf2, 2.5 mm

Tarkett Elafono (underlayer), 2.0 mm

Tarkett Essenza+, 2.0 mm

Tarkett Essenza+, 2.5 mm

Tarkett Essenza+, 3,2 mm

Tarkett Etrusco xf2, 2.0 mm

Tarkett Etrusco xf2, 2.5 mm

Tarkett Etrusco xf2, 3.2 mm

Tarkett Lino Loose-Lay, 4.3 mm

Tarkett Lino Materiale xf2, 2.5 mm

Tarkett Linoleum Acoustic xf2 19 dB, 3.8 mm

Tarkett Linoleum Bfl xf2, 2.5 mm

Tarkett Linoleum Bfl xf2, 3.2 mm

Tarkett Originale Essenza+, 2.5 mm

Tarkett LinoMarine xf2, 2,5 mm

Tarkett LinoRail HL3 xf2 R10, 2.5 mm

Tarkett Linosport Classic, 4.0 mm

Tarkett Linosport xf2, 2.5 mm

Tarkett Linosport xf2 3.2 mm

Tarkett Linosport xf2, 4.0 mm

Tarkett Narnidur 4.0 mm

Tarkett Originale Essenza+, 2.0 mm

Tarkett Originale Essenza+, 3.2 mm

Tarkett Originale xf2, 2.0 mm

Tarkett Originale xf2, 2.5 mm

Tarkett Originale xf2, 3.2 mm

Tarkett Sicuro xf2 R10, 2.0 mm

Tarkett Sicuro xf2 R10, 2.5 mm

Tarkett Sicuro xf2 R10, 3.2 mm

Tarkett Style Elle xf2, 2.0 mm

Tarkett Style Elle xf2, 2.5 mm

Tarkett Style Elle xf2, 3.2 mm

Tarkett Style Emme xf2, 2.0 mm

Tarkett Style Emme xf2, 2.5 mm

Tarkett Style Emme xf2, 3.2 mm

Tarkett Trentino xf2, 2.0 mm

Tarkett Trentino xf2, 2.5 mm

Tarkett Trentino xf2, 3.2 mm

Tarkett Veneto xf2, 2.0 mm

Tarkett Veneto xf2, 2.5 mm

Tarkett Veneto xf2, 3.2mm

## Trade names Iceland

Tarkett Acoustic Cork Essenza+ 15 dB, 4.4 mm

Tarkett Acoustic Cork xf2 15 dB, 4.4 mm

Tarkett Allegro Essenza+, 2.5 mm

Tarkett Allegro xf2, 2.5 mm

Tarkett Elafono (underlayer), 2.0 mm

Tarkett Essenza+, 2.0 mm

Tarkett Essenza+, 2.5 mm

Tarkett Essenza+, 3,2 mm

Tarkett Etrusco xf2, 2.0 mm

Tarkett Etrusco xf2, 2.5 mm

Tarkett Etrusco xf2, 3.2 mm

Tarkett Lino Loose-Lay, 4.3 mm

Tarkett Lino Materiale xf2, 2.5 mm

Tarkett Linoleum Acoustic xf2 19 dB, 3.8 mm

Tarkett Linoleum Bfl xf2, 2.5 mm

Tarkett Linoleum Bfl xf2, 3.2 mm

Tarkett Originale Essenza+, 2.5 mm

Tarkett LinoMarine xf2, 2,5 mm

Tarkett LinoRail HL3 xf2 R10, 2.5 mm

Tarkett Linosport Classic, 4.0 mm

Tarkett Linosport xf2, 2.5 mm

Tarkett Linosport xf2, 3.2 mm

Tarkett Linosport xf2, 4.0 mm

Tarkett Narnidur 4.0 mm

Tarkett Originale Essenza+, 2.0 mm

Tarkett Originale Essenza+, 3.2 mm

Tarkett Originale xf2, 2.0 mm

Tarkett Originale xf2, 2.5 mm

Tarkett Originale xf2, 3.2 mm

Tarkett Sicuro xf2 R10, 2.0 mm

Tarkett Sicuro xf2 R10, 2.5 mm

Tarkett Sicuro xf2 R10, 3.2 mm

Tarkett Style Elle xf2, 2.0 mm

Tarkett Style Elle xf2, 2.5 mm

Tarkett Style Elle xf2, 3.2 mm

Tarkett Style Emme xf2, 2.0 mm

Tarkett Style Emme xf2, 2.5 mm

Tarkett Style Emme xf2, 3.2 mm

Tarkett Trentino xf2, 2.0 mm

Tarkett Trentino xf2, 2.5 mm

Tarkett Trentino xf2, 3.2 mm

Tarkett Veneto xf2, 2.0 mm

Tarkett Veneto xf2, 2.5 mm

Tarkett Veneto xf2, 3.2mm

## Trade names Sweden

Tarkett Acoustic Cork Essenza+ 15 dB, 4.4 mm

Tarkett Acoustic Cork xf2 15 dB, 4.4 mm  
Tarkett Allegro Essenza+, 2.5 mm  
Tarkett Allegro xf2, 2.5 mm  
Tarkett Elafono (underlayer), 2.0 mm  
Tarkett Essenza+, 2.0 mm  
Tarkett Essenza+, 2.5 mm  
Tarkett Essenza+, 3,2 mm  
Tarkett Etrusco xf2, 2,0 mm  
Tarkett Etrusco xf2, 2.5 mm  
Tarkett Etrusco xf2, 3.2 mm  
Tarkett Lino Loose-Lay, 4.3 mm  
Tarkett Lino Materiale xf2, 2.5 mm  
Tarkett Linoleum Acoustic xf2 19 dB, 3.8 mm  
Tarkett Linoleum Bfl xf2, 2.5 mm  
Tarkett Linoleum Bfl xf2, 3.2 mm  
Tarkett Originale Essenza+, 2.5 mm  
Tarkett LinoMarine xf2, 2,5 mm  
Tarkett LinoRail HL3 xf2 R10, 2.5 mm  
Tarkett Linosport Classic, 4.0 mm  
Tarkett Linosport xf2, 2.5 mm  
Tarkett Linosport xf2, 3.2 mm  
Tarkett Linosport xf2, 4.0 mm  
Tarkett Narnidur 4.0 mm  
Tarkett Originale Essenza+, 2.0 mm  
Tarkett Originale Essenza+, 3.2 mm  
Tarkett Originale xf2, 2.0 mm  
Tarkett Originale xf2, 2.5 mm  
Tarkett Originale xf2, 3.2 mm  
Tarkett Sicuro xf2 R10, 2.0 mm  
Tarkett Sicuro xf2 R10, 2.5 mm  
Tarkett Sicuro xf2 R10, 3.2 mm  
Tarkett Style Elle xf2, 2.0 mm  
Tarkett Style Elle xf2, 2.5 mm  
Tarkett Style Elle xf2, 3.2 mm  
Tarkett Style Emme xf2, 2.0 mm  
Tarkett Style Emme xf2, 2.5 mm  
Tarkett Style Emme xf2, 3.2 mm  
Tarkett Trentino xf2, 2.0 mm  
Tarkett Trentino xf2, 2.5 mm  
Tarkett Trentino xf2, 3.2 mm  
Tarkett Veneto xf2, 2.0 mm  
Tarkett Veneto xf2, 2.5 mm  
Tarkett Veneto xf2, 3.2mm

## **Trade names outside the Nordic region**

Tarkett Acoustic Cork Essenza+ 15 dB, 4.4 mm  
Tarkett Acoustic Cork xf2 15 dB, 4.4 mm  
Tarkett Allegro Essenza+, 2.5 mm  
Tarkett Allegro xf2, 2.5 mm

Tarkett Elafono (underlayer), 2.0 mm  
Tarkett Essenza+, 2.0 mm  
Tarkett Essenza+, 2.5 mm  
Tarkett Essenza+, 3,2 mm  
Tarkett Etrusco xf2, 2.0 mm  
Tarkett Etrusco xf2, 2.5 mm  
Tarkett Etrusco xf2, 3.2 mm  
Tarkett Lino Loose-Lay, 4.3 mm  
Tarkett Lino Materiale xf2, 2.5 mm  
Tarkett Linoleum Silencio xf2 19 dB, 3.8 mm  
Tarkett Linoleum Bfl xf2, 2.5 mm  
Tarkett Linoleum Bfl xf2, 3.2 mm  
Tarkett Originale Essenza+, 2.5 mm  
Tarkett LinoMarine xf2, 2.5 mm  
Tarkett LinoRail HL3 xf2 R10, 2.5 mm  
Tarkett Linosport Classic, 4.0 mm  
Tarkett Linosport xf2, 2.5 mm  
Tarkett Linosport xf2, 3.2 mm  
Tarkett Linosport xf2, 4.0 mm  
Tarkett Narnidur 4.0 mm  
Tarkett Originale Essenza+, 2.0 mm  
Tarkett Originale Essenza+, 3.2 mm  
Tarkett Originale xf2, 2.0 mm  
Tarkett Originale xf2, 2.5 mm  
Tarkett Originale xf2, 3.2 mm  
Tarkett Sicuro xf2 R10, 2.0 mm  
Tarkett Sicuro xf2 R10, 2.5 mm  
Tarkett Sicuro xf2 R10, 3.2 mm  
Tarkett Style Elle xf2, 2.0 mm  
Tarkett Style Elle xf2, 2.5 mm  
Tarkett Style Elle xf2, 3.2 mm  
Tarkett Style Emme xf2, 2.0 mm  
Tarkett Style Emme xf2, 2.5 mm  
Tarkett Style Emme xf2, 3.2 mm  
Tarkett Trentino xf2, 2.0 mm  
Tarkett Trentino xf2, 2.5 mm  
Tarkett Trentino xf2, 3.2 mm  
Tarkett Veneto xf2, 2.0 mm  
Tarkett Veneto xf2, 2.5 mm  
Tarkett Veneto xf2, 3.2mm