

# EXCLUSIVE 240 CONCEPT CHÂTEAU

1

## VINYL FLOORING 2018

Inspired by French parquet  
2.4mm thick with 0.35mm wear layer  
Extra resistant to scuffs, scratches and stains  
Easy to install and maintain



Vinyl floor Covering EN ISO 26986

Classes of Use EN ISO 10874 23 32

### PRODUCT ID

	Total Thickness	EN ISO 24346	2,40 mm		Impact Sound Absorption	EN ISO 717-2	16 dB
	Wear Layer Thickness	EN ISO 24340	0,35 mm		Residual Indentation	EN ISO 24343-1	≤ 0,20 mm
	Weight	EN ISO 23997	1,730 kg/m <sup>2</sup>		Castor Chair	ISO 4918	OK
	Roll Width	EN ISO 24341	4+3+2m	Wear Layer Binder content		ISO 11638	Type I
	Roll Length		25 m				

### PRODUCT SAFETY & SECURITY CHARACTERISTICS

	Slip Resistance	EN 13893 DIN 51130	μ ≥ 0,30 R10		Fire Classification	EN 13501-1	Cfl-S1
	Static Electrical Propensity	EN 1815	≤ 2 kV		Chemical Resistance	EN ISO 26987	Not Affected*
DoP						No. 0004-0023-DoP-2015-01	

### PRODUCT ENVIRONMENTAL BEHAVIOR

	Dimensional Stability	EN ISO 23999	≤ 0,40 %		PHTHALATE FREE		Better Indoor Air Quality +TVOC AT 28 DAYS		100 % Recyclable		ÉMISSIONS DANS L'AIR INTÉRIEUR A+
	Thermal resistance for underfloor heating	ISO 10456 EN 12524-1	0,06 m <sup>2</sup> /kW								
	Light Fastness	EN ISO 105 B02	≥ 6								

\*For short-term exposure of dilute acids, oils and fats, no change in the material properties.

■ WESTERN EUROPE: Austria: Tarkett Holding GmbH, Niederlassung Wien - Tel. +43 1 47 88 062 ■ Belgium: Tarkett Belux Sprl - Tel. +32 16 35 98 80 ■ Denmark: Tarkett A/S - Tel. +45 43 90 60 11 ■ Finland: Tarkett Oy - Tel. +358 9 4257 9000  
 ■ France: Tarkett SAS - Tel. +33 1 41 20 42 49 ■ Germany: Tarkett Holding GmbH - Tel. +49 62 33 810 ■ Greece: Tarkett Monoprosopi Ltd - Tel. +30 210 6745 340 ■ Italy: Tarkett S.p.A. - Tel. +39 0744 7551 ■ Luxembourg: Tarkett GDL SA - Tel. +352 949 211 8804  
 ■ Netherlands: Tarkett BV - Tel. +31 416 685 491 ■ Norway: Tarkett AS - Tel. +47 32 20 92 00 ■ Portugal: Tarkett SA - Tel. +351 21 427 64 20 ■ Spain: Tarkett Floors S.L. - Tel. +34 91 358 00 35 ■ Sweden: Tarkett Sverige AB - Tel. +46 771 25 19 00  
 ■ Switzerland: Tarkett Holding GmbH - Tel. +41 043 233 79 24 ■ Turkey: Tarkett Aspen - Tel. +90 212 213 65 80 ■ United Kingdom: Tarkett Ltd - Tel. +44 (0) 1622 854 040 ■ EASTERN EUROPE: Baltic Countries: Tarkett Baltics: Tel. +370 37 262 220 ■ Czech Republic: Tarkett org. slozka - Tel. +420 271 001 600 ■ Hungary: Tarkett Polska SP.Z.O.O. magyarországi fióktelepe - Tel. +36 1 437 81 50 ■ Poland: Tarkett Polska Sp. z o.o. - Tel. +48 22 16 09 231 ■ Russian Federation: ZAO Tarkett RUS - Tel. +7 495 775 3737 ■ Slovakia: Tarkett Polska, organizačná zložka - Tel. +421 2 48 291 317 ■ South East Europe: Tarkett SEE - Tel. +381 21 7557 649 (44) 569 12 21 ■ Ukraine: Tarkett UA - Tel. +38 (0) 44 569 12 21 ■ ASIA AND OCEANIA: Australia: Tarkett Australia Pty Ltd - Tel. +61 2 88 53 12 00 ■ China: Tarkett Floor Covering (Shanghai) Co. Ltd. - Tel. +86 (21) 6095 68 38 ext 841 ■ North East Asia: Tarkett Hong Kong Limited - Tel. +852 2511 8710 ■ India: Tarkett Flooring India Pvt. Ltd. - Bangalore - Tel. +91 80 41 303793 - New Delhi - Tel. +91 11 4352 4073 - Mumbai - Tel. +91 22 2648 8750 ■ South East Asia: Tarkett Flooring Singapore Pte. Ltd. - Tel. +65 6346 1585 ■ AFRICA: Tarkett International: Tel. +33 1 41 20 41 01 ■ MIDDLE EAST: Tarkett Middle East: Tel. +961 1 51 3363/4 ■ Israel: Tarkett International: Tel. +33 1 41 20 41 01  
 ■ NORTH AMERICA: USA: Tarkett Inc. - Tel. +1 713 869 5811/ Johnsonite - Tel. +1 440 543 8916 ■ Canada: Tarkett Inc. - Tel. +1 450 233 173 ■ LATIN AMERICA: Brazil: Tarkett - Tel. 55 12 3954 7108 ■ Argentina - Chile - Uruguay: Tarkett Latam Mercosur - Tel. +54 11 4708 0772/ +54 911 44 46 88 82 ■ Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela: Tarkett - Tel. +55 11 9841 09310/ +55 11 95494 0069 ■ Mexico / Central America: Tarkett Latam Mexico - Tel. +55 11 9841 09310

Exclusive 240 - CONCEPT CHÂTEAU - 5827131500  
Although the utmost care is taken, the data here given could be erroneous and liable to modifications of a technical nature. In its strive to improve its floor solutions, Tarkett reserves the right to modify their technical specifications, colours and materials at any moment and without prior notice.



# EXCLUSIVE 240 CONCEPT HERITAGE

## VINYL FLOORING 2018

2

Rustic wood and stone designs  
2.4mm thick with 0.35mm wear layer  
Extra resistant to scuffs, scratches and stains  
Easy to install and maintain



Vinyl floor Covering	EN ISO 26986
Classes of Use	EN ISO 10874 <span style="float: right;">23  32 </span>

### PRODUCT ID

Total Thickness	EN ISO 24346	2,40 mm	Impact Sound Absorption	EN ISO 717-2	16 dB
Wear Layer Thickness	EN ISO 24340	0,35 mm	Residual Indentation	EN ISO 24343-1	≤ 0,20 mm
Weight	EN ISO 23997	1,730 kg/m <sup>2</sup>	Castor Chair	ISO 4918	OK
Roll Width	EN ISO 24341	4+3+2m	Wear Layer Binder content	ISO 11638	Type I
Roll Length		25 m			

### PRODUCT SAFETY & SECURITY CHARACTERISTICS

Slip Resistance	EN 13893 DIN 51130	μ ≥ 0,30 R10	Fire Classification	EN 13501-1	Cfl-S1
Static Electrical Propensity	EN 1815	≤ 2 kV	Chemical Resistance	EN ISO 26987	Not Affected*
DoP				No. 0004-0023-DoP-2015-01	

### PRODUCT ENVIRONMENTAL BEHAVIOR

Dimensional Stability	EN ISO 23999	≤ 0,40 %	PHTHALATE FREE	Better Indoor Air Quality < 100 μg/m³ +TVOC AT 28 DAYS	100 % Recyclable	ÉMISSIONS DANS L'AIR INTÉRIEUR A+
Thermal resistance for underfloor heating	ISO 10456 EN 12524-1	0,06 m <sup>2</sup> /kW				
Light Fastness	EN ISO 105 B02	≥ 6				

\*For short-term exposure of dilute acids, oils and fats, no change in the material properties.

■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien - Tel. +43 1 47 88 062 ■ **Belgium:** Tarkett Belux Sprl - Tel. +32 16 35 98 80 ■ **Denmark:** Tarkett A/S - Tel. +45 43 90 60 11 ■ **Finland:** Tarkett Oy - Tel. +358 9 4257 9000  
 ■ **France:** Tarkett SAS - Tel. +33 1 41 20 42 49 ■ **Germany:** Tarkett Holding GmbH - Tel. +49 62 33 810 ■ **Greece:** Tarkett Monoprosopi Ltd - Tel. +30 210 6745 340 ■ **Italy:** Tarkett S.p.A. - Tel. +39 0744 7551 ■ **Luxembourg:** Tarkett GDL SA - Tel. +352 949 211 8804  
 ■ **Netherlands:** Tarkett BV - Tel. +31 416 685 491 ■ **Norway:** Tarkett AS - Tel. +47 32 20 92 00 ■ **Portugal:** Tarkett SA - Tel. +351 21 427 64 20 ■ **Spain:** Tarkett Floors S.L. - Tel. +34 91 358 00 35 ■ **Sweden:** Tarkett Sverige AB - Tel. +46 771 25 19 00  
 ■ **Switzerland:** Tarkett Holding GmbH - Tel. +41 043 233 79 24 ■ **Turkey:** Tarkett Aspen - Tel. +90 212 213 65 80 ■ **United Kingdom:** Tarkett Ltd - Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** **Baltic Countries:** Tarkett Baltics - Tel. +370 37 262 220 ■ **Czech Republic:** Tarkett org. slozka - Tel. +420 271 001 600 ■ **Hungary:** Tarkett Polska SP.Z.O.O. magyarországi fióktelepe - Tel. +36 1 437 81 50 ■ **Poland:** Tarkett Polska Sp. z o.o. - Tel. +48 22 16 09 231 ■ **Russian Federation:** ZAO Tarkett RUS - Tel. +7 495 775 3737 ■ **Slovakia:** Tarkett Polska, organizačná zložka - Tel. +421 2 48 291 317 ■ **South East Europe:** Tarkett SEE - Tel. +381 21 7557 649 (44) 569 12 21 ■ **Ukraine:** Tarkett UA - Tel. +38 (0) 44 569 12 21 ■ **ASIA AND OCEANIA:** **Australia:** Tarkett Australia Pty Ltd - Tel. +61 2 88 53 12 00 ■ **China:** Tarkett Floor Covering (Shanghai) Co. Ltd. - Tel. +86 (21) 6095 68 38 ext 841 ■ **North East Asia:** Tarkett Hong Kong Limited - Tel. +852 2511 8710 ■ **India:** Tarkett Flooring India Pvt. Ltd. - Bangalore - Tel. +91 80 41 303793 - New Delhi - Tel. +91 11 43524073 - Mumbai - Tel. +91 22 2648 8750 ■ **South East Asia:** Tarkett Flooring Singapore Pte. Ltd. - Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International - Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East - Tel. +961 1 51 3363/4 ■ **Israel:** Tarkett International - Tel. +33 1 41 20 41 01  
 ■ **NORTH AMERICA:** **USA:** Tarkett Inc. - Tel. +1 713 869 5811 / Johnsonite - Tel. +1 440 543 8916 ■ **Canada:** Tarkett Inc. - Tel. +1 450 233 173 ■ **LATIN AMERICA:** **Brazil:** Tarkett - Tel. 55 12 3954 7108 ■ **Argentina - Chile - Uruguay:** Tarkett Latam Mercosur - Tel. +54 11 4708 0772 / +54 911 44 46 88 82 ■ **Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela:** Tarkett - Tel. +55 11 984109310 / +55 11 954940069 ■ **Mexico / Central America:** Tarkett Latam Mexico - Tel. +55 11 984109310

Exclusive 240 - CONCEPT HERITAGE - 5627131501. Although the utmost care is taken, the data here given could be erroneous and liable to modifications of a technical nature. In its strive to improve its floor solutions, Tarkett reserves the right to modify their technical specifications, colours and materials at any moment and without prior notice.



# EXCLUSIVE 240 CONCEPT FACTORY

## VINYL FLOORING 2018

3

Modernist industrial designs  
2.4mm thick with 0.35mm wear layer  
Resistant to scuffs, scratches and stains  
Easy to install and maintain



Vinyl floor Covering EN ISO 26986

Classes of Use EN ISO 10874 23 32

### PRODUCT ID

	Total Thickness	EN ISO 24346	2,40 mm		Impact Sound Absorption	EN ISO 717-2	16 dB
	Wear Layer Thickness	EN ISO 24340	0,35 mm		Residual Indentation	EN ISO 24343-1	≤ 0,20 mm
	Weight	EN ISO 23997	1,730 kg/m <sup>2</sup>		Castor Chair	ISO 4918	OK
	Roll Width	EN ISO 24341	4+3+2m	Wear Layer Binder content		ISO 11638	Type I
	Roll Length		25 m				

### PRODUCT SAFETY & SECURITY CHARACTERISTICS

	Slip Resistance	EN 13893 DIN 51130	μ ≥ 0,30 R10		Fire Classification	EN 13501-1	Cfl-S1
	Static Electrical Propensity	EN 1815	≤ 2 kV		Chemical Resistance	EN ISO 26987	Not Affected*
DoP						No. 0004-0023-DoP-2015-01	

### PRODUCT ENVIRONMENTAL BEHAVIOR

	Dimensional Stability	EN ISO 23999	≤ 0,40 %		PHTHALATE FREE		Better Indoor Air Quality +TVOC AT 28 DAYS		100 % Recyclable		ÉMISSIONS DANS L'AIR INTÉRIEUR A+
	Thermal resistance for underfloor heating	ISO 10456 EN 12524-1	0,06 m <sup>2</sup> /kW								
	Light Fastness	EN ISO 105 B02	≥ 6								

\*For short-term exposure of dilute acids, oils and fats, no change in the material properties.

■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien - Tel. +43 1 47 88 062 ■ **Belgium:** Tarkett Belux Sprl - Tel. +32 16 35 98 80 ■ **Denmark:** Tarkett A/S - Tel. +45 43 90 60 11 ■ **Finland:** Tarkett Oy - Tel. +358 9 4257 9000  
 ■ **France:** Tarkett SAS - Tel. +33 1 41 20 42 49 ■ **Germany:** Tarkett Holding GmbH - Tel. +49 62 33 810 ■ **Greece:** Tarkett Monoprosopi Ltd - Tel. +30 210 6745 340 ■ **Italy:** Tarkett S.p.A. - Tel. +39 0744 7551 ■ **Luxembourg:** Tarkett GDL SA - Tel. +352 949 211 8804  
 ■ **Netherlands:** Tarkett BV - Tel. +31 416 685 491 ■ **Norway:** Tarkett AS - Tel. +47 32 20 92 00 ■ **Portugal:** Tarkett SA - Tel. +351 21 427 64 20 ■ **Spain:** Tarkett Floors S.L. - Tel. +34 91 358 00 35 ■ **Sweden:** Tarkett Sverige AB - Tel. +46 771 25 19 00  
 ■ **Switzerland:** Tarkett Holding GmbH - Tel. +41 043 233 79 24 ■ **Turkey:** Tarkett Aspen - Tel. +90 212 213 65 80 ■ **United Kingdom:** Tarkett Ltd - Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** **Baltic Countries:** Tarkett Baltics - Tel. +370 37 262 220 ■ **Czech Republic:** Tarkett org. slozka - Tel. +420 271 001 600 ■ **Hungary:** Tarkett Polska SP Z.O.O. magyarországi fióktelepe - Tel. +36 1 437 81 50 ■ **Poland:** Tarkett Polska Sp. z o.o. - Tel. +48 22 16 09 231 ■ **Russian Federation:** ZAO Tarkett RUS - Tel. +7 495 775 3737 ■ **Slovakia:** Tarkett Polska, organizačná zložka - Tel. +421 2 48 291 317 ■ **South East Europe:** Tarkett SEE - Tel. +381 21 7557 649 (44) 569 12 21 ■ **Ukraine:** Tarkett UA - Tel. +38 (0) 44 569 12 21 ■ **ASIA AND OCEANIA:** **Australia:** Tarkett Australia Pty Ltd - Tel. +61 2 88 53 12 00 ■ **China:** Tarkett Floor Covering (Shanghai) Co. Ltd. - Tel. +86 (21) 6095 68 38 ext 841 ■ **North East Asia:** Tarkett Hong Kong Limited - Tel. +852 2511 8710 ■ **India:** Tarkett Flooring India Pvt. Ltd. - Bangalore - Tel. +91 80 41 303793 - New Delhi - Tel. +91 11 4352 4073 - Mumbai - Tel. +91 22 2648 8750 ■ **South East Asia:** Tarkett Flooring Singapore Pte. Ltd. - Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International - Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East - Tel. +961 1 51 3363/4 ■ **Israel:** Tarkett International - Tel. +33 1 41 20 41 01  
 ■ **NORTH AMERICA:** **USA:** Tarkett Inc. - Tel. +1 713 869 5811 / Johnsonite - Tel. +1 440 543 8916 ■ **Canada:** Tarkett Inc. - Tel. +1 450 233 173 ■ **LATIN AMERICA:** **Brazil:** Tarkett - Tel. 55 12 3954 7108 ■ **Argentina - Chile - Uruguay:** Tarkett Latam Mercosur - Tel. +54 11 4708 0772 / +54 911 44 46 88 82 ■ **Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela:** Tarkett - Tel. +55 11 984109310 / +55 11 954940069 ■ **Mexico / Central America:** Tarkett Latam Mexico - Tel. +55 11 984109310

Exclusive 240 - CONCEPT FACTORY - 88271 31532. Although the utmost care is taken, the data here given could be erroneous and liable to modifications of a technical nature. In its strive to improve its floor solutions, Tarkett reserves the right to modify their technical specifications, colours and materials at any moment and without prior notice.



# EXCLUSIVE 240 CONCEPT HAPPY SHAPES

## VINYL FLOORING 2018

Cement tile designs  
Extra resistant to scuffs, scratches and stains  
Easy to install and maintain



Vinyl floor Covering	EN ISO 26986
Classes of Use	EN ISO 10874 <span style="float: right;">23  32 </span>

### PRODUCT ID

Total Thickness	EN ISO 24346	2,40 mm	Impact Sound Absorption	EN ISO 717-2	16 dB
Wear Layer Thickness	EN ISO 24340	0,35 mm	Residual Indentation	EN ISO 24343-1	≤ 0,20 mm
Weight	EN ISO 23997	1,730 kg/m <sup>2</sup>	Castor Chair	ISO 4918	OK
Roll Width	EN ISO 24341	4+3+2m	Wear Layer Binder content	ISO 11638	Type I
Roll Length		25 m			

### PRODUCT SAFETY & SECURITY CHARACTERISTICS

Slip Resistance	EN 13893 DIN 51130	μ ≥ 0,30 R10	Fire Classification	EN 13501-1	Glued on wood Cfl-S1
Static Electrical Propensity	EN 1815	≤ 2 kV	Chemical Resistance	EN ISO 26987	Not Affected*
			DoP	No. 0004-0023-DoP-2015-01	

### PRODUCT ENVIRONMENTAL BEHAVIOR

Dimensional Stability	EN ISO 23999	≤ 0,40 %	PHTHALATE FREE	Better Indoor Air Quality +TVOC AT 28 DAYS	100 % Recyclable	ÉMISSIONS DANS L'AIR INTÉRIEUR A+
Thermal resistance for underfloor heating	ISO 10456 EN 12524-1	0,06 m <sup>2</sup> /kW				
Light Fastness	EN ISO 105 B02	≥ 6				

\*For short-term exposure of dilute acids, oils and fats, no change in the material properties.

■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien – Tel. +43 1 47 88 062 • Belgium: Tarkett Belux Sprl – Tel. +32 16 35 98 80 • Denmark: Tarkett A/S – Tel. +45 43 90 60 11 • Finland: Tarkett Oy – Tel. +358 9 4257 9000 • France: Tarkett SAS – Tel. +33 1 41 20 42 49 • Germany: Tarkett Holding GmbH – Tel. +49 62 33 810 • Greece: Tarkett Monoprosopi Ltd – Tel. +30 210 6745 340 • Italy: Tarkett S.p.A. – Tel. +39 0744 7551 • Luxembourg: Tarkett GDL SA – Tel. +352 949 211 8804 • Netherlands: Tarkett BV – Tel. +31 416 685 491 • Norway: Tarkett AS – Tel. +47 32 20 92 00 • Portugal: Tarkett SA – Tel. +351 21 427 64 20 • Spain: Tarkett Floors S.L. – Tel. +34 91 358 00 35 • Sweden: Tarkett Sverige AB – Tel. +46 771 25 19 00 • Switzerland: Tarkett Holding GmbH – Tel. +41 043 233 79 24 • Turkey: Tarkett Aspen – Tel. +90 212 213 65 80 • United Kingdom: Tarkett Ltd – Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** Baltic Countries: Tarkett Baltics: Tel. +370 37 262 220 • Czech Republic: Tarkett org. slozka – Tel. +420 271 001 600 • Hungary: Tarkett Polska SP.Z.O.O. magyarországi fióktelepe – Tel. +36 1 437 81 50 • Poland: Tarkett Polska Sp. z o.o. – Tel. +48 22 16 09 231 • Russian Federation: ZAO Tarkett RUS – Tel. +7 495 775 3737 • Slovakia: Tarkett Polska, organizačná zložka – Tel. +421 2 48 291 317 • South East Europe: Tarkett SEE – Tel. +381 21 7557 649 (44) 569 12 21 • Ukraine: Tarkett UA – Tel. +38 (0) 44 569 12 21 ■ **ASIA AND OCEANIA:** Australia: Tarkett Australia Pty Ltd – Tel. +61 2 88 53 12 00 • China: Tarkett Floor Covering (Shanghai) Co. Ltd. – Tel. +86 (21) 6095 68 38 ext 841 • North East Asia: Tarkett Hong Kong Limited – Tel. +852 2511 8710 • India: Tarkett Flooring India Pvt. Ltd. – Bangalore – Tel. +91 80 41 303793 – New Delhi – Tel. +91 11 4352 4073 – Mumbai – Tel. +91 22 2648 8750 • South East Asia: Tarkett Flooring Singapore Pte. Ltd. – Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International: Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East: Tel. +961 1 51 3363/4 • Israel: Tarkett International: Tel. +33 1 41 20 41 01 ■ **NORTH AMERICA:** USA: Tarkett Inc. – Tel. +1 713 869 5811 / Johnsonite – Tel. +1 440 543 8916 • Canada: Tarkett Inc. – Tel. +1 450 233 1773 ■ **LATIN AMERICA:** Brazil: Tarkett – Tel. 55 12 3954 7108 • Argentina - Chile - Uruguay: Tarkett Latam Mercosur – Tel. +54 11 4708 0772 / +54 911 44 46 88 82 • Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela: Tarkett – Tel. +55 11 984109310 / +55 11 954940069 • Mexico / Central America: Tarkett Latam Mexico – Tel. +55 11 984109310

Exclusive 240 - CONCEPT FACTORY - 88271 31536  
Although the utmost care is taken, the data here given could be erroneous and liable to modifications of a technical nature. In its strive to improve its floor solutions, Tarkett reserves the right to modify their technical specifications, colours and materials at any moment and without prior notice.

# EXCLUSIVE 240 CONCEPT CREATIVE CONCRETE

## VINYL FLOORING 2018

5

Geometric cement tile designs  
2.4mm thick with 0.35mm wear layer  
Extra resistant to scuffs, scratches and stains  
Easy to install and maintain



Vinyl floor Covering EN ISO 26986

Classes of Use EN ISO 10874 23 32

### PRODUCT ID

	Total Thickness	EN ISO 24346	2,40 mm		Impact Sound Absorption	EN ISO 717-2	16 dB
	Wear Layer Thickness	EN ISO 24340	0,35 mm		Residual Indentation	EN ISO 24343-1	≤ 0,20 mm
	Weight	EN ISO 23997	1,730 kg/m <sup>2</sup>		Castor Chair	ISO 4918	OK
	Roll Width	EN ISO 24341	4+3+2m		Wear Layer Binder content	ISO 11638	Type I
	Roll Length		25 m				

### PRODUCT SAFETY & SECURITY CHARACTERISTICS

	Slip Resistance	EN 13893 DIN 51130	μ ≥ 0,30 R10		Fire Classification	EN 13501-1	Glued on wood Cfl-S1
	Static Electrical Propensity	EN 1815	≤ 2 kV		Chemical Resistance	EN ISO 26987	Not Affected*
					DoP	No. 0004-0023-DoP-2015-01	

### PRODUCT ENVIRONMENTAL BEHAVIOR

	Dimensional Stability	EN ISO 23999	≤ 0,40 %		PHTHALATE FREE		
	Thermal resistance for underfloor heating	ISO 10456 EN 12524-1	0,06 m <sup>2</sup> /kW		Better Indoor Air Quality +TVOC AT 28 DAYS		100 % Recyclable
	Light Fastness	EN ISO 105 B02	≥ 6		ÉMISSIONS DANS L'AIR INTÉRIEUR A+		

\*For short-term exposure of dilute acids, oils and fats, no change in the material properties.

■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien - Tel. +43 1 47 88 062 ■ **Belgium:** Tarkett Belux Sprl - Tel. +32 16 35 98 80 ■ **Denmark:** Tarkett A/S - Tel. +45 43 90 60 11 ■ **Finland:** Tarkett Oy - Tel. +358 9 4257 9000  
■ **France:** Tarkett SAS - Tel. +33 1 41 20 42 49 ■ **Germany:** Tarkett Holding GmbH - Tel. +49 62 33 810 ■ **Greece:** Tarkett Monoprosopi Ltd - Tel. +30 210 6745 340 ■ **Italy:** Tarkett S.p.A. - Tel. +39 0744 7551 ■ **Luxembourg:** Tarkett GDL SA - Tel. +352 949 211 8804  
■ **Netherlands:** Tarkett BV - Tel. +31 416 685 491 ■ **Norway:** Tarkett AS - Tel. +47 32 20 92 00 ■ **Portugal:** Tarkett SA - Tel. +351 21 427 64 20 ■ **Spain:** Tarkett Floors S.L. - Tel. +34 91 358 00 35 ■ **Sweden:** Tarkett Sverige AB - Tel. +46 771 25 19 00  
■ **Switzerland:** Tarkett Holding GmbH - Tel. +41 043 233 79 24 ■ **Turkey:** Tarkett Aspen - Tel. +90 212 213 65 80 ■ **United Kingdom:** Tarkett Ltd - Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** **Baltic Countries:** Tarkett Baltics - Tel. +370 37 262 220 ■ **Czech Republic:** Tarkett org. slozka - Tel. +420 271 001 600 ■ **Hungary:** Tarkett Polska SP Z.O.O. magyarországi fióktelepe - Tel. +36 1 437 81 50 ■ **Poland:** Tarkett Polska Sp. z o.o. - Tel. +48 22 16 09 231 ■ **Russian Federation:** ZAO Tarkett RUS - Tel. +7 495 775 3737 ■ **Slovakia:** Tarkett Polska, organizačná zložka - Tel. +421 2 48 291 317 ■ **South East Europe:** Tarkett SEE - Tel. +381 21 7557 649 (44) 569 12 21 ■ **Ukraine:** Tarkett UA - Tel. +38 (0) 44 569 12 21 ■ **ASIA AND OCEANIA:** **Australia:** Tarkett Australia Pty Ltd - Tel. +61 2 88 53 12 00 ■ **China:** Tarkett Floor Covering (Shanghai) Co. Ltd. - Tel. +86 (21) 6095 68 38 ext 841 ■ **North East Asia:** Tarkett Hong Kong Limited - Tel. +852 2511 8710 ■ **India:** Tarkett Flooring India Pvt. Ltd. - Bangalore - Tel. +91 80 41 303793 - New Delhi - Tel. +91 11 4352 4073 - Mumbai - Tel. +91 22 2648 8750 ■ **South East Asia:** Tarkett Flooring Singapore Pte. Ltd. - Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International - Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East - Tel. +961 1 51 3363/4 ■ **Israel:** Tarkett International - Tel. +931 41 20 41 01  
■ **NORTH AMERICA:** **USA:** Tarkett Inc. - Tel. +1 713 869 5811 / Johnsonite - Tel. +1 440 543 8916 ■ **Canada:** Tarkett Inc. - Tel. +1 450 293 173 ■ **LATIN AMERICA:** **Brazil:** Tarkett - Tel. 55 12 3954 7108 ■ **Argentina - Chile - Uruguay:** Tarkett Latam Mercosur - Tel. +54 11 4708 0772 / +54 911 44 46 88 82 ■ **Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela:** Tarkett - Tel. +55 11 9 841 09310 / +55 11 95494 0069 ■ **Mexico / Central America:** Tarkett Latam Mexico - Tel. +55 11 9841 09310

Exclusive 240 - CONCEPT CREATIVE CONCRETE - 5827131504  
Although the utmost care is taken, the data here given could be erroneous and liable to modifications of a technical nature. In its strive to improve its floor solutions, Tarkett reserves the right to modify their technical specifications, colours and materials at any moment and without prior notice.

# EXCLUSIVE 240 CONCEPT TEMPORAL

## VINYL FLOORING 2018

6

Interlocking patterns to create movement  
2.4mm thick with 0.35mm wear layer  
Extra resistant to scuffs, scratches and stains  
Easy to install and maintain



Vinyl floor Covering EN ISO 26986

Classes of Use EN ISO 10874 23  32

### PRODUCT ID

Total Thickness	EN ISO 24346	2,40 mm	Impact Sound Absorption	EN ISO 717-2	16 dB
Wear Layer Thickness	EN ISO 24340	0,35 mm	Residual Indentation	EN ISO 24343-1	≤ 0,20 mm
Weight	EN ISO 23997	1,730 kg/m <sup>2</sup>	Castor Chair	ISO 4918	OK
Roll Width	EN ISO 24341	4+3+2m	Wear Layer Binder content		
Roll Length		25 m	ISO 11638	Type I	

### PRODUCT SAFETY & SECURITY CHARACTERISTICS

Slip Resistance	EN 13893 DIN 51130	μ ≥ 0,30 R10	Fire Classification	EN 13501-1	Glued on wood Cfl-S1
Static Electrical Propensity	EN 1815	≤ 2 kV	Chemical Resistance	EN ISO 26987	Not Affected*
DoP				No. 0004-0023-DoP-2015-01	

### PRODUCT ENVIRONMENTAL BEHAVIOR

Dimensional Stability	EN ISO 23999	≤ 0,40 %			
Thermal resistance for underfloor heating	ISO 10456 EN 12524-1	0,06 m <sup>2</sup> /kW			
Light Fastness	EN ISO 105 B02	≥ 6			

\*For short-term exposure of dilute acids, oils and fats, no change in the material properties.

■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien - Tel. +43 1 47 88 062 ■ **Belgium:** Tarkett Belux Sprl - Tel. +32 16 35 98 80 ■ **Denmark:** Tarkett A/S - Tel. +45 43 90 60 11 ■ **Finland:** Tarkett Oy - Tel. +358 9 4257 9000  
 ■ **France:** Tarkett SAS - Tel. +33 1 41 20 42 49 ■ **Germany:** Tarkett Holding GmbH - Tel. +49 62 33 810 ■ **Greece:** Tarkett Monoprosopi Ltd - Tel. +30 210 6745 340 ■ **Italy:** Tarkett S.p.A. - Tel. +39 0744 7551 ■ **Luxembourg:** Tarkett GDL SA - Tel. +352 949 211 8804  
 ■ **Netherlands:** Tarkett BV - Tel. +31 416 685 491 ■ **Norway:** Tarkett AS - Tel. +47 32 20 92 00 ■ **Portugal:** Tarkett SA - Tel. +351 21 427 64 20 ■ **Spain:** Tarkett Floors S.L. - Tel. +34 91 358 00 35 ■ **Sweden:** Tarkett Sverige AB - Tel. +46 771 25 19 00  
 ■ **Switzerland:** Tarkett Holding GmbH - Tel. +41 043 233 79 24 ■ **Turkey:** Tarkett Aspen - Tel. +90 212 213 65 80 ■ **United Kingdom:** Tarkett Ltd - Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** **Baltic Countries:** Tarkett Baltics - Tel. +370 37 262 220 ■ **Czech Republic:** Tarkett org. slozka - Tel. +420 271 001 600 ■ **Hungary:** Tarkett Polska SP Z.O.O. magyarországi fióktelepe - Tel. +36 1 437 81 50 ■ **Poland:** Tarkett Polska Sp. z o.o. - Tel. +48 22 16 09 231 ■ **Russian Federation:** ZAO Tarkett RUS - Tel. +7 495 775 3737 ■ **Slovakia:** Tarkett Polska, organizačná zložka - Tel. +421 2 48 291 317 ■ **South East Europe:** Tarkett SEE - Tel. +381 21 7557 649 (44) 569 12 21 ■ **Ukraine:** Tarkett UA - Tel. +38 (0) 44 569 12 21 ■ **ASIA AND OCEANIA:** **Australia:** Tarkett Australia Pty Ltd - Tel. +61 2 88 53 12 00 ■ **China:** Tarkett Floor Covering (Shanghai) Co. Ltd. - Tel. +86 (21) 6095 68 38 ext 841 ■ **North East Asia:** Tarkett Hong Kong Limited - Tel. +852 2511 8710 ■ **India:** Tarkett Flooring India Pvt. Ltd. - Bangalore - Tel. +91 80 41 303793 - New Delhi - Tel. +91 11 4352 4073 - Mumbai - Tel. +91 22 2648 8750 ■ **South East Asia:** Tarkett Flooring Singapore Pte. Ltd. - Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International - Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East - Tel. +961 1 51 3363/4 ■ **Israel:** Tarkett International - Tel. +931 41 20 41 01  
 ■ **NORTH AMERICA:** **USA:** Tarkett Inc. - Tel. +1 713 869 5811 / Johnsonite - Tel. +1 440 543 8916 ■ **Canada:** Tarkett Inc. - Tel. +1 450 233 173 ■ **LATIN AMERICA:** **Brazil:** Tarkett - Tel. 55 12 3954 7108 ■ **Argentina - Chile - Uruguay:** Tarkett Latam Mercosur - Tel. +54 11 4708 0772 / +54 911 44 46 88 82 ■ **Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela:** Tarkett - Tel. +55 11 9841 09310 / +55 11 95494 0069 ■ **Mexico / Central America:** Tarkett Latam Mexico - Tel. +55 11 9841 09310

Exclusive 240 - CONCEPT TEMPORAL - 5827131505  
Although the utmost care is taken, the data here given could be erroneous and liable to modifications of a technical nature. In its strive to improve its floor solutions, Tarkett reserves the right to modify their technical specifications, colours and materials at any moment and without prior notice.



# EXCLUSIVE 240 CONCEPT HORIZON

## VINYL FLOORING 2018

7

Long Plank Design in rustic style  
Extra resistant to scuffs, scratches and stains  
Easy to install and maintain



Vinyl floor Covering EN ISO 26986

Classes of Use EN ISO 10874 23 32

### PRODUCT ID

	Total Thickness	EN ISO 24346	2,40 mm		Impact Sound Absorption	EN ISO 717-2	16 dB
	Wear Layer Thickness	EN ISO 24340	0,35 mm		Residual Indentation	EN ISO 24343-1	≤ 0,20 mm
	Weight	EN ISO 23997	1,730 kg/m <sup>2</sup>		Castor Chair	ISO 4918	OK
	Roll Width	EN ISO 24341	4+3+2m		Wear Layer Binder content	ISO 11638	Type I
	Roll Length		25 m				

### PRODUCT SAFETY & SECURITY CHARACTERISTICS

	Slip Resistance	EN 13893 DIN 51130	μ ≥ 0,30 R10		Fire Classification	EN 13501-1	Glued on wood Cfl-S1
	Static Electrical Propensity	EN 1815	≤ 2 kV		Chemical Resistance	EN ISO 26987	Not Affected*
					DoP	No. 0004-0023-DoP-2015-01	

### PRODUCT ENVIRONMENTAL BEHAVIOR

	Dimensional Stability	EN ISO 23999	≤ 0,40 %		PHTHALATE FREE		
	Thermal resistance for underfloor heating	ISO 10456 EN 12524-1	0,06 m <sup>2</sup> /kW		Better Indoor Air Quality +TVOC AT 28 DAYS		
	Light Fastness	EN ISO 105 B02	≥ 6		100 % Recyclable		A+

\*For short-term exposure of dilute acids, oils and fats, no change in the material properties.

■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien - Tel. +43 1 47 88 062 ■ **Belgium:** Tarkett Belux Sprl - Tel. +32 16 35 98 80 ■ **Denmark:** Tarkett A/S - Tel. +45 43 90 60 11 ■ **Finland:** Tarkett Oy - Tel. +358 9 4257 9000  
 ■ **France:** Tarkett SAS - Tel. +33 1 41 20 42 49 ■ **Germany:** Tarkett Holding GmbH - Tel. +49 62 33 810 ■ **Greece:** Tarkett Monoprosopi Ltd - Tel. +30 210 6745 340 ■ **Italy:** Tarkett S.p.A. - Tel. +39 0744 7551 ■ **Luxembourg:** Tarkett GDL SA - Tel. +352 949 211 8804  
 ■ **Netherlands:** Tarkett BV - Tel. +31 416 685 491 ■ **Norway:** Tarkett AS - Tel. +47 32 20 92 00 ■ **Portugal:** Tarkett SA - Tel. +351 21 427 64 20 ■ **Spain:** Tarkett Floors S.L. - Tel. +34 91 358 00 35 ■ **Sweden:** Tarkett Sverige AB - Tel. +46 771 25 19 00  
 ■ **Switzerland:** Tarkett Holding GmbH - Tel. +41 043 233 79 24 ■ **Turkey:** Tarkett Aspen - Tel. +90 212 213 65 80 ■ **United Kingdom:** Tarkett Ltd - Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** **Baltic Countries:** Tarkett Baltics - Tel. +370 37 262 220 ■ **Czech Republic:** Tarkett org. slozka - Tel. +420 271 001 600 ■ **Hungary:** Tarkett Polska SP.Z.O.O. magyarországi fióktelepe - Tel. +36 1 437 81 50 ■ **Poland:** Tarkett Polska Sp. z o.o. - Tel. +48 22 16 09 231 ■ **Russian Federation:** ZAO Tarkett RUS - Tel. +7 495 775 3737 ■ **Slovakia:** Tarkett Polska, organizačná zložka - Tel. +421 2 48 291 317 ■ **South East Europe:** Tarkett SEE - Tel. +381 21 7557 649 (44) 569 12 21 ■ **Ukraine:** Tarkett UA - Tel. +38 (0) 44 569 12 21 ■ **ASIA AND OCEANIA:** **Australia:** Tarkett Australia Pty Ltd - Tel. +61 2 88 53 12 00 ■ **China:** Tarkett Floor Covering (Shanghai) Co. Ltd. - Tel. +86 (21) 6095 68 38 ext 841 ■ **North East Asia:** Tarkett Hong Kong Limited - Tel. +852 2511 8710 ■ **India:** Tarkett Flooring India Pvt. Ltd. - Bangalore - Tel. +91 80 41 303793 - New Delhi - Tel. +91 11 4352 4073 - Mumbai - Tel. +91 22 2648 8750 ■ **South East Asia:** Tarkett Flooring Singapore Pte. Ltd. - Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International - Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East - Tel. +961 1 51 3363/4 ■ **Israel:** Tarkett International - Tel. +931 41 20 41 01  
 ■ **NORTH AMERICA:** **USA:** Tarkett Inc. - Tel. +1 713 869 5811 / Johnsonite - Tel. +1 440 543 8916 ■ **Canada:** Tarkett Inc. - Tel. +1 450 233 173 ■ **LATIN AMERICA:** **Brazil:** Tarkett - Tel. 55 12 3954 7108 ■ **Argentina - Chile - Uruguay:** Tarkett Latam Mercosur - Tel. +54 11 4708 0772 / +54 911 44 46 88 82 ■ **Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela:** Tarkett - Tel. +55 11 9 841 09310 / +55 11 95494 0069 ■ **Mexico / Central America:** Tarkett Latam Mexico - Tel. +55 11 9841 09310

Exclusive 240 - CONCEPT HORIZON - 88271 31507  
Although the utmost care is taken, the data here given could be erroneous and liable to modifications of a technical nature. In its strive to improve its floor solutions, Tarkett reserves the right to modify their technical specifications, colours and materials at any moment and without prior notice.

# EXCLUSIVE 240 CONCEPT TATTOO

## VINYL FLOORING 2018

Printed tattoo patterns overlapped in the tile  
Extra resistant to scuffs, scratches and stains  
Easy to install and maintain



Vinyl floor Covering	EN ISO 26986
Classes of Use	EN ISO 10874 <span style="margin-left: 20px;">23</span> <span style="margin-left: 20px;">32</span>

### PRODUCT ID

Total Thickness	EN ISO 24346	2,40 mm	Impact Sound Absorption	EN ISO 717-2	16 dB
Wear Layer Thickness	EN ISO 24340	0,35 mm	Residual Indentation	EN ISO 24343-1	≤ 0,20 mm
Weight	EN ISO 23997	1,730 kg/m <sup>2</sup>	Castor Chair	ISO 4918	OK
Roll Width	EN ISO 24341	4+3+2m	Wear Layer Binder content		
Roll Length		25 m	ISO 11638	Type I	

### PRODUCT SAFETY & SECURITY CHARACTERISTICS

Slip Resistance	EN 13893 DIN 51130	μ ≥ 0,30 R10	Fire Classification	EN 13501-1	Glued on wood Cfl-S1
Static Electrical Propensity	EN 1815	≤ 2 kV	Chemical Resistance	EN ISO 26987	Not Affected*
DoP				No. 0004-0023-DoP-2015-01	

### PRODUCT ENVIRONMENTAL BEHAVIOR

Dimensional Stability	EN ISO 23999	≤ 0,40 %	PHTHALATE FREE
Thermal resistance for underfloor heating	ISO 10456 EN 12524-1	0,06 m <sup>2</sup> /kW	<b>Better Indoor Air Quality</b> +TVOC AT 28 DAYS
Light Fastness	EN ISO 105 B02	≥ 6	100% Recyclable
			ÉMISSIONS DANS L'AIR INTÉRIEUR <b>A+</b>

\*For short-term exposure of dilute acids, oils and fats, no change in the material properties.

■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien - Tel. +43 1 47 88 062 ■ **Belgium:** Tarkett Belux Sprl - Tel. +32 16 35 98 80 ■ **Denmark:** Tarkett A/S - Tel. +45 43 90 60 11 ■ **Finland:** Tarkett Oy - Tel. +358 9 4257 9000  
 ■ **France:** Tarkett SAS - Tel. +33 1 41 20 42 49 ■ **Germany:** Tarkett Holding GmbH - Tel. +49 62 33 810 ■ **Greece:** Tarkett Monoprosopi Ltd - Tel. +30 210 6745 340 ■ **Italy:** Tarkett S.p.A. - Tel. +39 0744 7551 ■ **Luxembourg:** Tarkett GDL SA - Tel. +352 949 211 8804  
 ■ **Netherlands:** Tarkett BV - Tel. +31 416 685 491 ■ **Norway:** Tarkett AS - Tel. +47 32 20 92 00 ■ **Portugal:** Tarkett SA - Tel. +351 21 427 64 20 ■ **Spain:** Tarkett Floors S.L. - Tel. +34 91 358 00 35 ■ **Sweden:** Tarkett Sverige AB - Tel. +46 771 25 19 00  
 ■ **Switzerland:** Tarkett Holding GmbH - Tel. +41 043 233 79 24 ■ **Turkey:** Tarkett Aspen - Tel. +90 212 213 65 80 ■ **United Kingdom:** Tarkett Ltd - Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** Baltic Countries: Tarkett Baltics - Tel. +370 37 262 220 ■ **Czech Republic:** Tarkett org. slozka - Tel. +420 271 001 600 ■ **Hungary:** Tarkett Polska SP.Z.O.O. magyarországi fióktelepe - Tel. +36 1 437 81 50 ■ **Poland:** Tarkett Polska Sp. z o.o. - Tel. +48 22 16 09 231 ■ **Russian Federation:** ZAO Tarkett RUS - Tel. +7 495 775 3737 ■ **Slovakia:** Tarkett Polska, organizačná zložka - Tel. +421 2 48 291 317 ■ **South East Europe:** Tarkett SEE - Tel. +381 21 7557 649 (44) 569 12 21 ■ **Ukraine:** Tarkett UA - Tel. +38 (0) 44 569 12 21 ■ **ASIA AND OCEANIA:** Australia: Tarkett Australia Pty Ltd - Tel. +61 2 88 53 12 00 ■ **China:** Tarkett Floor Covering (Shanghai) Co. Ltd. - Tel. +86 (21) 6095 68 38 ext 841 ■ **North East Asia:** Tarkett Hong Kong Limited - Tel. +852 2511 8710 ■ **India:** Tarkett Flooring India Pvt. Ltd. - Bangalore - Tel. +91 80 41 303793 - New Delhi - Tel. +91 11 4352 4073 - Mumbai - Tel. +91 22 2648 8750 ■ **South East Asia:** Tarkett Flooring Singapore Pte. Ltd. - Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International - Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East - Tel. +961 1 51 3363/4 ■ **Israel:** Tarkett International - Tel. +931 41 20 41 01  
 ■ **NORTH AMERICA:** USA: Tarkett Inc. - Tel. +1 713 869 5811 / Johnsonite - Tel. +1 440 543 8916 ■ **Canada:** Tarkett Inc. - Tel. +1 450 233 173 ■ **LATIN AMERICA:** Brazil: Tarkett - Tel. 55 12 3954 7108 ■ **Argentina - Chile - Uruguay:** Tarkett Latam Mercosur - Tel. +54 11 4708 0772 / +54 911 44 46 88 82 ■ **Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela:** Tarkett - Tel. +55 11 984109310 / +55 11 954940069 ■ **Mexico / Central America:** Tarkett Latam Mexico - Tel. +55 11 984109310

Exclusive 240 - CONCEPT TATTOO - 5827131508  
Although the utmost care is taken, the data here given could be erroneous and liable to modifications of a technical nature. In its strive to improve its floor solutions, Tarkett reserves the right to modify their technical specifications, colours and materials at any moment and without prior notice.



# EXCLUSIVE 240 CONCEPT WOVEN

## VINYL FLOORING 2018

9

Designs with textile effects  
Extra resistant to scuffs, scratches and stains  
Easy to install and maintain



Vinyl floor Covering	EN ISO 26986
Classes of Use	EN ISO 10874 <span style="float: right;">23  32 </span>

### PRODUCT ID

Total Thickness	EN ISO 24346	2,40 mm	Impact Sound Absorption	EN ISO 717-2	16 dB
Wear Layer Thickness	EN ISO 24340	0,35 mm	Residual Indentation	EN ISO 24343-1	≤ 0,20 mm
Weight	EN ISO 23997	1,730 kg/m <sup>2</sup>	Castor Chair	ISO 4918	OK
Roll Width	EN ISO 24341	4+3+2m	Wear Layer Binder content	ISO 11638	Type I
Roll Length		25 m			

### PRODUCT SAFETY & SECURITY CHARACTERISTICS

Slip Resistance	EN 13893 DIN 51130	μ ≥ 0,30 R10	Fire Classification	EN 13501-1	Glued on wood Cfl-S1
Static Electrical Propensity	EN 1815	≤ 2 kV	Chemical Resistance	EN ISO 26987	Not Affected*
			DoP	No. 0004-0023-DoP-2015-01	

### PRODUCT ENVIRONMENTAL BEHAVIOR

Dimensional Stability	EN ISO 23999	≤ 0,40 %	PHTHALATE FREE	Better Indoor Air Quality +TVOC AT 28 DAYS	100 % Recyclable	ÉMISSIONS DANS L'AIR INTÉRIEUR A+
Thermal resistance for underfloor heating	ISO 10456 EN 12524-1	0,06 m <sup>2</sup> /kW				
Light Fastness	EN ISO 105 B02	≥ 6				

\*For short-term exposure of dilute acids, oils and fats, no change in the material properties.

■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien - Tel. +43 1 47 88 062 ■ **Belgium:** Tarkett Belux Sprl - Tel. +32 16 35 98 80 ■ **Denmark:** Tarkett A/S - Tel. +45 43 90 60 11 ■ **Finland:** Tarkett Oy - Tel. +358 9 4257 9000  
 ■ **France:** Tarkett SAS - Tel. +33 1 41 20 42 49 ■ **Germany:** Tarkett Holding GmbH - Tel. +49 62 33 810 ■ **Greece:** Tarkett Monoprosopi Ltd - Tel. +30 210 6745 340 ■ **Italy:** Tarkett S.p.A. - Tel. +39 0744 7551 ■ **Luxembourg:** Tarkett GDL SA - Tel. +352 949 211 8804  
 ■ **Netherlands:** Tarkett BV - Tel. +31 416 685 491 ■ **Norway:** Tarkett AS - Tel. +47 32 20 92 00 ■ **Portugal:** Tarkett SA - Tel. +351 21 427 64 20 ■ **Spain:** Tarkett Floors S.L. - Tel. +34 91 358 00 35 ■ **Sweden:** Tarkett Sverige AB - Tel. +46 771 25 19 00  
 ■ **Switzerland:** Tarkett Holding GmbH - Tel. +41 043 233 79 24 ■ **Turkey:** Tarkett Aspen - Tel. +90 212 213 65 80 ■ **United Kingdom:** Tarkett Ltd - Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** **Baltic Countries:** Tarkett Baltics - Tel. +370 37 262 220 ■ **Czech Republic:** Tarkett org. s.r.o. - Tel. +420 271 001 600 ■ **Hungary:** Tarkett Polska SP Z.O.O. magyarországi fióktelepe - Tel. +36 1 437 81 50 ■ **Poland:** Tarkett Polska Sp. z o.o. - Tel. +48 22 16 09 231 ■ **Russian Federation:** ZAO Tarkett RUS - Tel. +7 495 775 3737 ■ **Slovakia:** Tarkett Polska, organizačná zložka - Tel. +421 2 48 291 317 ■ **South East Europe:** Tarkett SEE - Tel. +381 21 7557 649 (44) 569 12 21 ■ **Ukraine:** Tarkett UA - Tel. +38 (0) 44 569 12 21 ■ **ASIA AND OCEANIA:** **Australia:** Tarkett Australia Pty Ltd - Tel. +61 2 88 53 12 00 ■ **China:** Tarkett Floor Covering (Shanghai) Co. Ltd. - Tel. +86 (21) 6095 68 38 ext 841 ■ **North East Asia:** Tarkett Hong Kong Limited - Tel. +852 2511 8710 ■ **India:** Tarkett Flooring India Pvt. Ltd. - Bangalore - Tel. +91 80 41 303793 - New Delhi - Tel. +91 11 4352 4073 - Mumbai - Tel. +91 22 2648 8750 ■ **South East Asia:** Tarkett Flooring Singapore Pte. Ltd. - Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International - Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East - Tel. +961 1 51 3363/4 ■ **Israel:** Tarkett International - Tel. +931 41 20 41 01  
 ■ **NORTH AMERICA:** **USA:** Tarkett Inc. - Tel. +1 713 869 5811 / Johnsonite - Tel. +1 440 543 8916 ■ **Canada:** Tarkett Inc. - Tel. +1 450 233 173 ■ **LATIN AMERICA:** **Brazil:** Tarkett - Tel. 55 12 3954 7108 ■ **Argentina - Chile - Uruguay:** Tarkett Latam Mercosur - Tel. +54 11 4708 0772 / +54 911 44 46 88 82 ■ **Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela:** Tarkett - Tel. +55 11 9 841 09310 / +55 11 95494 0069 ■ **Mexico / Central America:** Tarkett Latam Mexico - Tel. +55 11 9841 09310

Exclusive 240 - CONCEPT WOVEN - 5827131509  
Although the utmost care is taken, the data here given could be erroneous and liable to modifications of a technical nature. In its strive to improve its floor solutions, Tarkett reserves the right to modify their technical specifications, colours and materials at any moment and without prior notice.

