

# STARFLOOR CLICK ULTIMATE 30

## TECHNICAL DATA

Classification	Standards	STARFLOOR CLICK ULTIMATE 30
CE Marking		EN 14041
Classification	EN 10582	Heterogeneous Compact Resilient Floorcovering
Domestic Classification	EN ISO 10874	23
Commercial Classification		31
Wear layer binder content	EN ISO 10582	Type I
<b>Technical characteristics</b>		
Surface Treatment		PUR Ultimate
Total thickness	EN ISO 24346	5 mm
Wear layer thickness	EN ISO 24340	0.30 mm
Total weight	EN ISO 23997	8,35 kg/m <sup>2</sup>
Installation Method		Click
Locking system		i4f©
Beveled edge		4 micro-bevels
<b>Performance for CE marking</b>		
DoP Number		0132-0074-DoP-2019-06
Slip resistance	EN 13893	$\mu \geq 0,30$
Reaction to fire	EN 13501-1	Bfl-s1 loose laid on concrete and on wood substrate
Thermal resistance	EN ISO 10456	0,05 m <sup>2</sup> K/W
Electrical Resistance	EN 1081	>10 <sup>9</sup> Ohm
<b>Technical performance</b>		
Impact sound reduction	NF EN ISO 717 / 2	$\Delta L_w$ 18dB
Noise level index	NF S31-074	Class C (L <sub>n,e,w</sub> < 85 dB)
Electrostatical propensity	EN 1815	<2 kV on concrete
Slip resistance	DIN 51130	R9
Furniture leg	ISO 16581	No damage
Residual Indentation	EN ISO 24343-1	≤ 0.10 mm
Chemical resistance	EN ISO 26987	Not affected (0)
Underfloor heating		Yes, maximum 27°C
Curl resultant to heat	EN ISO 23999	≤ 1 mm
Dimensional stability	EN ISO 23999	≤ 0.15%
Light fastness	EN ISO 105-B02	≥ 6
<b>Environmental performances</b>		
Phthalate content		Phthalate free
Total VOC emissions after 28 days	ISO 16000-9	≤ 100µg/m <sup>3</sup>
<b>Design characteristics</b>		
Tiles	EN ISO 24342	30 x 60 cm = 9/box = 1,62 m <sup>2</sup>
Plank	EN ISO 24342	17,8 x 121,3 cm = 8/box = 1,72 m <sup>2</sup>
Number of design available		18

According to the European Regulation N° 305/2011 for CE Marking, the Declaration of Performance n° 0019-001-DoP-2015-01 is available on our website [www.tarkett.com](http://www.tarkett.com)  
Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions.



\*Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions).



European classification EN ISO 10582: 2018



Produced under license from I4F  
<https://i4f-patents.com>

