


HE

Svetstråds- guide



2018-09

Produkt	Art.nr.	Svetstråd	FF*	NCS nr	YI	v
Aquarelle Golv 2018 25905 xxx	25905014	1287254		S 4000-N	33,89	0,59
	25905142	1287415		S 2005-Y40R	54,66	0,77
	25905151	1287529		S 8000-N	8,41	0,2
	25905152	1287817		S 8005-Y20R	8,15	0,2
	25905132	1287381		S 6502-B	15,11	0,33
	25905134	1287429		S 7502-R	10,47	0,25
	25905146	1287457		S 5000-N	25,91	0,49
	25905031	1287708		S 7502-R	10,47	0,25
	25905035	1287819		S 8500-N	6,34	0,16
	25905038	1287481		S 8500-N	6,34	0,16
	25905147	1292771		S 3500-N	39,02	0,64
	25905153	1287680		S 7010-Y30R	11,52	0,27
	25905136	1287533		S 5502-Y	21,62	0,43
	25905135	1292770		S 2002-Y	55,99	0,78
	25905137	1287818		S 7005-Y50R	12,59	0,29
	25905156	1287375		S 7502-B	10,07	0,24
	25905157	1287680		S 7010-Y30R	11,52	0,27
	25905158	1287677		S 6010-B30G	16,2	0,35
	25905154	1291609		S 4502-Y	28,93	0,53
	25905159	1287820*		S 8005-Y50R	7,83	0,19
	25905155	1287429		S 7500-N	11,23	0,26
	25905164	1287917		S 8005-G20Y	7,36	0,18
	25905064	1287273		S 1002-Y50R	73,64	0,89
25905053	1287434		S 5010-Y10R	24,83	0,48	

*Ship deck: för en snyggare lösning vid inner och/eller ytterhörn, använd brun svetstråd nr. 1287663

Produkt	Art.nr.	Svetstråd	FF*	NCS nr	YI	v
Aquarelle Designgolv 3m 2016 25906 xxx	24554001	1287532		S 3502-Y	38,15	0,63
	24554002	1294727		S 5500-N	22,2	0,44
	24554006	1287457		S 4502-Y	28,93	0,53
	24554007	1287647		S 6502-B	15,11	0,33
	24554009	1287693		S 6502-Y	15,83	0,34
	24554003	1291609*		S 1002-Y	72,05	0,88
	24554010	1287374		S 3502-Y	38,15	0,63
	24554008	1287235		S 5010-B50G	22,77	0,45

*Square: Svetstråd 1291609 är vit. Önskas en svart tråd rekommenderar vi 1287755

Produkt	Art.nr.	Svetstråd	FF*	NCS nr	YI	v
Aquarelle Vägg 2018 25903 xxx	25903125	1292455		S 2500-N	50,18	0,74
	25903109	1287529		S 8000-N	8,41	0,2
	25903126	1291810		S 2005-Y30R	55,66	0,78
	25903114	1288123		S 1002-Y50R	73,64	0,89
	25903034	1287273		S 0502-Y	85,71	0,94
	25903037	1287486		S 0500-N	85,95	0,94
	25903101	1287446		S 2000-N	57,13	0,79
	25903127	1287488		S 0804-Y30R	78,04	0,91
	25903128	1287411		S 1000-N	74,33	0,89
	25903129	1292457		S 4500-N	29,52	0,54
	25903130	1287815		S 1502-B50G	64,2	0,83
	25903131	1287816		S 4500-N	29,52	0,54
	25903070	1290011		S 0502-Y	85,71	0,94
	25903121	1290011		S 0502-Y	85,71	0,94
	25903122	1290011		S 0502-Y	85,71	0,94
	25903136	1287382		S 4502-Y	28,93	0,53
	25903135	1291609		S 1502-Y	64,66	0,84
	25903137	1290011		S 0502-Y	85,71	0,94
	25903138	1290011		S 0502-Y	85,71	0,94
	25903132	1292801		S 1000-N	74,33	0,89
	25903139	1290011		S 0502-Y	85,71	0,94
	25903140	1290011		S 0502-Y	85,71	0,94
	25903141	1292801		S 1000-N	74,33	0,89
	25903142	1287488		S 0804-Y30R	78,04	0,91
	25903143	1290011		S 0502-Y	85,71	0,94
	25903144	1290011		S 0502-Y	85,71	0,94
	25903145	1290011		S 0502-Y	85,71	0,94
	25903146	1290011		S 0502-Y	85,71	0,94
	25903133	1288123		S 1500-N	65,17	0,84
	25903134	1287273		S 1005-Y30R	70,43	0,87
	25903161	1287532		S 3502-Y	38,15	0,63
	25903162	1287846		S 1502-Y50R	64,09	0,83
	25903163	1287273		S 0502-Y50R	83,65	0,93

25903064	1287273		S 0502-Y50R	83,65	0,93
25903172	1292801		1002-G50Y	74,55	0,89

Produkt	Art.nr.	Svetstråd	FF*	NCS nr	YI	v
Aquarelle Bård 2018 25906 xxx	25906034	1287486		S 0502-Y	85,71	0,94
	25906037	1287273		S 0500-N	85,95	0,94
	25906133	1290011		S 0502-Y	85,71	0,94
	25906134	1290011		S 0502-Y	85,71	0,94
	25906135	1290011		S 0502-Y	85,71	0,94
	25906136	1290011		S 0502-Y	85,71	0,94
	25906137	1290011		S 0502-Y	85,71	0,94
	25906138	1290011		S 0502-Y	85,71	0,94
	25906139	1290011		S 0502-Y	85,71	0,94
	25906132	1291609		S 1502-Y	64,66	0,84
	25906140	1290011		S 0502-Y	85,71	0,94
	25906141	1290011		S 0502-Y	85,71	0,94
	25906142	1290011		S 0502-Y	85,71	0,94
	25906160	1287273		S0502-Y/S7000-G30Y**	85,71	0,94

NCS nr: ** Mönsterfärg

Produkt	Art.nr.	Svetstråd	FF*	NCS nr	YI	v
Nordic Stabil 3532 xxx	026	1287069		S2005-Y40R	54,66	0,77
	044	1287451		S4030-Y30R	25,61	0,49
	027	1287492		S6010-Y50R	15,99	0,35
	028	1287153		S3020-Y30R	37,38	0,62
	029	1287153		S3030-Y20R	34,58	0,6
	030	1287497		S5005-Y20R	25,32	0,49
	031	1287762		S3010-Y20R	40,78	0,66
	022	1287314		S8000-N/S1002-Y50R	8,41	0,2
	032	1287333		S6005-Y80R	17,9	0,38
	033	1287427		S2005-Y30R	55,66	0,78
	034	1287069		S2005-Y40R	54,66	0,77
	035	1287333		S6005-Y80R	17,9	0,38
	036	1287060		S2005-Y40R	54,66	0,77
	037	1292455		S2002-Y	55,99	0,78
	038	1291821		S2005-Y40R	54,66	0,77
	039	1287069		S1505-Y30R	64,02	0,83
	040	1287546		S6005-Y50R	18,06	0,38
	041	1287333		S6005-Y80R	17,9	0,38
	042	1287530		S3005-Y50R	40,42	0,65
	043	1287290		S2005-Y50R	53,7	0,76

Produkt	Art.nr.	Svetstråd	FF*	NCS nr	YI	v
Tapiflex /	25134713	1287333		S 6005-Y80R	17,9	0,38
Acczent	25134711	1287437		S 3010-Y20R	40,78	0,66
Excellence	25134714	1287290	26761110	S 3005-Y50R	40,42	0,65
25119 xxx	25132102	1294315		S 3020-Y20R	37,25	0,62
25129 xxx	25135100	1287006		S 4500-N	29,52	0,54
25072 xxx	25132027	1287732		S 4010-Y10R	33,67	0,59
25124 xxx	25132026	1287433		S 6005-Y20R	18,31	0,38
25134 xxx	25135143	1287412		S 2500-N	50,18	0,74
	25135142	1287412		S 2500-N	50,18	0,74
	25133107	1292450		S 6005-R80B	16,91	0,36
	25133106	1287330		S 4010-G90Y	31,71	0,56
	25133108	1287716		S 2502-Y	49,72	0,73
	25133502	1287572		S 2502-Y	49,72	0,73
	25133500	1287524		S 3500-N	39,02	0,64
	25133501	1287585		S 6502-Y	15,83	0,34
	25133503	1287713		S 3005-Y20R	42,38	0,67
	25133507	1287836		S 6500-N	16,02	0,35
	25133504	1287870		S 6005-Y20R	18,31	0,38
	25135164	1294073		S 5020-B50G	18,82	0,39
	25135165	1294073		S 2020-B60G	47,22	0,71
	25135162	1294073		S 1070-Y70R	28,46	0,53
	25135163	1294073		S 2050-Y	44,13	0,16
	25135167	1294073		S 4005-Y20R	32,53	0,57
	25135166	1294073		S 5020-B30G	18,76	0,39
	25133123	1287515		S 5030-R90B	13,07	0,3
	25133124	1287461		S 5030-B30G	14,47	0,32

25133125	1287753		S 6500-N	16,02	0,35
25133122	1287517		S 2060-Y70R	23,95	0,47
25135183	1287845		S 3502-B	37,12	0,62
25135184	1287647		S 6502-Y	15,83	0,34
25135182	1287836		S 6500-N	16,02	0,35
25133189	1287529		S 7500-N	11,23	0,26
25133015	1287375		S 6500-N	16,02	0,35
25133012	1287572		S 2502-Y	49,72	0,73
25133017	1287458		S 6005-Y50R	18,06	0,38
25133013	1287854		S 4502-Y	28,93	0,53
25133014	1287832		S 6000-N	19,01	0,4
25133114	1287137		S 2050-G90Y	44,78	0,69
25133119	1287830		S 5010-Y10R	24,83	0,48
25133118	1287840		S 5500-N	22,2	0,44
25133120	1287580		S 5030-R80B	12,28	0,28
25133117	1287392		S 5502-B	21,36	0,43
25133116	1287831		S 4000-N	33,89	0,59
25133112	1287158		S 2060-Y70R	23,95	0,47
25133121	1287649		S 6020-R10B	11,04	0,26
25133115	1288311		S 4020-B70G	25,61	0,49
25133113	1287653		S 2050-Y10R	44,23	0,69
25133302	1287849	26761111	S 3010-Y30R	41,32	0,66
25133303	1287686	26761112	S 4005-Y50R	31,49	0,56
25133170	1287837		S 2000-N	57,13	0,79
25133169	1287868		S 2050-Y90R	26,24	0,5
25135173	1287707		S 3005-Y20R	42,38	0,67
25135178	1287154		S 2060-Y70R	23,95	0,47
25135177	1287823		S 4040-R30B	13,03	0,29
25135172	1287842		S 6000-N	19,01	0,4
25135175	1287878		S 3030-G90Y	37,97	0,63
25135174	1287201		S 5020-B30G	18,76	0,39
25135171	1287861		S 4500-N	29,52	0,54
25135176	1287564		S 4040-B10G	15,76	0,34
25133111	1287027		S 3000-N	45,26	0,7
25133109	1287069		S 2005-Y30R	55,66	0,78
25133110	1287530		S 3005-Y50R	40,42	0,65
25134008	1287675	1290304	S 5010-Y30R	22,95	0,45
25134010	1287777	1290303	S 3020-Y20R	37,25	0,62
25134005	1287707	1290307	S 3010-Y20R	40,78	0,66
25136186	1287598		S 2050-G80Y	43,9	0,69
25136188	1287646		S 2060-Y70R	23,95	0,47
25136185	1287019		S 3040-B40G	25,32	0,49
25136187	1287595		S 2050-Y10R	44,23	0,69
25136019	1287444		S 5500-N	22,2	0,44
25136000	1287077		S 6005-R80B	16,91	0,36
25136101	1287523		S 2002-B	55,01	0,77
25133141	1294852	26761113	S 3020-Y20R	37,25	0,62
25132001	1287505	1290187	S 4020-Y20R	29,59	0,54
25132002	1287690	26761114	S 4020-Y10R	28,88	0,53
25134200	1287174	26761116	S 3010-Y20R	40,78	0,66
25134202	1287497	26761115	S 5005-Y20R	25,32	0,49
25135179	1287381		S 6502-B	15,11	0,33
25135181	1287392		S 6502-B	15,11	0,33
25135180	1287027		S 3500-N	39,02	0,64
25134400	1287828	26761117	S 3502-Y	38,15	0,63
25134402	1287848	26761118	S 3005-Y20R	42,38	0,67
25134403	1287848	26761119	S 3005-Y20R	42,38	0,67
25134401	1291214	26761120	S 3005-G80Y	44,84	0,69
25133601	1287454		S 5000-N	25,91	0,49
25133126	1287842		S 5500-N	22,2	0,44
25133105	1292770		S 2502-Y	49,72	0,73
25133103	1292770		S 2502-Y	49,72	0,73
25133104	1292770		S 2502-Y	49,72	0,73
25133129	1287707		S 2005-Y40R	54,66	0,77
25133128	1287572		S 3005-Y20R	42,38	0,67
25133127	1287459		S 3500-N	39,02	0,64
25133130	1291817		S 3010-B10G	37,95	0,63
25133131	1287639		S 2020-G90Y	53,5	0,76
25133132	1287877		S 2030-Y60R	41,07	0,66
25133135	1287190		S 1030-R20B	49,84	0,73
25133134	1287875		S 2010-G	52,01	0,75
25133133	1287596		S 1030-Y	64,8	0,84
25133136	1287012	26761121	S 3005-Y20R	42,38	0,67
25133137	1287690	26761122	S 4020-Y30R	28,75	0,53

25133138	1287183		S 5500-N	22,2	0,44
25133140	1287409		S 6010-R70B	15,67	0,34
25133139	1287362		S 5005-B80G	24,95	0,48
25136939	1287314		S 8502-B	6,2	0,16
25136931	1287598		S 2050-G90Y	44,78	0,69
25136933	1287564		S 4040-B30G	17,87	0,38
25136941	1287873		S 4050-R80B	9,15	0,22
25136932	1287188		S 2020-B50G	45,74	0,7
25136929	1287646		S 2060-Y70R	23,95	0,47
25136927	1287874		S 3050-R20B	15,38	0,34
25136928	1287463		S 2070-Y90R	14,95	0,33
25136926	1287871		S 3040-B40G	25,32	0,49
25136930	1287595		S 2050-Y10R	44,23	0,69
25136918	1287830		S 4005-Y20R	32,53	0,57
25136916	1287836		S 6502-B	15,11	0,33
25136943	1287876		S 5020-B	17,07	0,36
25136934	1287330		S 5005-G50Y	24,69	0,48
25136938	1287869		S 3030-G90Y	37,97	0,63
25136935	1287201		S 5020-B30G	18,76	0,39
25136937	1287872		S 6020-R10B	11,04	0,26
25136942	1287517		S 3040-Y70R	24,85	0,48
25136936	1287218		S 3020-B90G	31,88	0,57
25136917	1288341		S 3502-B	37,12	0,62
25136925	1287832		S 5500-N	22,2	0,44
25136940	1287273		S 1002-G50Y	74,55	0,89
25132818	1287690	1290099	S 5020-Y10R	21,08	0,43
25132817	1287502	1290099	S 4010-Y30R	32	0,57

Produkt	Art.nr.	Svetstråd	FF*	NCS nr	YI	v
Tapiflex /	25181016	1287896	-	S1050-G80Y	59,16	0,8
Acczent	25181020	1287889	-	S4005-Y20R	32,53	0,57
Platinium	25181008	1291845	-	S7502-B	10,07	0,24
25175 xxx	25181000	1287486	-	S0502-Y	85,71	0,94
25177 xxx	25181002	1287893	-	S1070-Y90R	23,09	0,46
25179 xxx	25181006	1287307	-	S4040-R80B	17,78	0,38
25181 xxx	25181011	1287890	-	S5020-B	17,07	0,36
	25181007	1287649	-	S5020-R20B	16,17	0,35
	25181013	1287897	-	S1030-B50G	55,02	0,77
	25181009	1287630	-	S2002-G	55,30	0,78
	25181004	1287869	-	S2030-G90Y	49,92	0,74
	25181019	1287892	-	S3010-G90Y	41,40	0,66
	25181010	1292457	-	S4500-N	29,52	0,54
	25181017	1287884	-	S2040-Y10R	46,35	0,71
	25181012	1287895	-	S4020-B30G	24,85	0,48
	25181001	1287874	-	S2050-R20B	24,50	0,47
	25181018	1287891	-	S2050-Y70R	28,12	0,52
	25181005	1287888	-	S4040-B30G	17,87	0,38
	25181003	1287579	-	S1050-Y10R	60,68	0,81
	25182023	1287846	26761069	S1502-G50Y	64,77	0,84
	25182031	1287846	26761070	S1502-G50Y	64,77	0,84
	25182025	1287846	26761071	S1502-G50Y	64,77	0,84
	25182029	1292394	26761072	S1502-G50Y	64,77	0,84
	25182030	1287846	26761073	S1502-G50Y	64,77	0,84
	25182027	1287846	26761074	S1502-G50Y	64,77	0,84
	25182024	1287846	26761075	S1502-G50Y	64,77	0,84
	25182028	1287846	26761076	S1502-G50Y	64,77	0,84
	25182026	1287846	26761077	S1502-G50Y	64,77	0,84
	25182033	1287837	26761078	S1502-G50Y	64,77	0,84
	25182039	1287837	26761079	S1502-G50Y	64,77	0,84
	25182035	1287837	26761080	S1502-G50Y	64,77	0,84
	25182037	1287837	26761081	S1502-G50Y	64,77	0,84
	25182034	1287837	26761082	S1502-G50Y	64,77	0,84
	25182038	1287837	26761083	S1502-G50Y	64,77	0,84
	25182036	1287837	26761084	S1502-G50Y	64,77	0,84
	25182008	1287525	26761086	S5500-N	22,20	0,44
	25182014	1287836	26761089	S6502-B	15,11	0,33
	25182015	1287774	26761090	S2020-Y	51,78	0,75
	25182010	1287202	26761088	S2000-N	57,13	0,79
	25182009	1287459	26761087	S3500-N	39,02	0,64
	25182007	1288232	26761085	S0907-Y10R	75,70	0,9
	25182045	1287896	26761093	S1050-G80Y	59,16	0,8
	25182055	1287486	26761096	S0502-Y	85,71	0,94

25182042	1287890	26761097	S5020-B	17,07	0,36
25182044	1287897	26761098	S1030-B50G	55,02	0,77
25182040	1289316	26761095	S2002-G	55,30	0,78
25182048	1287892	26761096	S2010-G90Y	55,00	0,77
25182041	1292457	26761097	S4000-N	33,89	0,59
25182046	1287884	26761098	S2040-Y10R	46,35	0,71
25182043	1287895	26761099	S5020-B30G	18,76	0,39
25182047	1287891	26761102	S2050-Y70R	28,12	0,52
25181063	1287172	26761063	S2050-R90B	25,75	0,49
25181064	1287893	26761065	S1070-Y90R	23,09	0,46
25182056	1287836	26761101	S6502-B	15,11	0,33
25181065	1287592	26761066	S1050-G50Y	55,55	0,78
25181026	1289316	26761068	S2000-N	57,13	0,79
25182049	1287828	26761103	S3500-N	39,02	0,64
25181066	1287894	26761064	S2050-Y50R	32,86	0,58
25181067	1288351	26761067	S1050-Y10R	60,68	0,81
25182050	1287486	26761104	S0502-Y	85,70	0,94
25182058	1287486	26761105	S0502-Y	85,70	0,94
25182052	1287486	26761106	S0502-Y	85,70	0,94
25182054	1287486	26761107	S0502-Y	85,70	0,94
25182051	1287486	26761108	S0502-Y	85,70	0,94
25182057	1287486	26761109	S0502-Y	85,70	0,94
25182053	1287486	26761109	S0502-Y	85,70	0,94
25181939	1291845	-	S7502-B	10,07	0,24
25181918	1287830	-	S4005-Y20R	32,53	0,57
25181916	1287836	-	S6502-B	15,11	0,33
25181917	1287648	-	S2502-G	48,89	0,73
25181025	1287394	-	S5500-N	22,20	0,44
25181940	1287486	-	S0502-G50Y	84,95	0,94

Produkt	Art.nr.	Svetstråd	FF*	NCS nr	YI	v	NCS nr	YI	v
Tx Stairs	25171000			S 3500-N	39,02	0,64	S 7000-N	13,53	0,30
Ts Stairs SA	25171015			S 6500-N	16,02	0,35	S 3502-B	37,12	0,62
	25171018			S 3500-N	39,02	0,64	S 7000-N	13,53	0,30
	25172116			S 4005-Y20R	32,53	0,57	S 7000-N	13,53	0,30
	25172117			S 7000-N	13,53	0,3	S 3502-B	37,12	0,62
	25172118			S 4000-N	33,89	0,59	S 7000-N	13,53	0,30
	25172119			S 2060-Y70R	23,95	0,47	S 6502-B	15,11	0,33
	25172120			S 2050-Y10R	44,23	0,69	S 7000-N	13,53	0,30
	25172121			S 2050-G90Y	44,78	0,69	S 7000-N	13,53	0,30
	25172122			S 2020-B50G	45,74	0,7	S 7000-N	13,53	0,30
	25172123			S 3502-B	37,12	0,62	S 7000-N	13,53	0,30
	25171012			S 3005-Y50R	40,42	0,65	S 7000-N	13,53	0,30
	25171013			S 2005-Y30R	55,66	0,78	S 7000-N	13,53	0,30
	25172024			S 4000-N	33,89	0,59	S 7000-N	13,53	0,30
	25172025			S 6000-N	19,10	0,4	S 6502-B	15,11	0,33
	25172026			S 7000-N	13,53	0,3	S 2060-Y70R	23,95	0,47
	25172027			S 7000-N	13,53	0,3	S 2040-Y	48,79	0,73
	25172028			S 7000-N	13,53	0,3	S 2050-G90Y	44,78	0,69
	25172029			S 7000-N	13,53	0,3	S 2020-B50G	45,74	0,70
	25171030			S 3010-Y20R	40,78	0,66	S 7000-N	13,53	0,30
	25171031			S 5005-Y20R	25,32	0,49	S 7000-N	13,53	0,30
	25171032			S 3005-Y20R	42,38	0,67	S 7000-N	13,53	0,30

Produkt	Art.nr. 1,5	Art.nr. 2,0	Svetstråd	FF*	NCS nr	YI	v
ProtectWALL	26500003		24806129		S 1002 - G50Y	74,55	0,89
1,5	26500004		24806126		S 1002 - Y50R	73,64	0,89
2CR	26500005		24806131		S 0804 - Y50R	76,57	0,9
	26500028		24806125		S 1020 - G80Y	69,39	0,86
26500 xxx	26500029		24806128		S 2005 - G	54,47	0,77
26501 xxx	26500036		24806139		S 2070 - Y60R	21,09	0,43
	26500037		24806142		S 1060 - Y10R	58,91	0,8
	26500038		24806144		S 1010 - G	67,82	0,85
	26500039		24806136		S 2040 - G90Y	49,03	0,73
	26500040		24806137		S 3050 - B20G	20,41	0,42
	26500041		24806143		S 6005 - R80B	16,91	0,36
	26500042		24806138		S4050 - R80B	9,15	0,22
	26500043		24806155		S 5000 - N	25,91	0,49

26500044		24806152		S 3000 - N	45,26	0,7
26500045		24806140		S 2060 - Y90R	20,09	0,41
26500046		24806141		S 2050 - B30G	30,59	0,55
26500047		24806145		S 2040 - G90Y	49,03	0,73
26500048		24806158		S 2020 - B40G	46,29	0,71
26500049		24806156		S 2005 - B	53,83	0,76
26500050		24806151		S 1015 - G90Y	72,21	0,88
26500051		24806146		S 6020 - R10B	11,04	0,26
26500052		24806113		S 4010 - Y50R	31,48	0,56
26500053		24806114		S 4010 - Y10R	33,67	0,59
26500054		24806115		S 3502 - R	37,56	0,63
26500055		24806130		S 1020 - G90Y	72,23	0,88
26500056		24806132		S 2010 - R90B	51,55	0,75
26500057		24806127		S 2005 - Y20R	56,01	0,78
26500058		24806117		S 3502 - Y	38,15	0,63
26500059		24806116		S 2005 - Y50R	53,7	0,76
26500060		24806149		S 2002 - Y50R	55,64	0,78
26500064		24806124		S 0500 - N	85,95	0,94
26500065		24806134		Bakgrund : S 0502 - Y50R Motiv : S 1002 - G50Y	83,65	0,93
26500066		24806133		Bakgrund : S 0502 - Y50R Motiv : S 0603 - G40Y	83,65	0,93
26500067		24806135		Bakgrund : S 0502 - Y50R Motiv : S 0907 - G90Y	83,65	0,93
26500068		24806123		Bakgrund : S 1020 - B30G Motiv blomma : S 1040 - G30Y Motiv palm : S 1030 - B70G	52,61	0,76
26500069		24806122		Bakgrund : S 2010 - B70G Motiv blomma : S 3010 - G30Y Motiv palm : S 2020 - B40G	51,37	0,75
26500070		24806120		Bakgrund : S 1010 - G Motiv : S 1510 - B80G	65,27	0,84
26500071		24806119		Bakgrund : S 1010 - G80Y Motiv : S 1015 - G80Y	71,81	0,88
26500072		24806121		Bakgrund : S 1002 - Y50R Motiv : S 1502 - Y50R	73,64	0,89
26500073		24806118		Bakgrund : S 1005 - Y10R Motiv : S 1005 - Y20R	72,71	0,88
26500122		24806147		S 1005 - Y10R	72,71	0,88
26500132		24806162		S 1002 - Y50R	73,64	0,89
26500134		24806160		S 0515 - G60Y	80,90	0,92
26500135		24806159		S 5010 - B30G	21,27	0,43
26500221		24806161		S 1002 - Y50R	73,64	0,89
	26501063	24806148		S 1005 - Y10R	72,71	0,88
	26501062	24806150		S 2002 - Y50R	55,64	0,78
	26501044	24806153		S 3000 - N	45,26	0,7
	26501061	24806154		S 1002 - Y50R	73,64	0,89
	26501049	24806157		S 2005 - B	53,83	0,76