

CLIPSTAR veneer skirting

WOOD ACCESSORIES - PRODUCT INFORMATION


Real wood veneered profiles.

The profiles can be installed with nails, screws, adhesive but is also adapted for Tarkett's Clipstar system.

- Matching accessories provide your floor with the final touch
- Easy and fast installation
- Covered with real wood veneer
- Without visible screws when using Clipstar system

Technical Information		Percentage ratio
Pack size	2,4 rm/unit, 24 rm/package.	
General description	Real wood veneer skirting for the wood designs.	
Supporting material	Finger-jointed spruce sealed by dispersion glue.	90-92%
Wrapping material	High quality real wood veneer for the Wood designs / White decorative paper base for "White foiled" finishing.	6-8%
Bonding	Environmentally friendly liquid glue.	1,5-2,5%
Surface	Varnished twice for sealing using 99% UV acrylic varnish, free of solvents and monomers.	1 1,5%
Colouring	As wood is a natural product, susceptible to changes if the surface is in direct contact with light rays.	
Resistance to fungal/ insects	Good.	
Formaldehyd emission	E1	
Residual moisture	10 - 12%	
Use and storage	In order to avoid possible cracks in the wood, moisture expansion and any other similar damage, humidity should be kept under 60% and the room temperature should be kept between 16-22°C. Moisture from beneath the floor, as well as flooding, can result in the profile being damaged irreversibly.	
Cleaning	<ul style="list-style-type: none"> • Use a vacuum cleaner or a suitable cloth for daily cleaning. • To clean dogged dirt, use a cloth that is moist but not wet, a cleaning agent that is not foamy (max PH 8) and avoid the accumulation of water. • Do not use cleaning products that are abrasive or contain ammonia. 	
Disposal	Recycle environmentally after use.	
Wood is a natural product, small variations in colour and texture may occur.		

Hanaskog 2021.01



CLIPSTAR veneer skirting

WOOD ACCESSORIES - PRODUCT INFORMATION

Clipstar - Veneer skirting		SAP no.	
			
		60x16x2400 mm	80x16x2400 mm
Ash		8791738	
Birch		8791783	
Beech		8791744	
Oak		8791734	8791760
Oak Brushed		8791843	
Walnut		8791745	
White, foiled		8791740	
Ash Ivory		8791852	
Ash White Pearl		8791842	
Ash White		8791741	
Oak Snow White		8791855	
Oak Cotton White		8791841	
Oak White Light		8791853	
Oak Lime Stone		8791845	
Oak White		8791736	
Oak Soft Skin		8791790	
Oak Soft Beige		8791785	
Oak Blonde		8791846	
Oak Urban Grey		8791851	
Oak Warm Grey		8791854	
Oak Light Grey		8791757	
Oak Evening Grey		8791849	
Oak Soft Grey		8791781	
Oak Old Grey		8791850	
Oak Graphite		8791789	
Oak Stone Grey		8791832	
Oak Nutmeg		8791791	
Oak Almond		8791786	
Oak Umber Brown		8791847	
Oak Italian Brown		8791788	
Oak Cumin		8791758	
Oak Old Brown		8791848	
Oak Charcoal		8791780	

See all the different colours by ordering a swatch - 5600070003

CLIPSTAR veneer skirting


WOOD ACCESSORIES - PRODUCT INFORMATION

Clips for Clipstar

Fits to Tarkett's Veneer Skirtings 60x16 and 80x16 mm.
50 clips for approx. 25 m of skirting.
The clips should be placed with a distance of 25-50 cm.

- Push and press system.
- Optimum adapting to uneven walls.
- One system for all profiles with 40-100 mm in height.
- Steel clips made of spring steel with corrosion protection.
- Cable duct for cables up to 7 mm in diameter, even cable laying after initial installation possible.
- Repeated mounting and removal of skirting boards or exchange of boards without the need of any tools possible.
- Time saving fixing to wall due to attachment extension.

	Pack	Sap no.
Clips for Clipstar	50 clips / box	8791800



Installation Instruction

