

# Tapiflex Tiles 50

## Green Building Card

### SUSTAINABILITY ATTRIBUTES

Circular Economy and Climate Change




Good Materials



Indoor Air Quality



### LIFE CYCLE ASSESSMENT



**TOTAL CARBON FOOTPRINT** 11,72 kg CO<sub>2</sub>eq /m<sup>2</sup>

Product life span = 20 years

This product's installation waste is recyclable in our recycling centres  
LCA Information above is based on the product's Environmental Product Declaration (EPD)  
EPD Number : S-P-01347  
EPD comparison should be conducted by experts only



## CONTRIBUTION TO GREEN BUILDING CERTIFICATIONS

### BREEAM INTERNATIONAL NEW CONSTRUCTION 2016

BREEAM®

| CERTIFICATION CRITERIA                                        | CERTIFICATION REQUIREMENTS                                                                                      | THE TARKETT RESPONSE                                                                                                                                                                                                                                                                                                                            |
|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>HEA 01 - Visual Comfort</b>                                | Best practices in daylighting and artificial lighting design<br><i>No specific requirement at product level</i> |                                                                                                                                                                                                                                                              |
| <b>HEA 02 - Indoor Air Quality</b>                            | TVOC at 28 days $\leq 1000 \mu\text{g}/\text{m}^3$ and Formaldehyde at 28 days $\leq 60 \mu\text{g}/\text{m}^3$ |     |
| <b>MAT 01 - Life Cycle Impacts</b>                            | EPDs available                                                                                                  |                                                                                                                                                                                                                                                              |
| <b>MAT 03 - Responsible Sourcing of Construction Products</b> | ISO 14001 certified                                                                                             |                                                                                                                                                                                                                                                              |
| <b>MAT 06 - Material Efficiency</b>                           | Ingredients verified by a third party or Product composed of recycled content                                   |                                                                                                                                                                                                                                                             |
| <b>WST 01 - Waste Management</b>                              | Avoid sending waste to landfill<br><i>No specific requirement at product level</i>                              |                                                                                                                                                                       |

## CONTRIBUTION TO GREEN BUILDING CERTIFICATIONS



### LEED v4.1 Building Design and Construction

| CERTIFICATION CRITERIA                                               | CERTIFICATION REQUIREMENTS                                                                                                                                            | THE TARKETT RESPONSE |
|----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| <b>MR - Environmental Product Declarations</b>                       | EPDs available                                                                                                                                                        |                      |
| <b>MR - Sourcing of Raw Materials</b>                                | Signatory of the UN Global Compact or Product composed of recycled content or Recyclable at end-of-life or Bio-sourced materials                                      |                      |
| <b>MR - Construction and Demolition Waste Management</b>             | Avoid sending waste to landfill<br><i>No specific requirement at product level</i>                                                                                    |                      |
| <b>EQ - Low Emitting Materials and Indoor Air Quality Assessment</b> | TVOC at 28 days $\leq 1000 \mu\text{g}/\text{m}^3$ and Formaldehyde at 28 days $\leq 10 \mu\text{g}/\text{m}^3$<br>Decrease the concentration of particles in the air | <br>                 |
| <b>EQ - Interior Lighting and Daylight</b>                           | Best practices in daylighting and artificial lighting design<br><i>No specific requirement at product level</i>                                                       |                      |

### WELL BUILDING STANDARD v2



| CERTIFICATION CRITERIA                                             | CERTIFICATION REQUIREMENTS                                                                                            | THE TARKETT RESPONSE |
|--------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|----------------------|
| <b>L02 - Visual Lighting Design and L 06 - Daylight Simulation</b> | Best practices in daylighting and artificial lighting design<br><i>No specific requirement at product level</i>       |                      |
| <b>S07 - Impact Noise Management</b>                               | Best practices in impact noise reduction-<br><i>No specific requirement at product level</i>                          |                      |
| <b>X06 - VOC Restrictions</b>                                      | TVOC at 28 days $\leq 1000 \mu\text{g}/\text{m}^3$ and Formaldehyde at 28 days $\leq 124 \mu\text{g}/\text{m}^3$ (E1) | <br>                 |



## CONTRIBUTION TO GREEN BUILDING CERTIFICATIONS

SKArating®

### SKA RATING OFFICES 1.2

| CERTIFICATION CRITERIA                        | CERTIFICATION REQUIREMENTS                                                                                                                           | THE TARKETT RESPONSE                                                                                                                                                    |
|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Soft flooring</b>                          | Recycled content > 50%<br>or Renewable or natural content > 50%<br>or Cradle to Cradle® certification at silver level or higher<br>or EPDs available | <b>EPD®</b>                                                                                                                                                             |
| <b>Reduce floor finishes sent to landfill</b> | Avoid sending waste to landfill<br><i>No specific requirement at product level</i>                                                                   |   |
| <b>Low VOC finishes</b>                       | TVOC at 28 days ≤ 100 µg/m³ and<br>Formaldehyde at 28 days ≤ 10 µg/m³<br>or Ingredient disclosure                                                    |   |
| <b>Daylighting</b>                            | Best practices in daylighting design<br><i>No specific requirement at product level</i>                                                              |                                                                                      |

### DGNB System - New buildings Version 2020 International

| CERTIFICATION CRITERIA                           | CERTIFICATION REQUIREMENTS                                                                                      | THE TARKETT RESPONSE                                                                                                                                                        |
|--------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>ENV1.1 - Building Life Cycle Assessment</b>   | EPDs available                                                                                                  | <b>EPD®</b>                                                                                                                                                                 |
| <b>ENV1.3 - Sustainable Resource Extraction</b>  | Product composed of open-loop or post-consumer recycled content                                                 |                                                                                        |
| <b>SOC1.2 - Indoor Air Quality</b>               | Indoor air quality measurement after construction work<br><i>No specific requirement at product level</i>       |   |
| <b>SOC1.3 - Acoustic Comfort</b>                 | Best practices in impact noise reduction-<br><i>No specific requirement at product level</i>                    |                                                                                        |
| <b>SOC1.4 - Visual Comfort</b>                   | Best practices in daylighting and artificial lighting design<br><i>No specific requirement at product level</i> |                                                                                        |
| <b>TEC1.6 - Ease of Recovering and Recycling</b> | Efficient use of resources                                                                                      |   |

## CONTRIBUTION TO GREEN BUILDING CERTIFICATIONS



### HQE BÂTIMENT DURABLE v4

| CERTIFICATION CRITERIA            | CERTIFICATION REQUIREMENTS                                                                                                       | THE TARKETT RESPONSE |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------|----------------------|
| <b>Qualité de l'air intérieur</b> | Mesure de polluants dans l'air après travaux                                                                                     |                      |
| <b>Confort Acoustique</b>         | Bonnes pratiques sur l'acoustique au sein d'une pièce et entre pièces<br><i>Pas d'exigence spécifique au niveau des produits</i> |                      |
| <b>Confort Visuel</b>             | Bonnes pratiques sur l'éclairage naturel et artificiel<br><i>Pas d'exigence spécifique au niveau des produits</i>                |                      |
| <b>Déchets</b>                    | Envoyer l'envoi à la déchèterie<br><i>Pas d'exigence spécifique au niveau des produits</i>                                       |                      |
| <b>Economie locale</b>            | Composant issu d'une filière de valorisation matière des déchets                                                                 |                      |

### Green Star - Interiors v1.3



| CERTIFICATION CRITERIA                   | CERTIFICATION REQUIREMENTS                                                                                      | THE TARKETT RESPONSE |
|------------------------------------------|-----------------------------------------------------------------------------------------------------------------|----------------------|
| <b>Indoor Pollutants</b>                 | TVOC at 28 days ≤ 1000 µg/m³ and Formaldehyde at 28 days ≤ 10 µg/m³                                             |                      |
| <b>Lighting and Visual Comfort</b>       | Best practices in daylighting and artificial lighting design<br><i>No specific requirement at product level</i> |                      |
| <b>Life Cycle Assessment</b>             | EPDs available                                                                                                  |                      |
| <b>Construction and Demolition Waste</b> | Avoid sending waste to landfill<br><i>No specific requirement at product level</i>                              |                      |



MILJÖBYGGNAD

| CERTIFICATION CRITERIA | CERTIFICATION REQUIREMENTS    | THE TARKETT RESPONSE                                                                |
|------------------------|-------------------------------|-------------------------------------------------------------------------------------|
| Indicator 13 (V4.0)    | At least 20% recycled content |  |

The Green Building Card is used as a reference only for projects at design stage. This document by itself is not enough to validate the Green Building Certification requirements and manufacturer's documentation must be provided. In order to access the product certificates, please contact your TARKETT's sales representative.

