

ACCZENT

Issued to:	TARKETT
135UEU LU.	TANKLIT

Product specifications	ACCZENT Meteor 55, Meteor 70, Classic 40, Ruby 70, Topar 70, Excellence Genius 3/4, Excellence Genius 70, Essential 3, Essential 4, Excellence 3/4, Excellence 80, Easy compact U3/U4
Issue date:	15.12.2022
Expiration date:	14.12.2024
Evaluation threshold:	At least 100 ppm of the final product
After-use scenario:	TARKETT ReStart [®] Program
EPEA Registry No:	39941.3

MHS Version: 2.0

FUNCTION	CHEMICALS	CAS	CONTENT	EPEA RATING	COMMENT	GS-LT GS-BM ^{(b}	REACH
PVC	PVC*	9002-86-2	< 50%		Transitional use of PVC is tolerated in durable applications designed with good materials and a collection and recycling program in place ^(a) . Vinyl chloride content is below 1 ppm in purchased products. Tarkett proposes to take back your installation residues and plans to propose to take back your products after use, thanks to the ReStart [®] program. Check Tarkett national websites for Restart program availability.	LT-P1	~
	Proprietary	Proprietary 2	< 3,7%			N.I.	-
	Calcium carbonate*	13397-25-6			Fillers consist of pulverized calcium carbonate of virgin origin and aluminum hydroxide and glass fibres of the former PVC use. Low levels of quartz. No concern in the finished product.	None	✓
	Glass fibre*	65997-17-3				LT-UNK	✓
Fillers	Crystalline silica - Quartz type*	14808-60-7	< 45%			LT-1	~
	Aluminium trihydrate*	1333-84-2]			LT-UNK	✓
	Proprietary	Proprietary 3	1			N.I.	-
Plasticizers	1,2-Cyclohexanedicarb- oxylic acid, 1,2-diiso-nonyl ester (DINCH)	166412-78-8	< 25%		Alternatives to phthalate plasticizers. DINCH is produced by hydrogenation of DINP with thus modified properties. No toxicity identifiable, especially no mutagenicity, carcinogenicity or reproductive toxicity observed in animal tests. Capacity of MINCH (primary metabolic product of DINCH) to interfere with the metabolism and differentiation of adipocytes in in-vitro experiments was assumed in 2015 but convincingly refuted in more recent scientific publications. No concern with DEHT, especially no disruption of developmental pathways observed with metabolic products of DEHT. DBT is an equivocal sensitizer. No concern expected with DBT, other plasticizers and plasticizer synthesis impurities MBT and MINCH.	LT-UNK	~
	Dibutyl terephthalate (DBT)	1962-75-0				None	✓
	Terephthalic acid, diethylhexyl ester (DEHT)*	6422-86-2				LT-UNK	~
	Bis(2-ethylhexyl)adipate (DEHA)*	103-23-1				LT-P1	~
	1,2,3-Propanetricar-boxylic acid, 2-(ace-tyloxy)-, tributyl ester (TBC)*	77-90-7				LT-P1	~
	Terephthalic acid, butyl methyl ester (MBT)*	52392-55-9				N.I.	~
	1,2-Cyclohexanedicarb- oxylic acid, 1-methyl, 2- iisononyl ester (MINCH)*	Not available				N.I.	~
	Proprietary	Proprietary 3				N.I.	-
	Urea, polymer with formaldehyde	9011-05-6				LT-P1	~
	Proprietary	Proprietary 2				N.I.	-

FUNCTION	CHEMICALS	CAS	CONTENT	EPEA RATING	COMMENT	GS-LT GS-BM ^{(b}	REACH
	Soybean oil, epoxidized*	8013-07-8				LT-P1	✓
	2-(2-n-Butoxyethoxy) ethanol	112-34-5	- < 2%			LT-P1	✓
	Benzoic acid	65-85-0				LT-P1	✓
	Triisodecyl phosphite*	25448-25-3			ESBO is a scavenger of hydrochloric acid that may	LT-P1	✓
	Triisotridecyl phosphite	77745-66-5			be formed during the flooring use period. It has a	LT-P1	~
	Neodecanoic acid, zinc salt	27253-29-8			plasticizing effect in addition.	LT-P1	 ✓
Stabilizers	Neodecanoic acid, zinc	84418-68-8			Zinc is essential trace element. Migration potential	None	 ✓
	salt, basic Zinc 2-ethylcaproate*	136-53-8			of the different components of the heat stabilization system is unknown.	LT-P1	 ✓
	Benzne, C10-13-alkyl derv.	67774-74-7				LT-UNK	✓
	Distillates (petroleum),	64742-47-8	-			LT-P1	~
	hydrotreated light		-			N.I.	
	Proprietary	Proprietary 3				IN.I.	-
	Titanium Dioxide*	13463-67-7	_		Potential health issue related to dust inhalation during mining/production of titanium dioxide. No concern in the finished product. Copper containing pigments are not recommended in the context of PVC because of the catalytic activity of copper for the formation of dioxins in case of fire. Chlorinated pigments are not recommended for reasons explicated in "EPEA's position on PVC and chlorine management"(a). They are labelled red for these reasons, even if they are each well below the declaration limit of 100 ppm.	LT-1	~
	Carbon Black	61512-59-2				BM1	~
Pigments & Inks	Pigment Blue 15:1	12239-87-1	1,3%			LT-UNK	~
	Proprietary	Proprietary 2				LT-P1	~
		Proprietary 3				N.I.	-
	1,2-Ethanediamine, N-[3- (trimethoxysilyl)propyl]-	1760-24-3	_			LT-UNK	✓
	2-(2-n-Butoxyethoxy) ethanol	112-34-5				LT-P1	✓
A	Aluminium oxide	90669-62-8				None	✓
Additives,	Azodicarbonamide	123-77-3			ESBO is a scavenger of hydrochloric acid that may be formed during the flooring use period. It has a plasticizing effect in addition. Zinc is essential trace element. Migration potential of the different components of the heat stabilization system is unknown.	LT-UNK	
formulation	Fatty acids, C16-18	67701-03-5	< 4,6%			LT-UNK	✓
auxiliaries and non- functional recycled content	Oxirane, 2-methyl-, polymer with oxirane, mono(3,5,5-trimethyl- hexyl) ether	204336-40-3				LT-UNK	~
	Cured coating chemicals in the recycled content	Proprietary 2				N.I.	~
		Proprietary 2				LT-UNK LT-P1	✓ ✓
	Proprietary	Duriture 2					•
		Propietary 3				N.I.	-
	1,6-Hexandioldiacrylate 1-Propanone, 2-hydroxy-2-	13048-33-4	1,1%		Complex coating macropolymer based on polyurethane acrylate and urea formaldehyde chemistry that is UV cured during application. Monomers mentioned are not present as such and have therefore lost properties that lead to specification for hazard labeling of raw materials. The coating doesn't contribute to a formaldehyde	LT-P1	✓
	methyl-1-[4-(1-methyl- ethenyl)phenyl]-, homo- polymer	163702-01-0				None	~
	2-hydroxy-2-methyl- propiophenone	7473-98-5				LT-UNK	✓
	Dipentaerithrytol hexacrylate	29570-58-9				None	✓
	Ethyl (2,4,6-Trimethyl- benzoyl)-phenyl phos- phinate	84434-11-7				LT-P1	~
Surface Treatment	Pentaerythritol tetra- acrylate	4986-89-4				LT-UNK	~
	Urea, polymer with formaldehyde	9011-05-6				LT-P1	~
	Triethylamine	121-44-8			emission.	LT-UNK	✓
	Acrylic urethane prepolymer dispersion	Proprietary 3			emission.	n.l.	✓
	Emulsion of a polygly- colether siloxane copolymer, silica free	Proprietary 2				N.I.	~
	Proprietary	Proprietary 2				LT-UNK	✓
	Proprietary	Proprietary 2	1			LT-P1	✓
	Proprietary	Proprietary 2	-			N.I.	· ✓
	· · · · · · · · · · · · · · · · · · ·		1				
	Proprietary	Proprietary 3				N.I.	

THEREOF					
Content sourced from abundant minerals < 54%		< 54%	Mineral fillers and the chlorine part of PVC are most predominant contributors to t figure. Only virgin raw materials are counted in this section.		
Recycled content	 Internal post-industrial source (Reprocessed own production output) Post-installation / Pre-use source 	≤ 33%	Raw materials used to generate the recycled content have all an industrial pre-torigin and are therefore chemically largely defined. The contribution of the recycl content is highlighted with * after the chemical name. The content with recycled to the recycled to the content of the recycled to the rec		
	- Post-use source	-	post-installation materials is < 1%.		
Biologically renewable	- Animal	-	No raw materials of animal origin identifiable in the product build-up.		
content	- Vegetal	< 1%	Epoxidized Soybean oil and fatty acid derivatives are obtained from vegetal sources		

EPEA's rating methodology is based on the Cradle to Cradle approach with the European Precautionary principle. It is made in relation with a quality target, an after-use scenario and on the background of the specific supply chain materials used by the article's manufacturer. The assessment of hazard/safety properties of chemicals is made at the best of our knowledge at the date of MHS^{M} issue (See further <u>MHS development Guidance V2.0</u>). EPEA believes the data forth herein are accurate as of the date hereof. EPEA makes no warranty with respect thereto and expressly disclaims all liability for reliance thereon. Such data are offered solely for your consideration, investigation, and verification.

Dr. Peter Mösle

Partner & Managing Director



Dr. Alain Rivière Scientific Supervisor

Legend:

A RATING:	REACH compliance:
No concern	✓: Substance is listed neither in Annex XIV nor in Annex
Moderate concern	XVII nor as SVHC or complies with European Union
High concern –	Regulation EC 1907/2006 applicable to this article.
Task for	XVII or XIV: Substance listed in Annex XVII (Restriction)
material	or Annex XIV (Authorisation) of REACH regulation
optimization	applicable to this article
Unknown concern -	SVHC: Substance of Very High Concern. Candidate for
Task for knowledge	listing in Annex XIV (Authorization list) of REACH
development	Regulation at a concentration above 0.1%
	- : Not applicable due to missing CAS

GS-LT^(b)

LT-1: Chemical is found on an authoritative list of the most-toxic chemicals LT-P1: Chemical may be a serious hazard, but the confidence level is lower LT-UNK: Unknown (no data on List Translator Lists)

GS- BM^(b)

BM1: Avoid: Chemical of High Concern
BM2: Use but search for Safer
Substitutes
BM3: Use but still opportunity for
improvement
BM4: Prefer: Safer Chemical
BMU: "Unspecified"; insufficient data
N.I. (No GS rating): Chemical is not
listed in the source of GS and GS-LT
ratings

(a) Please refer to EPEA's position on PVC and chlorine management

(b) GreenScreen List Translator Score and GreenScreen Benchmark Score according to Toxnot

Proprietary 1, 2 or 3: Distinguishing between owners of information (see <u>MHS development Guidance V2.0</u>)