







Safe to use in kitchens and bathrooms for modern looks throughout the home.

#### No Acclimation Required

ProGen may be used immediately. ProGen is extremely stable and has no temperature limitations, so it's great for 3-Season rooms.

#### **Rigid Core**

Overcomes subfloor imperfections and telegraphing, unlike traditional luxury vinyl tile.

#### **Durable**

Supports the everyday life of a busy, active household, like kids, pets, high heels and heavy furniture.

#### **Easy Installation**

ProGen does not require power tools and can be simply cut with a utility knife. Its fast-locking click system provides a low-cost, low-mess installation, even over existing floors.

#### No Transitions Required

ProGen is so stable, no transitions are required between rooms or in large spaces. However, Tarkett does offer matching transitions.

#### **Ouiet**

IIC rating of 68 means superior sound absorption to drastically improve overall comfort.



# **� ProGen**™



**Durham Pine** Sun-Toned 270264014



Red Oak Ginger 270264016



Rock Maple Medio 270264012



Durham Pine Tavern 270264013



Stained Maple Carmine 270264015



Vista Oak Limed Natural 270265015



Cerused Oak Powder 270265013



Stokes Range Relic 270265018



Tannin Walnut Gris 270265016



Cerused Oak Denim 270265014



Aurora Oak Starry Night 270265020



Brushed Pine Sorrel 270265019



Stokes Range Dusk 270265017



West Oak Loft 270266022



West Oak Drift 270266024



West Oak Natural 270266021



Spicebark Hickory Fumed 270266016



Pacific Madrone Natural 270266019



Spicebark Hickory Comino 270266017



West Oak Mountane 270266023



North Shore Pine Cascade 270266020



Milled Oak Copper 270266018

Create beautiful transitions with matching T-moldings, stair nosings and reducers.

## **A Selection of Stone Patterns**



Fleury Travertine Verona 270288000



Villa Slate Spire 270288001



Arcadian Featherstone 270288002



Pavestone Luxor 270288003



Pavestone Cambria 270288004



Outland Path Brindle 270282009



Marble Nouveau Ibis 270282006



Quartzite Dune 270282007



Quartzite Ashen 270282008






#### Installation

Floating Floor	Quick and Simple Angle-Angle Click
Above/At/Below Grade	<b>✓</b>
No Acclimation	<b>✓</b>
No Transition Required	<b>✓</b>
No Temperature Limitations/ Direct Sunlight Install	<b>✓</b>
Acoustic Rating	Total IIC of 68 (6" Concrete Slab + Suspended Ceiling)

### **Extreme Temperature Expansion and Contraction** (ASTM F2199)



#### **Tarkett North America**

30000 Aurora Road Solon, OH 44139 USA: 1-877-TARKETT (1-877-827-5388) Canada: 1-877-436-6267