

Tandus Centiva

LEED_{v4} PRODUCT CHART SOFT SURFACE



LEEDv4 PRODUCT CHART - POWERBOND® & MODULAR

		MODULAR			POWERBOND		
		ER3®	ETHOS® with OMNICOAT TECHNOLOGY™	FLEX-AIRE® CUSHION	POWERBOND® ETHOS® CUSHION	POWERBOND® CUSHION	POWERBOND® MEDFLOOR®
MRc2 – OPTION 1 EPDs		Product Specific Type III	Product Specific Type III	Product Specific Type III	Product Specific Type III	Product Specific Type III	Product Specific Type III
MRc3 - OPTION 1 RAW MATERIAL SOURCE & EXTRACTION REPORTING	U.N. Global Compact – Tarkett Communication of Progress • https://www.unglobalcompact.org/participant/11748-TARKETT						
MRc3 – OPTION 2 LEADERSHIP EXTRACTION PRACTICES	OVERALL RECYCLED CONTENT	45 - 67%	46 - 76%	21 - 41%	50 - 75%	7 - 33%	7 - 33%
	POSTCONSUMER	14 - 24%	23 - 38%	5 - 14%	38 - 51%	7 - 20%	7 - 20%
	PRE-CONSUMER	31 - 43%	23 - 38%	16 - 27%	12 - 24%	0 - 13%	0 - 13%
	EXTENDED PRODUCER RESPONSIBILITY	Vinyl-backed carpet is 100% recyclable through the ReStart® Program					
	REGIONAL MATERIALS PRODUCT MANUFACTURER	DALTON, GA	DALTON, GA	DALTON, GA	DALTON, GA	DALTON, GA	DALTON, GA
MRc4 – OPTION 1 MATERIAL INGREDIENT REPORTING		-	C2C® v3.1 Silver and/or DECLARE	-	C2C® v3.1 Silver and/or DECLARE	-	-
MRc4 – OPTION 2 MATERIAL INGREDIENT OPTIMIZATION		-	C2C® v3.1 Silver and/or Manufacturer Inventory(MHS)	-	C2C® v3.1 Silver and/or Manufacturer Inventory(MHS)	-	-
MRc5 CONSTRUCTION WASTE MANAGEMENT	Vinyl-backed carpet is 100% recyclable through the ReStart program.						
EQc1 ENHANCED IAQ STRATEGIES	Abrasive Action II entry walk-off mats						
EQc2 LOW-EMITTING MATERIALS	All Flooring is CRI Green Label Plus						
PILOT CREDIT LIBRARY	MRpc112 and other pilot credits can be earned depending on the Tandus Centiva product selected.						
THIRD PARTY CERTIFICATIONS							
RECYCLED CONTENT	SCS Certified	SCS Certified	-	SCS Certified	-	SCS Certified	
NSF 140 STANDARD	GOLD	PLATINUM	GOLD	PLATINUM	GOLD	-	

*Additional points may be available as more information becomes available.
A pilot credit could be added for NSF 140 certification.

LEEDv4 PRODUCT CHART - LVT

	VENUE® SERIES	EVENT® SERIES	CONTOUR® SERIES	VICTORY® SERIES	
MRc2 – OPTION 1 EPDs	Industry Average Type III	Industry Average Type III	Industry Average Type III	Industry Average Type III	
MRc3 - OPTION 1 RAW MATERIAL SOURCE & EXTRACTION REPORTING	U.N. Global Compact – Tarkett Communication of Progress • https://www.unglobalcompact.org/participant/11748-TARKETT				
MRc3 – OPTION 2 LEADERSHIP EXTRACTION PRACTICES	OVERALL RECYCLED CONTENT	30%	-	27.5%	-
	POSTCONSUMER	-	-	-	-
	PRE-CONSUMER	30%	-	27.5%	-
	EXTENDED PRODUCER RESPONSIBILITY	LVT is 100% recyclable through the ReStart® Program			
	REGIONAL MATERIALS PRODUCT MANUFACTURER	FLORENCE, AL	JAPAN	FLORENCE, AL	FLORENCE, AL
MRc4 – OPTION 1 MATERIAL INGREDIENT REPORTING	-	-	-	Manufacturer Inventory(MHS)	
MRc4 – OPTION 2 MATERIAL INGREDIENT OPTIMIZATION	-	-	-	Manufacturer Inventory(MHS)	
MRc5 CONSTRUCTION WASTE MANAGEMENT	LVT is 100% recyclable through the ReStart® Program				
EQc2 LOW-EMITTING MATERIALS	FloorScore® Certified LVT, Adhesives meet or exceed CA01350 requirements				
THIRD PARTY CERTIFICATIONS					
	NSF 332 STANDARD	SILVER	-	GOLD	GOLD

**Additional points may be available as more information becomes available.
A pilot credit could be added for NSF 332 certification.*

LEEDv4 PRODUCT CHART - BROADLOOM

		SUPER-LOK®	CROSSWEAVE® WOVEN CONSTRUCTION	LIFELONG®	ERGOSTEP™	CROSS CUSHION
MRc3 - OPTION 1 RAW MATERIAL SOURCE & EXTRACTION REPORTING	U.N. Global Compact – Tarkett Communication of Progress • https://www.unglobalcompact.org/participant/11748-TARKETT					
MRc3 – OPTION 2 LEADERSHIP EXTRACTION PRACTICES	OVERALL RECYCLED CONTENT	-	-	28 - 40%	8 - 10%	8 - 10%
	POSTCONSUMER	-	-	-	8 - 10%	8 - 10%
	PRE-CONSUMER	-	-	28 - 40%	-	-
	EXTENDED PRODUCER RESPONSIBILITY	Broadloom is 90% recyclable through the ReStart® Program				
	REGIONAL MATERIALS PRODUCT MANUFACTURER	TRURO, NOVA SCOTIA	TRURO, NOVA SCOTIA	TRURO, NOVA SCOTIA	DALTON, GA	DALTON, GA
MRc5 CONSTRUCTION WASTE MANAGEMENT	Vinyl-backed carpet is 100% recyclable through the ReStart® Program. Broadloom is 100% accepted and recycled.					
EQc2 ENHANCE IAQ STRATEGIES	Abrasive Action II entry walk-off mats					
EQc2 LOW-EMITTING MATERIALS	Flooring TVOC <0.5 mg/m ³ or less, Adhesives meet GLP & SCAQMD Rule #1168 and are <50 g/L					

**Additional points may be available as more information becomes available.*