

Product Data Sheet

STAIR SOLUTION

Product description

Stair solution is made from below listed parquet.

SAP code	Parquet		
550184014	STEP OAK BARON L 1200 BR MDB PN		
SAP code	Stair solution	type	PC/pack
550222001	STEPRO B1/14 OAK BARON 60X60X1200	Basic stair nosing	6
550222002	STEPRO S1/14 OAK BARON 60X14X1200	Stair skirting	6
550222003	STEPRO T1/14 OAK BARON 60X60X1200	Top stair nosing	1

SAP code	Parquet		
550049069	SALSA OAK NATURE BR PN TL 2283		
SAP code	Stair solution	type	PC/pack
550222004	STEPRO B3/14 OAK NATURE 60X127X1141	Basic stair nosing	6
550222006	STEPRO T3/14 OAK NATURE 48X127X1141	Top stair nosing	2

SAP code	Parquet		
550233002	EUROPARKET OAK ORIGINAL CL TL 2283		
SAP code	Stair solution	type	PC/pack
550222007	STEPRO B3/13 OAK ORIGINAL 60X127X1141	Basic stair nosing	6
550222008	STEPRO S3/13 OAK ORIGINAL 58X13X1141	Stair skirting	6
550222009	STEPRO T3/13 OAK ORIGINAL 48X127X1141	Top stair nosing	2

SAP code	Parquet		
550184006	STEP OAK ROYAL ANTIQ.WH.L 1200 BRMDBPNDG		
SAP code	Stair solution	type	PC/pack
550222010	STEPRO B1/14 OAK ROYAL AN.WH. 60X60X1200	Basic stair nosing	6
550222011	STEPRO S1/14 OAK ROYAL AN.WH. 60X14X1200	Stair skirting	6
550222012	STEPRO T1/14 OAK ROYAL AN.WH. 60X60X1200	Top stair nosing	1

SAP code	Parquet		
550184030	STEP OAK BARON BROWN L 1200 BR MDB PN		
SAP code	Stair solution	type	PC/pack
550222013	STEPRO B1/14 OAK BARON BROWN 60X60X1200	Basic stair nosing	6
550222014	STEPRO S1/14 OAK BARON BROWN 60X14X1200	Stair skirting	6
550222015	STEPRO T1/14 OAK BARON BROWN 60X60X1200	Top stair nosing	1


Product Data Sheet

Technical information

Selection of parquet providing optimal range of format, colour and thickness for stair solution.

SAP code	Description	Format	Colour	Thickness
550184014	STEP OAK BARON	1-strip	Natur	14
550049069	SALSA OAK NATURE	3-strip	Natur	14
550233002	EUROPARKET OAK ORIGINAL	3-strip	Natur	13.2
550184006	STEP OAK ROYAL ANTIQUE WHITE	1-strip	White	14
550184030	STEP OAK BARON BROWN	1-strip	Brown	14

Stair solution consist of 3 elements:




- **Top stair nosing** - used on the top of the stairs, connecting stairs and top floor installation (upstairs) to allow floor movements.
- **Basic stair nosing** – provides total compatibility with our standard floorboards, it comes with T-lock installation system, ensuring a tight gap-free joint.
- **Stair skirting** - matching skirting covers outer (open) side of stairs, if there is any, and on inner side of the stairs, it covers gaps between wall and stairs.


Installation

- Open packs just before installation (same procedure as for the floors)
- To prevent wide variations in shade between stair nosings and surrounding boards, sort into groups of similar colours (same procedure as for the floors)
- Measure, cut and glue together each module for each stair before final installation on staircase
- Use stair nosing (basic) with raiser and step boards (A modules)
- Use Top stair profile in order to allow expansion of upstairs floor (B modules)
- Use stair skirting to cover sides (C modules)

(A) module



(B) module



(C) module



Product Data Sheet

Follow detailed installation instructions. For the best results, installation should be performed by professionally-trained installer.

Maintenance

For maintenance follow basic steps and instructions provided with Tarkett Cleaner and Refresher

1. Wet mopping: Wet mopping with almost dry mop.
2. Cleaning: mopping & vacuum cleaning
3. Regular cleaning for lacquered parquet: Tarkett Cleaner
4. Periodical cleaning for lacquered parquet Tarkett Refresher

Notes:

- As our stair nosing have the same composition as our standard floors, you can use the maintenance and technical data sheet for the relevant floor.
- Use protective pads when moving furniture